

## DAFTAR PUSTAKA

- Adamec, M., Noska, L. dan Vojvodik, D. (2014). *Influence of Schematization Detailness on the Results of Rainfall-Runoff Modelling in the Lubina River Basin*. Department of Physical Geography and Geoecology, Faculty of Science, University of Ostrava. Republik Cheska.
- Affandy, N.A. dan Anwar, N. (2011). *Permodelan Hujan-Debit menggunakan Model HEC-HMS di DAS Sampean Baru*. Jurnal Jurusan Teknik Sipil. Kampus ITS Sukolilo Surabaya. Surabaya.
- Aldrian, E. (2014). *Pemahaman Dinamika Iklim Di Negara Kepulauan Indonesia Sebagai Modalitas Ketahanan Bangsa*. Naskah Orasi Profesi Riset. Kepala Pusat Penelitian dan Pengembangan BMKG.
- Aldrian, E. dan Susanto, R.D. (2003). *Identification of Three Dominant Rainfall Regions within Indonesia and Their Relationship to Sea Surface Temperature*. International Journal of Climatology.
- Bakir, M. dan Xingnan, Z. (2008). *GIS-Based Hydrological Modeling: A Comparative Study of HEC-HMS and The Xinanjiang Model*. Twelfth International Water Technology Conference. IWTC12 2008 Alexandria. Egypt.
- Balaz, M., Danacova, M., dan Szolgay, J. (2010). *On The Use of The Muskingum Method for The Simulation of Flood Wave Movements*. Slovak Journal of Civil Engineering. Slovak University of Technology. Bratislava. Republik Slovakia.
- Banitt, A.M.M. (2010). *Simulating a century of hydrographs - Mark Twain reservoir*. In: 2nd Joint Federal Interagency Conference. Las Vegas, USA. June 2010.
- Barrak, A.H. (1964). *Evaporation and Potential Evapotranspiration in Central Iraq*. Thesis Master of Science. Utah State University. USA.
- Bhunya, P.K.; Panda, S.N dan Goel, M.K. (2011). *Synthetic Unit Hydrograph Methods: A Critical Review*. The Open Hydrology Journal Volume 5. India.
- Borel, K.F., Karthikeyan, R., Smith, P.K. dan Srinivasan, R. (2012). *Predicting E. coli Concentration in Surface Waters Using GIS*. Texas A&M University, Biological and Agricultural Engineering Departement. USA. ISSN 13097474.



- Chatterjee, M., De, R., Roy, D., Das, S. dan Mazumdar, A. (2014). *Hydrological Modeling Studies with HEC-HMS for Damodar Basin, India*. Director of School of Water Resources Engineering, Dean of Faculty of sInterdisciplinary Studies, Law & Management. Jadavpur University. Kolkata – 700032. West Bengal. India.
- Chaudhry, H.C. (1993). *Open-channel Hydraulics*. Prentice Hall. USA.
- Chin, D. A. (2000). *Water Resources Engineering*. Prentice Hall. USA.
- Choudhari, K., Panigrahi, B., dan Paul, J.C. (2014). *Simulation of rainfall-runoff process using HEC-HMS model for Balijore Nala watershed, Odisha, India*. International Journal of Geomatics and Geoscience Volume 5, No 2, 2014. Department of Soil and Water Conservation Engineering. Orissa University of Agriculture and Technology. Bhubaneswar. Odisha, India.
- Chow, V.T. (1964). *Handbook of Applied Hydrology: a Compendium of Water-Resources Technology*, New York: McGraw-Hill Companies.
- Chow, V.T., Maidment D.R., dan Mays, L.W. (1988). *Applied Hydrology*, McGraw-Hill. New York. USA.
- Cunderlik, J. M. dan Simonovic, S. P. (2005). *Hydrological Extremes in a Southwestern Ontario River Basin Under Future Climate Conditions*. Hydrological Sciences. 50(4). 631-654.
- Diskin, M.H. dan Simon, E. (1977). *A Procedure for The Selection of Objective Function for Hydrologic Simulation Models*. Journal of Hydrology. 34. 129-149.
- Elbashir, S. (2011). *Flood Routing in Natural Channels Using Muskingum Methods*. School of Civil and Building Service Engineering. Dublin Institute of Technology. Dublin. Irlandia.
- Feldman, A.D. (2000). *Hydrologic Modeling System HEC-HMS, Technical Reference Manual*. U.S. Army Corps of Engineers, Hydrologic Engineering Center (HEC). Davis. CA. USA.
- Fleming, J.M. (2013). *Hydrologic Modeling System HEC-HMS: Quick Start Guide Version 4.0*. Davis: United States Army Corps of Engineers (USCAE). USA.
- Fleming, J.M. dan Doan, J.H. (2013). *HEC-GeoHMS Geospatial Hydrologic Modeling Extension: User's Manual Version 10.1*. Davis: United States Army Corps of Engineers (USCAE). USA.



- Gyori, M.M. dan Haidu, I. (2011). *Unit Hydrograph Generation for Ungauged Subwatersheds. Case Study: The Monorostia River, Arad County, Romania*. Babeş-Bolyai University. Faculty of Geography. Romania.
- Hidayah, E. (2013). *Uji Keandalan Penguraian Data Hujan Penguraian (Disagregasi) untuk Permodelan Hidrograf Banjir*. Jurusan Teknik Sipil. Fakultas Teknik. Universitas Jember.
- Jelen, S.L. (2003). *Hydrologic Modeling for the Watersheds 2000 Project*. Clean Water Services. Washington County. Oregon. USA.
- Kadam, A. S. (2011). *Event Based Rainfall-runoff Simulation Using HEC-HMS Model*. Thesis yang diajukan kepada Deptt. of Soil and water Conservation. Dr. PDKV University. Akola. India.
- Legates, D. R. dan McCabe, G. J. (1999). Evaluating The Use of Goodness of Fit Measures in Hydrologic and Hydroclimatic Model Validation. *Water Resources Research*, 35 (1), 233-241.
- Mays, L. (2009). *Water Resources Engineering, 2nd ed.*, Hoboken: John Wiley & Sons. USA.
- Mason, J.I., 2011. *Analysis of major Hydrology Events in Acension Parish, LA*. Thesis Master of Science in Civil Engineering. University of Mississippi. USA.
- Mawardi, I. (2008). *Upaya Meningkatkan Daya Dukung Sumberdaya Air Pulau Jawa*. *Jurnal Teknik Lingkungan*. ISSN 1441-318X.
- Melenti, I.L., Keri, A.A. dan Rusu, T. (2011). *Soil Conservation Service Curve Number Method for Surface Runoff Estimation Using GIS Techniques, in Rosia Poieni Mining Area (Romania)*. Technical University. Faculty of Materials Science and Engineering. Cluj-Napoca. Romania.
- Merwade, V. (2012). *Creating SCS Curve Number Grid using HEC-GeoHMS*. School of Civil Engineering. Purdue University.
- McCuen, R. H. (2004). *Hydrologic Analysis and Design*. Prentice Hall. ISBN-10: 0131424246.
- McCuen R.H., Knight Z. dan Cutter A.G. (2006). *Evaluation of The Nash-Sutcliffe Efficiency Index*. *Journal of Hydrologic Engineering* 11 (6): 597-602.
- Moriasi, D.N., Arnold, J.G., Van Liew, M. W. dan Bingner, R. L., Harmel, R. D. dan Veith, T. L. (2007). *Model Evaluation Guidelines for Systematic*



*Quantification of Accuracy in Watershed Simulations*. American Society of Agricultural and Biological Engineers (ASABE). ISSN 0001-2351.

- Najim, M.M.M.dan Halwatura, D. (2013). *Application of the HEC-HMS model for runoff simulation in a tropical catchment*. Environmental Conservation and Management Degree Programme. Department of Zoology. Faculty of Science. University of Kelaniya. Kelaniya. Sri Lanka.
- Nash, J. E. dan Sutcliffe, J. V. (1970). *River flow forecasting through conceptual models part I -A discussion of principles*. Journal of Hydrology. 10 (3). 282-290.
- Neto, J.G.C., Neto, A.R. dan Montenegro, G.L. (2014). *Assesment of Rainfall-Runoff Models for Flod River Extreme Event Simulations*. 6TH International Conference on Flood Management. Sao Paulo. Brazil.
- Nilda (2014). *Analisis Perubahan Penggunaan Lahan dan Dampaknya terhadap Hasil Air di Daerah Aliran Sungai Cisadane Hulu*. Magister Ilmu Lingkungan. Universitas Udayana. Denpasar.
- Paimin, Sukresno, Purwanto dan Indrawati (2009). *Evaluasi Aplikasi Sistem Karakterisasi Daerah Aliran Sungai*. BPK Solo.
- Ponce, V.M.dan Nuccitelli, N.R. (2013). *Comparison of Two Types of Clark Unit Hydrographs*. [Online]. Tersedia: [http://ponce.sdsu.edu/comparison\\_of\\_two\\_clark\\_unit\\_hydrographs.html](http://ponce.sdsu.edu/comparison_of_two_clark_unit_hydrographs.html). [16 Maret 2016].
- Quan, N.H. (2006). *Rainfall-Runoff Modeling in The Ungauged Can Le Catchment, Saigon River Basin*. International Institute for Geo-Information Science and Earth Observation. Enschede. Netherlands.
- Richard, C. dan Sorrel, P.E. (2010). *Computing Flood Discharges for Small Ungaged Watersheds*. Michigan Departement of Natural Resources and Environment. Land and Water Management Division.USA.
- Roy, D., Begam, S., Ghosh, S dan Jana, S. (2013). *Calibration and Validation of HEC-HMS Model for A River Basin in Eastern India*. School of Water Resources Engineering, Jadavpur University. India. ISSN 1819-6608.
- Russell, S., Kenning, B. dan Sunnell, G. (1979). *Estimating Design Flows for Urban Drainage*.Journal Hydraulics Division. American Society of Civil Engineers. Vol. 105. USA.



- Sardoii, E.R., Rostami, N., Sigaroudi, S.K. dan Taheri, S. (2012). *Calibration of Loss Estimation Methods in HEC-HMS for Simulation of Surface Runoff (Case Study: Amirkabir Dam Watershed, Iran)*. Journal of Advances in Environmental Biology, 6(1): 343-348, 2012. ISSN 1995-0756.
- Scharffenber, W. A. dan Fleming, M. J. (2010). *Hydrological Modeling System HEC-HMS User's Manual*. Davis: United States Army Corps of Engineers (USCAE).
- Singh, J., Knapp, H.V. dan Demissie, M. (2004). *Hydrologic Modeling of The Iroquois River Watershed Using HSPF and SWAT*. Watershed Science Section. Illinois State Water Survey. USA.
- Skaggs, R.W. dan Khaleel, R. (1982). *Infiltration*. In C.T. Haan et al.(ed.) Hydrologic modeling of small watersheds. ASAE Monogr. 5. ASAE, St. Joseph, MI.
- Sofan, P., Febrianti, N. dan Prasasti, I. (2014). *Estimasi Limpasan Permukaan dari Data Satelit untuk Mendukung Peringatan Dini Bahaya Banjir di Wilayah Jabodetabek*. Jurnal Penginderaan Jauh Vol. 11 No. 1. Peneliti Bidang Lingkungan dan Mitigasi Bencana Alam. Lapan.
- Straub, T.D., Melching, C.S. dan Kocher, K.E. (2000). *Equations for estimating Clark unit hydrograph parameters for small rural watersheds in Illinois*. Illinois Department of Natural Resources, Office of Water Resources U.S. Geological Survey. Urbana. Illinois. USA.
- Stephenson, D. (1979). *Direct Optimization of Muskingum Routing Coefficients*. Journal of Hydrology. 41. 161-165.
- Syukur, S. (2009). *Laju Infiltrasi dan Peranannya Terhadap Pengelolaan Daerah Aliran Sungai Allu-Bangkala*. Jurusan Budidaya Pertanian, Fakultas Pertanian, Universitas Tadulako. J. Agroland 16 (3) : 231 - 236. ISSN : 0854 – 641X.
- Tewolde, M.H. dan Smithers, J.C. (2006). *Flood Routing in Ungauged Catchments Using Muskingum Methods*. School of Bioresources Engineering and Environmental Hydrology. University of KwaZulu-Natal. Private Bag X01. Scottsville. Pietermaritzburg. South Africa.
- Tramblay, Y., Bouaicha, R., Brocca, L., Dorigo, W., Bouvier, C., Camici, S. dan Servat, E. (2012). *Estimation of Antecedent Wetness Conditions for Flood Modelling in Northern Morocco*. Hydrology and Earth System Sciences. Hydrol. Earth Syst. Sci., 16, 4375–4386, 2012.



- Tunas, G. (2012). *Kalibrasi Parameter Model HEC-HMS untuk Menghitung Aliran Banjir DAS Bengkulu*. Jurusan Teknik Sipil. Fakultas Teknik. Universitas Tadulako. Palu.
- USACE (1998). *HEC-HMS user's manual*. Hydrologic Engineering Center. Davis, CA. USA.
- USACE (1994). *Flood-runoff analysis*. EM 1110-2-1417. Office of Chief of Engineers. Washington DC. USA.
- USDA (1986). *Urban hydrology for small watersheds. Technical Release 55 (TR-55) (Second Edition ed.)*. Natural Resources Conservation Service. Conservation Engineering Division. USA.
- Ward, R.C. (1975). *Principles of hydrology*. McGraw-Hill Book Company (UK) Limited. London.
- Waskito, T.N. (2012). *Evaluasi Pengendalian Banjir Sungai Cibeet kabupaten Bekasi*. Magister Pengelolaan Sumber Daya Air. Institut Teknologi Bandung. Bandung.
- Wilkerson, J. dan Merwade, V. (2010). *Incorporating Surface Storage and Slope to Estimate Clark Unit Hydrographs for Ungauged Indiana Watersheds.* Journal of Hydrologic Engineering. 15(11). 918–930.
- Wunsch, M.J. (2013). *Distributed storage modeling in Soap Creek for flood control and agricultural practices*. MS (Master of Science) thesis, University of Iowa. USA.
- Yener, M.K., Şorman, A.Ü., Şorman, A.A., Şensoy, A. dan Gezgin, T. (2007). *Modeling Studies with HEC-HMS and Runoff Scenarios in Yuvacik Basin, Turkiye*. International Congress on River Basin Management. Turkiye.
- Zaidi, A. dan Marwadi, A.W.P. (2006). *Perencanaan Fasilitas PLTA Embung Godo di Kabupaten Pati*. Jurusan Teknik Sipil. Fakultas Teknik. Universitas Diponegoro.