



DAFTAR PUSTAKA

- Aguilar-Garcia, C., Gavino, G., Baragano-Mosqueda, M., Hevia, P., and Gavino, V.C., 2007, Correlation of Tocopherol, Tocotrienol, γ -Oryzanol and Total Polyphenol Content in Rice Bran with Different Antioxidant Capacity Assays, *Food Chemistry*, 102, 1228-1232
- Amarasinghe, B.M.W.P.K., Kumarasiri, M.P.M., and Gangodavilage, N.C., 2009, Effect of method of Stabilization on Aqueous Extraction of Rice Bran Oil, *Food and Bioproducts Processing*, 87, 108-114
- Anderson, A.M., and Rubin, J.A., 1981, Adsorption of Inorganics at Solid-liquid Interfaces, Ann Arbor Science Publishers, USA
- Arumughan C., Soban, K., Rajam, L., and Sundaresan, A., 2003, Integrated technology for RBO Refining and Byproducts Recovery, *SAARC Oils Fats Today*, 10-14.
- Atkins, P.W., 1996, *Kimia Fisika*, edisi 4, Erlangga.
- Bird, R.B., Stewart, W.E., and Lightfoot, E.N., 1994, *Transport Phenomena*, John Wiley & Sons Pte.Ltd - Singapore
- Bucci, R., Magri, A. D., Magri, A. L., and Marini, F., 2003, Comparison of Three Spectrophotometric Methods for the Determination of γ -oryzanol in RBO, *Analytical and Bioanalytical Chemistry*, 375, 1254–1259.
- Chakrabarty, M.M., 1989, Rice Bran: A New Source For Edible And Industrial Oil, David R. Erickson (Ed) *Proceedings Of World Conference On Edible Fats And Oils Processing*, AOCS Press, Champaign, 331-340
- Chapra, S.C., and Canale R.P., 1990, *Numerical Methods for Engineers*, 2nd Ed., McGraw-Hill Book Co., New York, 707-749.
- Chen, M.H. and Bergman, C.J., 2005, A Rapid Procedure for Analysing Rice Bran Tocopherol, Tocotrienol and γ -oryzanol Contents, *Journal of Food Composition and Analysis*, 18, 139-151
- Chen, J., and Ho, C.T., 1997, Antioxidant Activities of Caffeic Acid and its Related Hydroxycinnamic Acid Compounds, *Journal of Agricultural and Food Chemistry*, 45, 2374–2378



- Chu, B. S., Baharin, B.S., Che Man, Y.B., and Quek, S.Y., 2004, Separation of Vitamin E from Palm Fatty Acid Distillate using Silica I: Equilibrium of Batch Adsorption, *Journal of Food Engineering*, 62, 97-103
- Chu, B. S., Baharin, B.S., Che Man, Y.B., and Quek, S.Y., 2004, Separation of Vitamin E from Palm Fatty Acid Distillate using Silica II: Kinetics of Batch Adsorption, *Journal of Food Engineering*, 62,105–111
- Chu, B. S., Baharin, B.S., Che Man, Y.B., and Quek, S.Y., 2004, Separation of Vitamin E from Palm Fatty Acid Distillate using Silica III: Batch Desorption Study, *Journal of Food Engineering*, 64, 1-7
- Clowutimon W., Kitchalya, P., and Assawaengrat, P., 2011, Adsorption of Free Fatty Acid from Crude Palm Oil on Magnesium Silicate Derived from Rice Husk, *Engineering Journal*, 15 (3), 15-25
- Correa, F.V., Comim, S.R.R., Cesaro, A.M., Rigo, A.A., and Mazutti, M. A., 2011, Phase Equilibrium Data for the Ternary System (Propane + Chloroform + γ -oryzanol), *J.Chem. Thermodynamics*, 43, 34-38
- Coutinho, C., Chiu, M.C., Basso, R.C., Riberio, A.P.D., Goncalves, L.A.G, and Viotto, L.A., 2009, State of Art of Application of Membrane Technology to Vegetable Oils, *Food Research International*, 42, 536-550.
- Crevel, R.W.R., Kerkhoff, M.A.T., and Konong, M.M.G., 2000, Allergenicity of Refined Vegetable Oils, *Food Chem. Toxicology*, 38, 385-387
- Dalmolin, I., Lanza, M., Meirelles, A.J.A., and Batista, E.A.C., 2009, Liquid-Liquid Equilibrium Data for Systems Containing Refined Rice Bran Oil, Anhydrous Ethanol, Water, and Hexane, *J. Chem. Eng. Data*, 54, 2182-2188
- Danielski, L., Zetzl, C., Hense, H., and Brunner, G., 2005, A Process Line for The Production of Refined Rice Oil from Rice Bran, *Journal of Supercritical Fluids*, 34, 133–141
- Da Silva, M.A., Sanches, C., Amante, E.R., 2006, Prevention of Hydrolytic Rancidity in Rice Bran, *Journal of Food Engineering*, 75, 487–491
- Deepam, L. S. A., Kumar, D. R. S., Sundaresan, A., and Arumughan, C., 2007, A New Method for Simultaneous Estimation of Unsaponifiable Constituents of RBO using HPTLC, *Journal of Separation Science*, 30, 2786–2793.



- Diack, M., and Saska, M., 1994, Separation of Vitamin E And γ -Oryzanols from Rice Bran by Normal-Phase Chromatography, *JAACS*, 71, 1211-1217
- Do, D.D., 1998, Adsorption Analysis: Equilibria and Kinetics, Imperial College Press,
- Fang, N. B., Yu, S. G., and Badger, T. M., 2003, Characterization of Triterpene Alcohol and Sterol Ferulates in Rice bran using LC–MS/MS, *Journal of Agricultural and Food Chemistry*, 51, 3260–3267.
- Gambhir, G., 2008, Chromatography, Course CPDHE, Acharya Narendra Dev College, India
- Ghosh, M., 2007, Review on Recent Trends in Rice Bran Oil Processing, *Journal American Oil Chem. Soc.*, 84, 315-324.
- Gopalakhrisna, A.G., 2003, Value Added Products from Rice Bran Oil Industry, *SAARC Oils and Fats Today*, 20 – 23
- Gopalakhrisna, A.G., Khaaton, S., Shiela, P.M., Sarmandal, C.V., Indira, T.N., and Mishra, A., 2001, Effect of Refining of Crude Rice Bran Oil on the Retention of Oryzanol in the Refined Oil, *J Am Oil Chem Soc*, 78, 127-131.
- Gunawan, S., Maulana, S., Anwar, K., and Widjaja, T., 2011, Rice Bran, a Potential Source of Biodiesel Production in Indonesia, *Industrial Crops and Products*, 33, 624–628
- Hiramitsu, T., and Amstrong, D., 1991, Preventive Effect of Antioxidants on Lipid Peroxidation in the Retina, *Ophthalmic Research*, 23, 196–203
- http://articles.economictimes.indiatimes.com/2009-08-04/news/28402850_1rice-bran-rice-mills-indonesia diakses pada 27 Juni 2012
- <http://en.wikipedia.org/wiki/Rice> diakses ulang 18 Pebruari 2013
- <http://pustaka.litbang.deptan.go.id/publikasi/wr294075.pdf> diakses ulang 18 pebruari 2013
- <http://www.californiariceoil.com/nutrition.htm> diakses ulang 18 pebruari 2013.
- http://web.ipb.ac.id/~tpg/de/pubde_ntrtnhlth_dedakpadi.php diakses ulang 18 Pebruari 2013



- Hu, W., Wells, J.H., Shin, T., and Godber, J.S., 1996, Comparison of Isopropanol and Hexane for Extraction of Vitamin E and Oryzanols from Stabilized Rice Bran, *JAOC*, 73, 1653-1656
- Hvolby, A., 1971, Removal of Non Hydratable Phospholipids from Soybean Oil, *J. Am. Oil Chem. Soc.*, 48, 503–509
- Indira, T. N., Narayan, A. V., Barhate, R. S., Raghavarao, K. S., Khattoon, S., and Channaiah, G., 2004, Production of Oryzanol-enriched Fraction; Dehydration and Leaching of RBO Soapstock, Patents No. US2004192948-A1, Council Sci. Indian Res.
- Im sanguan, P., Roaysubtawee, A., Borirak, R., Pongamphai, S., Douglas, S., and Douglas, P. L., 2008, Extraction of α -tocopherol and γ -oryzanol from Rice Bran, *LWT*, 41, 1417-1424
- Iqbal, S., Bhangar, M.I., and Anwar, F., 2005, Antioxidant Properties and Components of Some Commercially Available Varieties of Rice Bran in Pakistan, *Food Chemistry*, 93, 265-272
- Jahani, M., Alizadeh, M., Pirozifard, M., and Qudsevali, A., 2008, Optimization of Enzymatic Degumming Process for RBO using Response Surface Methodology, *LWT – Food Science and Technology*, 41, 1892–1898.
- Ketaren, S., 2008, Pengantar Teknologi Minyak dan Lemak Pangan, Penerbit Universitas Indonesia (UI – Press), edisi 1.
- Kim, Y. P., Lee, U. J., Lee, Y. H., Oh, H. I., and Lee, W. J., 2005, Method for Environmentally-friendly Extracting RBO Containing Oryzanol from Rice Bran by Using Isopropanol as Extraction Solvent with Optimum Condition and Mayonnaise Containing Oryzanol, Patent Nos. KR2004097744-A, Univ. Se Jong
- Krishna, A. G. G., Khattoon, S., Shiela, P. M., Sarmandal, C. V., Indira, T. N., and Mishra, A., 2001, Effect of Refining of Crude RBO on the Retention of Oryzanol in the Refined Oil, *J. Am. Oil Chem. Soc.*, 78, 127–131
- Kritchevsky, D., 1997, Phytosterols, Dietary Fiber in Health and Disease, 427, 235–242



- Lai, P., Li, K.Y., Lu, S., and Chen, H.H., 2009, Analytical Method: Phytochemicals and Antioxidant Properties of Solvent Extracts from Japonica Rice Bran, *Food Chemistry*, 117, 538-544
- Lerma-Garcia, M.J., Herrero-Martínez, J.M., Simo-Alfonso, E.F., Mendonça, C.R.B., Ramis-Ramos, G., 2009, Review: Composition, Industrial Processing and Applications of Rice Bran γ -Oryzanol, *Food Chemistry*, 115, 389-404
- Lilitchan, S., Tangprawat, C., Aryasuk, K., Krisnangkura, S., Chokmoh, S., and Krisnangkura, K. (2008). Partial Extraction Method for the Rapid Analysis of Total Lipids and γ -oryzanol Contents in Rice Bran, *Food Chemistry*, 106, 752–759.
- Lloyd, B.J., Siebenmorgen, T.J., and Beers, K.W., 2000, Effects of Commercial Processing on Antioxidants in Rice Bran, *Cereal Chem.*, 77, 551–555
- Lynam, M.M., Kiduff, J.E. and Weber, Jr, W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous Solution, *J. Chem.Edu*, 72(1), 80-84
- Marini, F., Balestrieri, F., Bucci, R., Magri, A. L., and Marini, D., 2003, Supervised Pattern Recognition to Discriminate the Geographical Origin of RBOs: A First Study, *Microchemical Journal*, 74, 239–248.
- Miller, A., Frenzel, T., Schmarr, H. G., and Engel, K. H., 2003, Coupled Liquid Chromatography–Gas Chromatography for the Rapid Analysis of γ -oryzanol in Rice Lipids, *Journal of Chromatography A*, 985, 403–410.
- Miller, J.M., 2005, *Chromatography: Concepts and Contrasts*, John Wiley & Sons, 104-107
- Monsoor, M.A., and Proctor, A., 2005, Tocopherol, Tocotrienol, and Oryzanol Content of Rice Bran Aqueous Extracts, *JAOCS*, 82, 463-464
- Moreau, R. A., Powell, M. J., Hicks, K. B., and Norton, R. A., 1998, A Comparison of the Levels of Ferulate-phytosterol Esters in Corn and Other Seeds, *Advances in Plant Lipid Research*, 472-474
- Murase, Y., and Iishima, H., 1963, Clinical Studies of Oral Administration of Gamma-Oryzanol on Climacteric Complaints and its Syndrome, *Obstet. Gynecol. Prac.*, 12, 147-149



- Nakayama, S., manabe, A., Suzuki,J., Sakamoto, K., and Inagaki, T., 1987, Comparative Effects of Two Forms of Gamma-oryzanol in Different Sterol Compositions on Hyperlipidemia Induced by Cholesterol Diets in Rats, Japan J. Pharmacol, 44, 135-143
- Narayan, A.V., Barhate, R.S., and Raghavarao, K.S.M.S., 2006, Extraction and Purification of Oryzanol from Rice Bran Oil and Rice Bran Oil Soapstock, JAOCS, 83, 663-670.
- Oliveira, C.M., Garavazo, B.R., and Rodrigues, C.E.C., 2012, Liquid-Liquid Equilibria for Systems Composed of Rice Bran Oil and Alcohol-Rich Solvents: Application to Extraction and Deacidification of Oil, Journal of Food Engineerng, 110, 418-427
- Orthofer, F.T., 2005, Bailey's Industrial Oil and Fat Products: Rice Bran Oil, John Wiley & Sons.,Inc., Sixth ed., 2, 465-487
- Orthofer, F.T. and Eastman, J., 2004, Rice Bran and Oil, American Association of Cereal Chemists Inc., Minnesota, Third ed., 569-593
- Patel, M.,and Naik, S.N., 2004, Gamma-oryzanol from Rice Bran Oil- A Review, Journal of Scientific & Industrial Research, 63, 569-578
- Perry, R.H., Green, D.W., and Maloney, J.O., 1997, Perry's Chemical Engineers' Handbook, 7th ed., Mc Graw Hill Companies
- Priamo, W.L., Lanza, M., Meirelles, A.J.A., and Batista, E.A.C., 2009, Liquid-Liquid Equilibrium Data for Fatty Systems Containing Refined Rice Bran Oil, Oleic Acid, Anhydrous Ethanol, and Hexane, J. Chem. Eng. Data, 54, 2174-2181
- Peters, M.S., Timmerhaus, K.D., and West, R.E., 2004, Plant Design and Economics for Chemical Engineers, 5 ed., McGraw Hill Companies, New York
- Prausnitz, J.M., Lichtenthaler, R.N., and Azevedo, E.G., 1986, Molecular Thermodynamics of Fluid Phase Equilibria, 2 ed., Prentice Hall Inc., new Jersey



- Renuka Devi, R. and Arumugan, C., 2007, Phytochemical Characterization of Defatted Rice Bran and Optimization of a Process for Their Extraction and Enrichment, *Bioresource Technology*, 98, 3037-3043
- Rodrigues, C. E. C., Antoniassi R., and Meirelles, A. J. A., 2003, Equilibrium Data for the System Rice Bran Oil + Fatty Acids + Ethanol + Water at 298,2, K. *J.Chem. Eng. Data*, 48, 367-373
- Rodrigues, C. E. C., Filho, P. A. P., and Meirelles, A. J. A., 2004, Phase Equilibrium for the System Rice Bran Oil + Fatty Acids + Ethanol + Water + γ -Oryzanol + Tocols, *Fluid Phase Equilibria*, 216, 271-283
- Rodrigues, C. E. C., Filipini, A., and Meirelles, A. J. A., 2006, Phase Equilibrium for System Composed by High Unsaturated Vegetables Oils = Linoleic Acid + Ethanol + Water at 298.2 K , *J. Chem. Eng. Data*, 51, 15-21
- Saska, M., and Rositter, G.J., 1998, Recovery of γ -Oryzanol from Rice Bran Oil with Silica-Based Continuous Chromatography¹, *JAOCs*, 75, 1421-1427
- Scheper, T. and Freitag, R., 2002, *Advances in Biochemical Engineering Biotechnology Vol. 76: Modern Advances in Chromatography*, Springer-Verlag Berlin Heidelberg, 211-218
- Seader, J.D., Henley,, E.J., and Roper, D.K., 2011, *Separation Process Principles: Chemical and Biochemical Operations*, John Wiley & Sons, Inc., Third Ed., 583-587
- Seetharamaiah, G.S. and Chandrasekhara, N., 1989, Studies on Hypocholesterolemic Activity of Rice Bran Oil, *Atherosclerosis*, 78, 219–223
- Seetharamaiah, G.S., Krishnakantha, T.P., and Chandrasekhara, N., 1990, Influence of Oryzanol on Platelet Aggregation in Rats, *J. Nutr. Sci. Vitaminol*, 36, 291-297
- Seetharamaiah, G.S., and Prabhakar, J.V., 1986, Oryzanol Content of Indian Rice Bran Oil and Its Extraction from Soapstock, *J. Food Sci. Technol.*, 23, 270–273
- Sharma, A., R., 2002, Value Addition in Paddy Processing, *SAARC Oils Fats Today*, 25-26.



- Stoggl, W., Huck, C., Wongyai, S., Scherz, H., and Bonn, G., 2005, Simultaneous Determination of Carotenoids, Tocopherols, and γ -oryzanol in Crude RBO by Liquid Chromatography Coupled to Diode Array and Mass Spectrometric Detection Employing Silica C30 Stationary Phases, *Journal of Separation Science*, 28, 1712–1718.
- Sullivan, F.E., 1976, Steam Refining, *J. Am. Oil Chem. Soc.*, 53, 358–361
- Suzuki, M., 1990, Adsorption Engineering, Kodansha Ltd., Tokyo and Elsevier Science publishers BV., Amsterdam, 5-22
- Treybal, R.E., 1981, Mass-Transfer Operations, Mc. Graw Hill Book Co., Singapore, Third ed., 565-567
- Van Hoed, V., Depaemelaere, G., Ayala, J.V., Santiwattana, P., Verhe, R., and De Greyt, W., 2006, Influence of Chemical Refining on the Major and Minor Components of Rice Bran Oil, *J. Am. Oil Chem. Soc.*, 83, 315–321
- White, G.M., 1990, Heterogeneous Catalysis, Prentice Hall, USA
- Wixom, R.L. and Gehrke, C.W., 2010, *Chromatography: A Science of Discoveries*, John Wiley & Sons, 6 & 19
- Wu, X.W., Ma, H.W, Zhang, L.T., and Wang, F.J., 2012, Adsorption Properties and Mechanism of Mesoporous Adsorbents Prepared with Fly Ash for Removal of Cu (II) in Aqueous Solution, *J. Surf. Sci.*, 261, 902-907
- Xu, Z. and Godber, J. S., 1999, Purification and Identification of Components of γ -oryzanol in Rice Bran Oil, *J. Agric. Food Chem.*, 47, 2724-2728
- Xu, Z. and Godber, J.S., 2000, Comparison of Supercritical Fluid and Solvent Extraction Methods in Extracting γ -Oryzanol from Rice Bran, *JAACS*, 77, 547-551
- Xu, Z., Hua, N., and Godber, J.S., 2001, Antioxidant Activity of Tocopherols, Tocotrienols, and γ -Oryzanol Components from Rice Bran Against Cholesterol Oxidation Accelerated by 2,2-Azobis (2methylpropionamide) Dihydrochloride, *J. Agric. Food Chem.*, 49, 2077- 2081
- Zigoneanu, I.G., Williams, L., Xu, Z., and Sabliov, C.M., 2008, Determination of Antioxidant Components in Rice Bran Oil Extracted by Microwave-assisted Method, *Bioresource Technology*, 99, 4910-4918



Zullaikah, S., Melwita, E., and Ju, Y., 2009, Isolation of Oryzanol from Crude Rice
Bran Oil, *Bioresource Technology*, 100, 299–302