

## DAFTAR PUSTAKA

- Afrianto, E., Liviawati, E., Jamaris, Z., Hendi., 2015. Penyakit Ikan. Penebar Swadaya. Indonesia.
- Alphey, L. 1999. *DNA Sequencing From Experimental Methods to Bioinform.* BIOS Scientific Publisher Limited, New York.
- Amandi, A., Hill, S.F., Rohovec, J.S., dan Fryer, J.L., 1982. Isolation and Characterization of *Edwardsiella tarda* from Chinook Salmon (*Oncorhynchus ishawytscha*). *Applied and Enviromental Microbiolgy*, 43:1380-1384.
- Amanu, S., Rifai, A.B., Syarif, A. dan Fikar, M., 2015. Development of Co-agglutination Method for Viral Nervous Necrosis from Grouper (*Epinephelus* sp.) in Batam. *JAST B*, 5:502-505.
- Anonim, 2008. Viralzone *Betanodavirus*. Diakses dari Swiss Institute of Bioinformatics ([http://viralzone.expasy.org/all\\_by\\_species/47.html](http://viralzone.expasy.org/all_by_species/47.html)) tanggal 20 Oktober 2016.
- Anonim, 2016. Informasi tarif, Lampiran : PP. 19 Tahun 2006 Tentang Tarif Atas Jenis Penerimaan Negara Bukan Pajak Lingkup Kementerian Kelautan dan Perikanan. (<http://bkipm.kkp.go.id/bkipm/info/tarif>) diakses tanggal 24 Januari 2017.
- Anonim, 2017. [encorbio.com/protocols/AM-SO4.htm](http://encorbio.com/protocols/AM-SO4.htm). diakses tanggal 24 Januari 2017.
- Arimoto, M., Mushiake, K., Mizuta, Y., Nakai, T., Muroga, K. dan Furusawa, I., 1992. Detection of striped jack nervous necrosis virus (SJNNV) by enzyme-linked immunosorbent assay (ELISA). *Fish Pathol.*, 27:191-195.
- Arimoto, M., J. Sato, K. Maruyama, G. Mimura, and I. Furusawa. 1996. Effect of chemical and physical treatments on the inactivation of striped jack nervous necrosis virus (SJNNV). *Aquaculture* 143:15–22.
- Athanassopoulou, F., Billinis, C. dan Prapas, T., 2004. Important disease conditions of newly cultured species in intensive freshwater farms in Greece: first incidence of nodavirus infection in *Acipenser* sp. *Dis Aquat Organ.* 60:247–252.
- Bigarre, L., Cabon, J., Baud, M., Heimann, M., Body, A., Lieffrig, F., dan Castric, J., 2009. Outbreak of Betanodavirus Infection in Tilapia, *Oreochromis niloticus* (L) in fresh water. *J. Fish Dis.* 32: 667-673.

- Bjorck, L. dan Kronvall, G., 1984. Purification and some properties of Streptococcal protein G, a novel IgG-binding reagent. *J. Immunol.* 133(2):969-974.
- Bondad, R., McGladdery, S.E., East, I. dan Subasinghe, R., 2001. Asia Diagnostic Guide to Aquatic Animal Diseases. FAO and NACA. Italy and Thailand.
- Bootland, L.M., dan Leong, J.A., 1992. Staphylococcal Coagglutination, a Rapid Method of Identifying Infectious Hematopoietic Necrosis Virus. *Applied and environmental microbiology*, Pp: 6-13.
- Bovo, G., Nishizawa, T., Maltese, C., Borghesan, F., Mutinelli, F., Montesi, F., De Mas, S., 1999. Viral encephalopathy and retinopathy of farmed marine fish species in Italy. *Virus Res.* 63: 143–146.
- Brudeseth, B.E., Wiulsred, R., Fredrikse, B.N., Lindmo, K., Lockling, K.E., Bordevik, M., Steine, N., Klevan, A. dan Gravningen. K., 2013. Status and future perspectives of vaccines for industrialized fin-fish farming. *Fish & Shellfish immunology.*35:1759-1768.
- Byrom, M.J, Bannon, P.G., White, G.H. dan Ng, M.K., 2010. Animal models for the assessment of novel vascular conduits. *Journal of Vascular Surgery.* 52: 176–195.
- Carballo, C., Garcia-Rosado, E., Borrego, J.J., and Alonso, M.C., 2016. SJNNV down-regulates RGNNV replication in European sea bass by the induction of the type I interferon system. *Vet Res* 47:6.
- Carter, G.R. dan Wise, D.J. 2004. Essential of bacteriology and mycology. 6<sup>th</sup>. Ed, Iowa State Press, USA. Pp:193-195.
- Chi, S.C., Lo, C.F., Kou, G.H., Chang, P.S., Peng, S.E., Chen, S.N., 1997. Mass mortalities associated with viral nervous necrosis (VNN) disease in two species of hatchery-reared grouper, *Epinephelus fuscoguttatus* and *Epinephelus akaara* (Temminck & Schlegel). *J Fish Dis.* 20:185–193.
- Chi, S.C., Lin, S.C., Su, H.M. and Hu, W.W. 1999. Temperature effect on nervous necrosis virus infection in grouper cell line and in grouper larvae. *Virus Research* 63, 107-114.
- Edward, E. A. dan. Larson, G.L, 1974. New method of grouping beta hemolytic streptococci directly on sheep blood agar plates by coagglutination of specifically sensitized protein A-containing staphylococci. *Applied Microbiology*, 28, 972-976.
- Englard, S. dan Seifter, S., 1990. Precipitation techniques. *Methods in Enzymology.* 182, Pp: 285–300.

- Eurell, T.E., Lewis, D.H. dan Grumbles, L.C. 1978. Comparison of Selected Diagnostic Test for Detection of Motile *Aeromonas septicaemia* in Fish. *American journal of Veterinary Research*, 39: 1384-1386.
- Fitriatin, E. dan Manan, A., 2015. Pemeriksaan *Viral Nervous Necrosis* (VNN) pada ikan dengan metode *Polymerase Chain Reaction* (PCR). *Jurnal Ilmiah Perikanan dan Kelautan* Vol. 7 (2): 149-152.
- Forsgreen, A., dan Sjoquist, J., 1966. Protein A from *Staphylococcus aureus*. Pseudoimmune reaction with human globulin. *J.immunol*, 97, 822.
- Forsgreen, A., dan Sjoquist, J., 1969. Protein A from *Staphylococcus aureus* VII. Physiological and immunological characterization. *Acta Pathologica et Microbiologica Scandinavia*. 75:466-480.
- Froese, R. dan Pauly, D., 2007. FishBase. Diakses dari <http://www.fishbase.org>. Tanggal 20 Oktober 2016.
- Fukuda, Y., Nguyen, H.D., Furuhashi, M. dan Nakai, T., 1996. Mass mortality of cultured sevenband grouper, *Epinephelus septemfasciatus*, associated with viral nervous necrosis. *Fish Pathol.* 31:165–170.
- Furusawa, R., Okinaka, Y. dan Nakai, T., 2006. Betanodavirus infection in the freshwater model fish medaka (*Oryzias latipes*). *J Gen Virol.* 87:2333–2342.
- Gomez, D.K, Matsuoka, S., Mori, K., Okinaka, Y., Park, S.C., Nakai, T., 2009. Genetic analysis and pathogenicity of betanodavirus isolated from wild redspotted grouper *Epinephelus akaara* with clinical signs. *Arch Virol.* 154:343–6.
- Gomez, D.K., Mori, K., Okinaka, Y., Nakai, T. dan Park. S.C., 2010. Trash fish can be a source of *Betanodaviruses* for cultured marine fish. *Aquaculture.* 302:158–163.
- Ghufron, M. dan Kordi, K., 2009. Budi Daya Ikan Laut di Keramba Jaring Apung. Rineka Cipta. Indonesia. Pp:1-29.
- Gilbert, M. A. dan Granath, W. O. Jr., 2003. Whirling disease and salmonid fish: life cycle, biology, and disease. *Journal of Parasitology.* 89 (4): 658–667.
- Grodzki, A.C., dan Berenstein, E., 2009. Antibody Purification: Ammonium Sulfate Fractionation or Gel Filtration, in: *Immunocytochemical Methods and Protocols*. Oliver, C., and Jamur, M.C., 2010. Humana Press. 3<sup>th</sup> edition. Volume 588, pp:15-26.
- Harlow, E. dan Lane, D., 1988. *Antibodies: A Laboratory Manual*. Cold Spring Harbor Laboratory Press. New York, USA. Pp:616-619.

- Heemstra, P.C. dan Randall, J.E., 1993. Groupers of the world. FAO species catalogue, volume 16. Food and Agriculture Organization of the United Nations: Rome.
- Hick, P., Becker, J., Whittington, R., 2016. Iridoviruses of fish, in: Aquaculture Virology. Kibenge, F.S.B. and Godoy, M.G. Academic Press. Pp: 127-146.
- Iwamoto, T., Nakai, T., Mori, K., Arimoto, M. and Furusawa, I., 2000. Cloning of the fish cell line SSN-1 for piscine nodaviruses. *Dis. Aquat. Org.* 43, 81–89.
- Johansen, R., Rove, S., Svendsen, N.A.K., Modahl, I. end Dannevig, B., 2004. A sequential study of pathological findings in Atlantic halibut, *Hippoglossus hippoglossus* (L), throughout one year after an acute outbreak of viral encephalopathy and retinopathy. *J. Fish Dis.*, 27, 327–341.
- Johnston, B. dan Yeeting, B., 2006. Economics and marketing of the live reef fish trade in Asia–Pacific. ACIAR Working Paper No. 60. Australian Centre for International Agricultural Research: Canberra.
- KEPMEN, 2015. Keputusan Menteri Kelautan dan Perikanan Republik Indonesia No. 80/KEPMEN-KP/2015 tentang Penetapan Jenis-jenis Hama dan Penyakit Ikan Karantina, Golongan, Media Pembawa, dan Sebarannya. Jakarta, Indonesia.
- Kimura, T. dan Yoshimizu, M., 1983. Coagglutination Test with Antibody-Sensitized Staphylococci for Rapid and Simple Serological Diagnosis of Fish Furunculosis. *Fish Pathology*. 17 (4): 259-262.
- Kitamura, S.I., Kanehira, K., Takeoka, H. and Suzuki, S., 2007. Virus Detection in Diseased and Healthy Fish and Oysters from an Indonesian Aquaculture Site: Double Infection of Viral Nervous Necrosis Virus (VNNV) and Marine Birnavirus (MABV). *Mem. Fac.Agr., Ehime Univ.* 52. Pp: 9-11.
- Kitao, T., 1982. The Methods for Detection of *Streptococcus sp.* Causative Bacteria of Streptococcae Disease of Cultured Yellowtail (*Seriola quinqueradiata*). *Fish Pathology* 17: 17-26.
- Kitao, T., Aoki, T. dan Iwata, K., 1979. Epidemiological Study on Streptococciosis of cultured yellowtail (*Seriola quinqueradiata*) I. Distribution of *Streptococcus sp.* in sea water and muds around yellowtail farms. *Bulletin of the Japanese society of Scientific Fisheries* 45: 567-572.

- Kokawa, Y., Takami, I., Nishizawa, T., Yoshimizu, M., 2008. A mixed infection in sevenband grouper *Epinephelus septemfasciatus* affected with viral nervous necrosis (VNN). *Aquaculture*. 284:41–46.
- Kronval, G., 1972. A rapid slide-agglutination method for typing pneumococci by means of specific antibody adsorbed to protein A-containing staphylococci. *J. Med. Microbiol.* 6, 187-190.
- Kuo, H.C., Wang, T.Y., Chen, P.P., Chen, Y.M., Chuang, H.C., Chen, T.Y., 2011. Real-time quantitative PCR assay for monitoring of nervous necrosis virus infection in grouper aquaculture. *J. Clin. Microbiol.* 49: 1090–1096 .
- Kuo, H.C., Wang, T.Y., Hsu, H.H., Chen, P.P., Lee, S.H., Chen, Y.M., Tsai, T.J., Wang, C.K. , Ku, H.T., Lee, G.B., Chen, T.Y., 2012. Nervous necrosis virus replicates following the embryo development and dual infection with iridovirus at juvenile stage in grouper. *PLoS One* 7, e36183.
- Koesharyani, I. dan Novita, H., 2006. Diagnosa Nested Reverse Transcriptase-PCR untuk *Viral nervous necrosis* pada Benih Ikan Kerapu Bebek (*Cromileptes altivelis*). *J. Riset Akuakultur*, Volume 1 (3): 381-386.
- Koesharyani, I., Zafran dan Yuasa, K., 1999. Deteksi Viral Nervous Necrosis (VNN) Menggunakan Polymerase Chain Reaction (PCR) pada Ikan Kerapu Bebek, *Cromileptes altivelis*. Prosiding seminar Nasional Penelitian dan Desiminasi Budidaya Laut dan Pantai. Jakarta.
- Lai, Y.S., John, J.A., Lin, C.H., Guo, I.C., Chen, S.C., Fang, K., Lin, C.H., Chang, C.Y., 2003. Establishment of cell lines from a tropical grouper, *Epinephelus awoara* (Temminck & Schlegel), and their susceptibility to grouper irido and nodaviruses. *J Fish Dis*, 26: 31 –42.
- Lin, L., He, J., Mori, K.I., Nishioka, T., Wu, J.T., Weng, S., Mudhiake, K., Arimoto M. and Nakai, T. 2001. Mass mortalities associated with viral nervous necrosis in hatchery-reared groupers in the People’s Republic of China. *Fish Pathology* 36, 186-188.
- Liu, D., 2016. *Betanodavirus* in: Molecular Detection of Animal Viral Pathogens. CRC Press. Pp: 9-14.
- Lu, M.W. dan Wu, J.L., 2007. Innate Immune Response of NNV Infection in Fish and Its Disease Prevention. *J Marine Biosci and Biotec.* p .127 -132
- Lu, M.W, Chao, Y.M., Guo, T.C., Santi, N., Evensen, O., Kasani, S.K., Hong, J.R., Wu, J.L., 2008. The interferon response is involved in nervous necrosis virus acute and persistent infection in zebrafish infection model. *Mol Immunol.* 45:1146–52.

- Montassier, H.J., Arafijo Jr., J.P., Pinto, A.A. 1994. Rapid coagglutination test for the detection and typing of foot and mouth disease virus. *Journal of Virological Methods*. 50, 29-42.
- Mori, K., Nakai, T., Muroga, K., Arimoto, M., Mushiake, K. dan Furusawa, I., 1992. Properties of a new virus belonging to Nodaviridae found in larval striped jack (*Pseudocaranx dentex*) with nervous necrosis. *Virology*. 187:368-371.
- Mori, K., Mangyoku, T., Iwamoto, T., Arimoto, M., Tanaka, S., Nakai, T., 2003. Serological relationships among genotypic variants of betanodavirus. *Dis Aquat Organ*. 57(1-2):19-26.
- Munday, B.L., Nakai, T. dan Nguyen, H.D., 1994. Antigenic relationship of the picorna-like virus of the larval barramundi, *Lates calcarifer* Bloch to the nodavirus of larval striped jack, *Pseudocaranx dentex* (Bloch and Schneider). *Aust. Vet. J.* 71:384.
- Munday, B.L., Kwang, J. dan Moody, N., 2002. Betanodavirus infections of teleost fish: a review. *J. Fish Dis.* 25: 127-142.
- Munday, B.L., dan Nakai, T., 1997. Special topic review: Nodaviruses as pathogens in larval and juvenile marine finfish. *World J. Microbiol. Biotechnol.* 13:375-381.
- Nagasawa, K. dan Lacierda, E.R.C. 2004. Disease of Cultured Groupers. Southeast Asian Fisheries Development Center: Iloilo.
- Nakai, T., 2002. Diagnostic and preventive practices for viral nervous necrosis (VNN). In Y. Inui & E. R. Cruz-Lacierda (Eds.), Disease Control in Fish and Shrimp Aquaculture in Southeast Asia. SEAFDEC Aquaculture Department. Tigbauan, Iloilo, Philippines.
- Nakai, T., Mori, K., Sugaya, T., Nishioka, T., Mushiake, K., Yamashita, H., 2009. Current knowledge on viral nervous necrosis (VNN) and its causative betanodaviruses. *Isr J Aquacult-Bamid.* 61:198-207.
- Nishizawa, T., Furuhashi, M., Nagai, T., Nakai, T. dan Muroga, K., 1997. Genomic classification of fish nodaviruses by molecular phylogenetic analysis of the coat protein gene. *Appl. Environ. Microbiol.* 63: 1633-1636.
- Nuitja, I.N.S., 2015. Manajemen Sumber Daya Perikanan. IPB Press. Bogor. Indonesia. Pp:1-5.
- OIE, 2003. Viral encephalopathy and retinopathy. In Manual of Diagnostic Tests for Aquatic Animals, 4th edn, pp. 135-141. Paris: Office International des Epizooties.

- OIE, 2016. Viral encephalopathy and retinopathy. In Manual of Diagnostic Tests for Aquatic Animals, Version adopted by the World Assembly of Delegates of the OIE in May 2013, pp.1-20. Paris: Office International des Epizooties.
- Patel, S., Korsnes, K., Bergh, O., Vik-Mo, F., Pedersen, J., Nerland, A.H., 2007. Nodavirus in farmed Atlantic cod *Gadus morhua* in Norway. *Dis Aquat Organ.* 77:169–73.
- Panzarin, V., Toffan, A., Abbadi, M., Buratin, A., Mancin, M., Braaen, S., Olsen, C.M., Bargelloni, L., Rimstad, E., Cattoli, G., 2016. Molecular Basis for Antigenic Diversity of Genus *Betanodavirus*. *PLoS ONE* 11(7): e0158814.
- Pirarat, N., Katagiri, T., Maita, M., Nakai, T., Endo, M., 2009. Viral encephalopathy and retinopathy in hatchery-reared juvenile threadsail filefish (*Stephanolepis cirrhifer*). *Aquaculture.* 288:349–352.
- Prihartini, N.C., Yanuhar U., Maftuch, 2015. Betanodavirus Infections in Tilapia seed (*Oreochromis sp.*), in Indonesia. *J. Life Sci. Biomed.* 5(4): 106-109.
- Putri, D.R., Suwarno, Mahasri, G., 2015. Genotyping Viral Nervous Necrosis (VNN) pada Ikan Kerapu di Wilayah Jawa Timur dan Nusa Tenggara Barat. *Veterinaria Medika*, Vol. 8. No. 3. Pp: 1-18.
- Rabb, L., Cornick, J.W. and Mac Dermott, L.A., 1964. A Microscopic Slide Agglutination Test for The Presumptive Diagnosis of Furunculosis in Fish. *Progressive Fish Culturist.* 26: 118-120.
- Ransangan, J., Manin, B.O., Abdullah, A., Roli, Z., Sharudin, E.F., 2011. Betanodavirus infection in golden pompano, *Trachinotus blochii*, fingerlings cultured in deep-sea cage culture facility in Langkawi, Malaysia. *Aquaculture.* 315:327–34.
- Rimmer, M.A., McBride, S. dan Williams, K.C., 2004. Advances in grouper aquaculture. ACIAR Monograph No. 110. Australian Centre for International Agricultural Research: Canberra.
- Rolando, P., Bautista, N.B., deJesus-Ayson, E.G., Reyes, O., 2006. Protective immunity agaist viral nervous necrosis (VNN) in brown marbled grouper (*Epinephelus fuscoguttatus*) following vaccination with inactivated betanodavirus. *Fish & shellfish immunology.* 20: 523-533.
- Roongkamnertwongsa, S., Kanchanakhan, S., Danayadol Y., and Direkbusarakom, S., 2005. Identification of a betanodavirus isolated from viral nervous necrosis disease in red-spotted grouper (*Epinephelus coioides*) cultured in Thailand using PCR and sequence analysis. *Diseases in Asian Aquaculture V*, Pp: 207-216.

- Sambrook, J. and Russel, D.W. 2001. *Molecular Cloning.: a Laboratory Manual 3<sup>rd</sup> edition*. Cold Spring Harbor Laboratory Press, New York.
- Schneemann, A., Ball, L.A., Delserrt, C., Johnson, J.E., Nishizawa, T., 2005. Family Nodaviridae. In: Fauquet, C.M., Mayo, M.A., Maniloff, J., Desselberger, U., Ball, L.A. (Eds.), *Virus Taxonomy: Eighth Report of the International Committee on Taxonomy of Viruses*. Elsevier Academic Press. Pp: 865–872.
- Shetty, M., Maiti, B., Santhosh, K.S., Venugopal, M.N., Karunasagar, I., 2012. Betanodavirus of Marine and Freshwater Fish: Distribution, Genomic Organization, Diagnosis and Control Measures. *Indian J. Virol.* 23(2):114–123.
- Su, Y.C., Wu, J.L., Hong, J.R., 2009. Betanodavirus non-structural protein B2: A novel necrotic death factor that induces mitochondria-mediated cell death in fish cells. *Virology*. 385, 143 – 154.
- Suarsana, N.I., 2002. Protein A: Peranannya dalam mekanisme infeksi. *J. Vet.* 3(1):37-43.
- Subachri, W., Zainuddin, Yanuarita, D., dan Pramudi, M., 2011. *Better Management Practice, Seri Panduan Perikanan Skala Kecil, Budidaya Ikan Kerapu Sistem Keramba Jaring Apung & Tancap*. WWF-Indonesia
- Sudaryatma, P.E., Lestari, A.T., Sunarsih, N.L., Widiarti, K.S., Hidayah, S.N., Siroto, D., 2012. Imunositokimia Streptavidin Biotin: Deteksi Dini Viral Nervous Necrosis Virus pada Lendir Ikan Kerapu Macan (*Epinephelus fuscoguttatus*). *JSV*. 30(1):99-110.
- Sugama, K., Rimmer, M.A., Ismi, S., Koesharyani, I., Suwirya, K., Giri, N.A., Alava, V.R., 2012. *Hatchery management of tiger grouper (*Epinephelus fuscoguttatus*): a best-practice manual*. Australian Centre for International Agricultural Research (ACIAR). Australia
- Sumithra, T.G., Chaturvedi, V.K., Gupta, P.K., Siju, S.J., Susan, C., Bincy, J., Laxmi, U., Sunita., S.C., Rai, A.K., 2014. Develop ment of a simple method for the rapid ident ification of organisms causing anthrax by coagglutination test. *Biologicals* 42, 316e321.
- Thiery, R., Raimond, J.C. and Castric, J., 1999. Natural outbreak of viral encephalopathy and retinopathy in juvenile sea bass, *Dicentrarchus labrax*: study by nested reverse transcriptase-polymerase chain reaction. *Virus Res.* 63: 11–17.
- Thiery, R., Cozien, J., Lamour, F., Baud, M., Schneemann, A., 2006. Induction of a Protective Immune Response against Viral Nervous Necrosis in the European Sea Bass *Dicentrarchus labrax* by using betanodavirus virus-like particles. *Journal of virology*. 80:10201-10207.

- Tizard, I.R., 1982. An. Introduction to veterinary immunology. W.B. Saunders Company. USA. Pp: 53-73.
- Totland, G.K., Grotmol, S., Morita, Y., Nishioka, T. dan Nakai, T. 1999. Pathogenicity of nodavirus strains from striped jack *Pseudocaranx dentex* and Atlantic halibut *Hippoglossus hippoglossus*, studied by waterborne challenge of yolk-sac larvae of both teleost species. *Dis. Aquat. Org.* 38:169-175.
- Wasito, R. dan Wuryastuti, H., 2014. Antibodi dan Imunohistokimia. Rapha Publishing. Yogyakarta. Pp: 14-17.
- Widiasih, D.A., dan Budiharta, S., 2012. Epidemiologi Zoonosis di Indonesia. Gadjah Mada University Press. Yogyakarta. Pp: 7-9.
- Yoshikoshi, K. dan Inoue, K., 1990. Viral nervous necrosis in hatchery-reared larvae and juveniles of Japanese parrotfish, *Oplegnathus fasciatus* (Temminck & Schlegel). *J Fish Dis.* 13:69-77.
- Yoshimizu, M., dan Kimura, T., 1985. A Coagglutination Test with Antibody-Sensitized Staphylococci for Rapid and Simple Diagnosis of Bacterial and Viral Diseases of Fish. *Fish Pathology.* 20 (2/3) 243-261.
- Yuasa, K., Koesharyani, I., Mahardika, K., 2007. Effect of high water temperature on betanodavirus infection of fingerling humpback grouper *Cromileptes altivelis*. *Fish Pathol.* 42:219–21.
- Yusuf, Z.K., 2010. Polymerase Chain Reaction (PCR). *Saintek.* Vol.5 (6): 1-6.
- Yuwanita, R., Yanuhar, U., Hardoko., 2013. Pathognomonic of Viral Nervous Necrotic (VNN) Virulence on Larvae of Humpback Grouper (*Cromileptes altivelis*). *Adv. Environ. Biol.* 7(6): 1074-1081.
- Yuwono, T., 2006. Biologi Molekuler. Penerbit Erlangga, Jakarta. Pp: 49-74.
- Zafran, K.I., Johnny, F., Yuasa, K., Harada, T., Hatai, K., 2000. Viral nervous necrosis in humpback grouper *Cromileptes altivelis* larvae and juveniles in Indonesia. *Fish Pathol.* 35:95–6.