

## DAFTAR PUSTAKA

- Adisarwanto, T. 2010. Strategi peningkatan produksi kedelai sebagai upaya untuk memenuhi kebutuhan di dalam negeri dan mengurangi impor. *Pengembangan Inovasi Pertanian* 3 (4): 319-331.
- Aldillah, R. 2015. Proyeksi produksi dan konsumsi kedelai Indonesia. *Jurnal Ekonomi Kuantitatif Terapan* 8(1): 9-23.
- Antoun, H., Beauchamp, C.J., Goussard, N. Chabot, R. and Lalande, R. 1998. Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: effect on radishes (*Raphanus sativus* L.). *Plant and Soil* 204: 57-67.
- Ahmadi, B., Alizadeh, K., and Silva, J.A.T. 2012. Enhanced regeneration of haploid planlets from microspore of *Brassica napus* L. using bleomycin, PCB, and phytohormones. *Plant Cell, Tissue and Organ Culture*. 109(3): 525-533.
- Asif, M., Eudes, F., Randhawa, H., Amundsen, E., and Spaner, D. 2014. Plant Tissue Culture. Induction medium osmolality improves microspore embryogenesis in wheat and triticale. *In Vitro Cell.Dev.Biol.Plant*. 50:121-126.
- Ayed, O.S., Buysler, J.D., Picard, E., Trifa, Y. and Amara, H.S. 2010. Effect of pre-treatment on isolated microspores culture ability in durum wheat (*Triticum turgidum* subsp. *durum* Desf.) *Journal of Plant Breeding and Crop Science*. 2(2):30-38.
- Backer, C.A. and Brink, R.C.B.V.D. 1965. *Flora of Java (Spermathophytes)* Vol. 1 Angiospermae Families 1. R.S. Noordhoff N.V. Groningen. The Netherlands, 648 p.
- Badan Pusat Statistik, BPS, 2014, Pertanian dan Pertambangan, Tanaman Pangan Jenis Kedelai, [www.bps.go.id](http://www.bps.go.id), diakses tanggal 17 Desember 2014.
- Bal, U., Shariatpanahi, M.E., Castro, A.J., Emery, D., Clément, C., Dehestani-Ardakani, D., Mozaffari, K. and Touraev, A. 2012. Pseudo-embryogenic structures in anther and isolated microspore cultures *in vitro*: a cautionary guide. *Czech J. Genet. Plant Breed.*, 48(2): 51–60.
- Baliadi, Y., Tengkan, W., dan Marwoto. 2008. Penggerek polong kedelai, *Etiella zinckenella* Treitschke (Lepidoptera: Pyralidae), dan strategi pengendaliannya di Indonesia. *Jurnal Litbang Pertanian*. 27(4): 113-123
- Balitkabi, Badan Penelitian Kacang-kacangan dan Umbi-umbian Indonesia, 2014, <http://balitkabi.litbang.pertanian.go.id>
- Bhojwani, S.S. and Bhatnagar, S.P. . 1999. *The embryology of Angiospermae*. 4<sup>th</sup> revised and enlarged edition. Vika's Publishing House PVT Ltd. New Delhi. hal. 16-28.
- Budiana, Suharsono, Supena, E.D.J. dan Mariska, I. 2010. Induksi pembelahan sporofitik mikrospora kedelai melalui kultur antera pada sistem media dua lapis. Thesis. Sekolah Pasca Sarjana. Institut Pertanian Bogor.*unpublished*.

- Budiwati dan Sumardi, I . 1999. Perkembangan embrio zigotik dan formulasi embrionik pada kedelai (*Glycine max*, [L.]Merr). *Biologi* 2 (8): 459-471.
- Cardoso, M.B., Kaltchuk-Santos, E., Munstock, E.C. and Bodanese-Zanettini, M.H. 2004. Initial segmentation patterns of microspores and pollen viability in soybean cultured anthers: indication of chromosome doubling. *Brazilian Archives of Biology and Technology*. 47 (5): 703-712.
- Cassels, A.C. 1997. Problem in tissue culture: culture contamination in In vitro culture of higher plants. Kluwer Academic Publisher. pp 31-44.
- Caviness, C. E. 1966, Estimates of natural cross-pollination in Jackson soybeans in Arkansas. *Crop Sci*. 6: 211-217.
- Collin, H.A. and Edwards, S. 1998. *Plant Cell Culture*. Springer-Verlag Singapore Pte, Ltd. Singapore. pp.59-60.
- Crookston, R. K. ,Kurlle, J. E. Copeland, P. J. Ford, J. H. and Lueschen, W. E. . 1991. Rotational cropping sequence affects yield of corn and soybean. *American Society of Agronomy*. 83 (1): 108-113.
- Croser, J.S., Lulsdorf, M.M., Grewal, R.K., Kayley M. Usher, Kadambot H. and Siddique, M. 2011. Isolated microspores culture of chickpea (*Cicer arietinum* L): induction of androgenesis and cytological analysis of early haploid divisions. *In Vitro Cell.Dev.BiolPlant*. 47:357–368.
- Deyhle, F., Sarkar, A.K., Tucker, E.J. and Laux, T. 2007. WUSCHEL regulates cell differentiation during anther development. *Developmental Biology*. 302 (1): 154-159.
- Dubas, E., Maraveikova, J., Libantova, J., Matusikova, I., Benkova, E., Zur, I., and Krzewska, M. 2014. The influence of heat stress on auxin distribution in transgenic *B napus* microspore and microspore-derived embryos. *Protoplasma*. 251: 1077-1087.
- Fahmi, N., Syamsuddin, dan Marliah, A.. 2014. Effect of organic and inorganic fertilizer on growth and yield of soybean (*Glycine max* ( L. ) Merrill ). *J. Floratek* 9: 53 – 62 53.
- Ferrie, A. 2003. *Microspore culture of Brassica species*, in: M Maluszynki, K.J. Kasha, B.P. Foster and I. Szarejko, *Double haploid production in Crop plant, a manual*, Dordrecht; Kluwer Academic Publisher, pp.205-215.
- Ferrie, A.M.R., Bethune, T.D. and Mykytyshyn, M. 2011. Microspore embryogenesis in Apiaceae. *Plant Cell Tiss Organ Cult* 104: 399-406
- Gabarayeva, N.I & Grigorjeva, V.V. 2014. Sporoderm and tapetum development in *Eupomatia laurina* (Eupomatiaceae). An interpretation. *Protoplasma* 251:1321–1345.
- Gamborg, O.L. and Phillips, G.C. 1995. *Plant Cell, Tissue and Organ Culture: Sterile Techniques*. Springer, Heidelberg. pp. 35-41.
- Ginting, E., Antarlina, S.S. Widowati, S. 2009. Varietas unggul kedelai untuk bahan baku industri pangan. *Jurnal Litbang Pertanian* 28(3): 79-87
- Goldberg, R.B., Beals, T.P. and Sanders, P.M. 1993. Anther development: basic principles and practical applications. *The Plant Cell*. 5:1217-1229.
- Gomez, K.A. & Gomez, A.A. 1984. Statistical procedure for agricultural research, Wiley. 680 p

- Gonzalez, J.M. and Jouve, N. 2005. Microspore development during *in vitro* in triticale. *Biologia Plantarum*. 49 (1): 23-28.
- Griffiths A.J.F., Miller J.H. and Suzuki D.T. 2000. An introduction to genetic analysis. 7th edition. W. H. Freeman and Company. New York. <https://www.ncbi.nlm.nih.gov/books/NBK22098>. Diakses 10 November 2016
- Guo, Y.D. & Pulli, S. 2000. An efficient androgenic embryogenesis and plant regeneration method through isolated microspore culture timothy (*Phleum pratense* L.). *Plant Cell Reports*.19:761-767.
- Hosp J., Tashpulatov, A., Roessner, U., Barsova, E., Katholnigg, H., Steinborn, R., Melikant, B., Lukyanov, S., Heberle-Bors, E., and Touraev, A. 2007. Transcriptional and metabolic profiles of stress-induced, embryogenic tobacco microspores. *Plant Mol Biol* 63: 137-149.
- Huang, B., Bird, S., Kemble, R., Simmonds, D., Keller, W., and Miki, B. 1990. Effect of culture density, conditioned medium and feeder cultures on microspore embryogenesis in *Brassica napus* L. cv. Topas. *Plant Cell Report*. 8 (10): 594-597
- Indrianto, A., Barinova, I., Touraev, A., and Herberle-Bors, E. 2001. Tracking individual wheat microspores in vitro: identification of embryogenic microspores and body axis formation in the embryo. *Planta* 212:163-174.
- Indrianto, A., Herberle-Bors, E., and Touraev, A. 1999. Assessment of various stresses and carbohydrates for their effect on the induction of embryogenesis in isolated wheat microspores. *Plant Science* 143:71-79
- Indrianto, A., Mariani, T.S. and Sari, D.A. 2014. Induction of embryogenic microspore in oil palm (*Elaeis guineensis* Jacq) by starvation and temperature stress. Abstract. *Asian Journal of Applied Sciences* 2(5):668-677.
- Indrianto, A., Semiarti, E. dan Sudjino. 2008. Aplikasi teknik embriogenesis mikrospora untuk merakit galur murni padi (*Oryza sativa* L). Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Jacob, A and Malpathak, N. 2005. Manipulation of MS components for enhancement of growth and solasodine production in hairy root cultures of *Solanum khasianum* Clarke. *Plant Cell, Tissue and Organ Culture* 80: 247-257.
- Kasha, K.J., Hu, T.C., Oro, R., Simion, E. and Shim, Y.S. 2001. Nuclear fusion leads to chromosome doubling during mannitol pretreatment of barley (*Hordeum vulgare* L.) microspores. *J. Expt. Bot.* 52: 1227-1238.
- Kim, M., Jang, I.C., Kim, J.A., Park, E.J. Yoon, M. and Lee, Y. 2008. Embryogenesis and plant regeneration of hot pepper (*Capsicum annuum* L.) through isolated microspore culture. *Plant Cell Rep* 27:425-434
- Koti, S., Reddy, K.R., Kakani, V.G., Zhao, D. and Reddy, V.R. 2004. Soybean (*Glycine max*) pollen germination characteristics, flower and pollen morphology in response to enhanced ultraviolet-B radiation. *Annals of Botany* 94: 855-864.
- Kyo, M. & Harada, H. 1986, Studies on conditions for cell division and embryogenesis in isolated pollen culture of *Nicotiana rustica*. *Plant Physiol.*, 79: 90-94

- Khumaida, N. dan Handayani, T. 2010. Induksi dan proliferasi kalus embriogenik pada beberapa genotipe kedelai, *Jurnal Agronomi Indonesia* 38 (1): 19-24.
- Lauxen, M.S., Kaltchuk-Santos, E., Hu, C., Callegari-Jacques, S.M. and Bodanese-Zanettini, M.H. 2003. Association between Floral Bud Size and Developmental Stage in Soybean Microspores. *Brazil. Arch. Biol. Technol.* 46(4):515-520.
- Leifert, C. and Cassells, A.C. 2001. Microbial hazards in plant tissue and cell cultures. *In Vitro Cell Dev. Biol.Plant.* 37:133-138.
- Leroux, B, Carmoy, N., Giraudet, D., Potin, P., Larher, F., and Bodin, M. 2009. Inhibition of ethylene biosynthesis enhances embryogenesis of cultured microspores of *Brassica napus*. *Plant Biotechnol Rep.* 3:347–351.
- Li, Z., Y. Zhang, C. Li, W. Long, W. Lu and Han, F. 2009. Cytological observation of the microspore development of chinese kale and false pakchoi. *Front. Agric. China.* 3 (1): 24-28.
- Lulsdorf, M., Yuan, H.Y., Slater, S., Vanderberg, A., Han, X., and Zaharia, L.I. 2012. Androgenesis-inducing stress treatments change phytohormone levels in anthers of three legume species (Fabaceae) *Plant Cell Rep* 31: 1255-1267.
- Lyubushkina, I.V., Grabelnych, O.I., Pobezhimova, T.P., Stepanov, A.V., Fedyaeva, A.V., Fedoseeva, I.V. and Voinikov, V.K. 2014. Winter wheat cells subjected to freezing temperature undergo death process with features of programmed cell death. *Protoplasma* 251:615–623.
- Markley, K.S. 1950. *Soybean and Soybean Products*. Interscience Publishers Ltd., London. Vol.1. pp.111-134.
- Marwoto & Suharsono. 2008. Strategi dan komponen teknologi pengendalian ulat grayak (*Spodoptera litura* Fabricius) pada tanaman kedelai. *Jurnal Litbang pertanian* 27 (4): 131-136.
- Medz, R.P. and Bausher, M.G. 2002. Control of in vitro contamination of explant from greenhouse and fieldgrown tress. *In Vitro Cell Dev. Biol.Plant* 38:468-471.
- Moraes, A.P., Zanettini, M.H.B., Jacques, S.M.C., and Santos, E.K. 2004, Effect of temperature shock on soybean microspore embryogenesis. *Brazilian Archives of Biology and Technology.* 47: 537-544.
- Msogoya, T., Kanyagha, H., Mutigitu, J., Kulebelwa, M. and Mamiro, D. 2012. Identification and management of microbial contaminants of banana in vitro cultures. *Journal of Applied Biosciences* 55: 3987– 3994.
- Nagy-Déri, H. 2011. Morphological investigations on anthers and pollen grains of some quince cultivars. *Acta Biologica Szegediensis.* 55(2):231-235
- Nugroho, L.H., Purnomo & Sumardi, I. 2012. Struktur dan perkembangan Tumbuhan. Penebar Swadaya. Jakarta. halaman122-124.
- Ochatt, S., Pech, C., Grewal, R., Conreux, C., Lulsdorf, M., and Jacas, L. 2009. Abiotic stress enhances androgenesis from isolated microspores of some legume species (Fabaceae), *J. of Plant Physiol*, 166: 1314-1328
- Pandey, B.P. 1995. *Embryology of Angiosperms*. S. Chand & Company Ltd. New Delhi. p.15-25, 74-86.

- Parra-Vega, V., Corral-Martínez, P., Rivas-Sendra, A. and Seguí-Simarro, J.M. 2015. Induction of embryogenesis in *Brassica napus* microspores produces a callosic subintinal layer and abnormal cell walls with altered levels of callose and cellulose. Abstract. *Front Plant.Sci.*6:1018
- Prem, D., Gupta, K., Sarkar, G., and Agnihotri, A. 2008. Activated charcoal induced high frequency microspore embryogenesis and efficient doubled haploid production in *Brassica juncea*. *Plant Cell, Tissue and Organ Culture* 93 (3): 269-282
- Puteh, A.B., Thuzar, M., Mohd Monjurul Alam Mondal, M.M.A., Abdullah, N.A.P. B. and Halim, M.R.A. 2013. Soybean [*Glycine max* (L.) Merrill] seed yield response to high temperature stress during reproductive growth stages. *AJCS* 7(10):1472-1479.
- Raghavan, V. 1997. *Molecular Embryology of Flowering Plants*. 1<sup>st</sup> ed., Cambridge University Press, Cambridge, UK. 525-532
- Raina, S.K. and Irfan, S.T. 1998. High-frequency embryogenesis and plantlet regeneration from isolated microspores of indica rice. *Plant Cell Rep* 17:957-962
- Rezanejad, F. 2007. The effect of air pollution on microsporogenesis, pollen development and soluble pollen proteins in *Spartium junceum* L. (Fabaceae). *Turk J Bot.* 31:183-191.
- Rodrigues, L R, Camargo-Forte, D. D. and Zanettini, M.D.B. 2006. Isolation and culture of soybean (*Glycine max* L. Merril) microspore and pollen grains. *Brazillian Achieve of Biology and Technology*. 49(4): 537-545.
- Scott, R.J, Spielman, M., and Dickinson, H.G. 2004. Stamen structure and function. *The Plant Cell*. 16:46-60.
- Shariatpanahi, M.E., Bal, U., Heberle-Bors, E., and Touraev, A. 2006. Stresses applied for the re-programming of plant microspores towards in vitro embryogenesis. Review. *Physiologia Plantarum* 127: 519-534.
- Shim, Y. & Kasha, K.J. 2003. The influence of pretreatment on cell stage progression and the time of DNA synthesis in barley (*Hordeum vulgare* L.) uninucleate microspores. *Plant Cell Rep.* 21(11): 1065-1071
- Shim, Y.S, Kasha, K.J., Simion, E. and Letarte, J. 2006. The relationship between induction of embryogenesis and chromosome doubling in microspore culture. *Journal Protoplasma* 228: 79-86.
- Slamet. 2011. Perkembangan teknik aklimatisasi tanaman kedelai hasil regenerasi kultur *in vitro*. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian, Bogor. *Jurnal Litbang Pertanian*, 30(2): 48-54.
- Soria-Guerra, R, S. Rosales-Mendoza, S. Chang, J.S. Haudenshield, D. Zheng, S.S. Rao, G.L. Hartman, S.A. Ghabrial and Korban, S.S. 2010. Identifying differentially expressed genes in leaves of *Glycine tomentella* in the presence of the fungal pathogen *Phakopsora pachyrhizi*. *Planta*. 232: 1181-1189.

- Soriano, M., Li, H., and Boutilier, K. 2013. Microspore embryogenesis: establishment of embryo identity and pattern in culture. *Plant Reprod.* 26(3): 181–196.
- Suaib, Mangoendidjojo, W., Mirzawan, PDN dan A. Indrianto, A. 2008. Respons embriogenesis mikrospora tanaman tebu (*Saccharum* spp.) pada suhu dan lama inkubasi cabang malai di dalam medium B. *Berk. Penel. Hayati.* 14: 63–72.
- Sumarno. 2010. Pemanfaatan teknologi genetika untuk peningkatan produksi kedelai. [puslitbangtan@litbang.deptan.go.id](mailto:puslitbangtan@litbang.deptan.go.id) *Pengembangan Inovasi Pertanian* 3(4): 247-259.
- Supena, E.D.J. & Suharsono. 1998. Pembentukan galur murni cabai (*Capsicum annum* L) menggunakan teknik *in vitro* dan mutagenesis. Penelitian Hibah Bersaing, Dikti. *unpublished*.
- Supena, E.D.J., Winarto, B., Riksen, T., Dubas, E., Lammeren, A.V., Offringa, R., Boutilier, K. and Custers, J. 2008. Regeneration of zygotic-like microspore-derived embryos suggests an important role for the suspensor in early embryo patterning. *Journal of Experimental Botany.* 59 (4): 803–814.
- Takahashi, Y., Yokoi, S. and Takahata, Y. 2012; Effects of genotypes and culture conditions on microspore embryogenesis and plant regeneration in several subspecies of *Brassica rapa* L. *Plant Biotechnol. Rep.* 6 (4):297-304.
- Tang, X., Liu, Y., He, Y., Ma, L. and Sun, M.X . 2012. Exine dehiscing induces rape microspore polarity, which results in different daughter cell fate and fixes the apical–basal axis of the embryo. *Journal of Experimental Botany. Scien Open.com.* 64 (1) 215-228.
- Taylor, M.L., and Osborn, J.M. 2006. Pollen ontogeny in *Brasenia* (Cabombaceae, Nymphaeales). *American Journal of Botany* 93: 344-356.
- Thakur, M.P., Verma, K.P. and Agrawal, K.C. 1998. Characterization and management of bud blight disease of soybean in India. *International Journal of Pest Management* 44(2) 87-92.
- Thuzar, M, Puteh, A.B., Abdullah, N. A. P., Mohd. Lassim, M. B. and Jusoff, K. 2010. The effects of temperature stress on the quality and yield of soya bean [*(Glycine max L.) Merrill.*]. *Journal of Agricultural Science* 2 (1): 172-179.
- Touraev, A., Ilham, A., Vincente, O. and Heberle-Bors, E. 1996 a. Stress-induce microspore embryogenesis in tobacco: an optimized system for molecular studies. *Plant Cell Reports.* 15:561-565.
- Touraev, A., Indrianto, S., Wratschko, I., Vincente, O. and Heberle-Bors, E. 1996 b, Efficient microspore embryogenesis in wheat (*Triticum aestivum* L) induced by starvation at high temperature. *Sex Plant Reprod* 9:209-215.
- Touraev, A, Vincente,O., and Herberle-Bors, E. 1997. Initiation of microspore embryogenesis by stress, *Trends in plant science*, 2(8): 297-302.

- Vižintin, L and Bohanec, B. 2004. In vitro manipulation of cucumber (*Cucumis sativus* L.) Pollen and microspores: isolation procedures, viability tests, germination, maturation. *Acta Biologica Cracoviensia*. 46: 177–183
- Watanabe, S., Sano, T., Kamada, H. and Ezura, H. 2006. Reducing gene flow from pollen dispersal of genetically modified plants in special screened greenhouses. *Plant Biotechnology*. 23, 129-135.
- Wirawan, S.R.S. 2000. Studi taksonomi kultivar kedelai (*Glycine max* L Merr) Di Pulau Jawa. Tesis. Program Pasca Sarjana, Fakultas Biologi Universitas Gadjah Mada, Yogyakarta.
- Yamaoka, Y., Fujiwara, Y., Kakishima, M., Katsuya, K., Yamada, K., and Hagiwara, H. 2002. Pathogenic races of *Phakopsora pachyrhizi* on soybean and wild host plants collected in Japan. *J. gen. Plant Pathol.* 66: 52-56.
- Yin, G.C., Li, X.Z., Xu, Z., Chen, L., Zhu, Z.Y. and Bi, F.Y. 1982. Studies on induction of pollen plant and their androgenesis in *Glycine max* (L.) Merr. *Soybean Science*, 1 (1): 69-76.
- Yusmarini, 2011, *Kemampuan produk fermentasi hidrolisa enzimatis susu kedelai dalam mengikat garam empedu*, Disertasi, Fakultas Teknologi Pertanian UGM.
- Zakaria, A.K. 2010. Program pengembangan agribisnis kedelai dalam peningkatan produksi dan pendapatan petani, *Jurnal Litbang Pertanian*, 29(4):147-153.
- Zheng, M.Y. 2003. Microspore culture in wheat (*Triticum aestivum*) — doubled haploid production via induced embryogenesis. *Review of Plant Biotechnology and Applied Genetics. Plant Cell. Tissue and Organ Culture* 73: 213-230.
- Zheng, M.Y., Y. Weng, W. Liu, and Konzak, C.F. 2002. The effect of ovary-conditioned medium on microspore embryogenesis in common wheat (*Triticum aestivum* L.). *Plant Cell Rep.* 20: 802-807.
- Zhu, J., Chen, H., Li, H., Gao, J.F., Jiang, H., Chen Wang, C., Guan, Y.F. and Yang, Z.N. 2008. Defective in tapetal development and function 1 is essential for anther development and tapetal function for microspore maturation in Arabidopsis. *The Plant Journal*. 55: 266–277.