

## DAFTAR PUSTAKA

- Alamsyah, A.N., 2006, *Taklukkan Penyakit Dengan Teh Hijau*, AgroMedia.
- Arshak, K., Moore, E., Lyons, G.M., Harris, J. dan Clifford, S., 2004, A review of gas sensors employed in electronic nose applications, *Sensor Review*, [Online] 24 (2), 181–198, tersedia di DOI:10.1108/02602280410525977.
- Bag, A.K., Tudu, B., Roy, J., Bhattacharyya, N. dan Bandyopadhyay, R., 2011, Optimization of Sensor Array in Electronic Nose: A Rough Set-Based Approach, *IEEE Sensors Journal*, 11 (11), 3001–3008,
- Banerjee, R., Chattopadhyay, P., Rani, R., Tudu, B., Bandyopadhyay, R. dan Bhattacharyya, N., 2011, Discrimination of black tea using electronic nose and electronic tongue: A Bayesian classifier approach. *2011 International Conference on Recent Trends in Information Systems*. [Online]. hal.13–17. tersedia di DOI:10.1109/ReTIS.2011.6146832.
- Banerjee, R., Chattopadhyay, P., Tudu, B., Bhattacharyya, N. dan Bandyopadhyay, R., 2014, Artificial flavor perception of black tea using fusion of electronic nose and tongue response: A Bayesian statistical approach, *Journal of Food Engineering*, [Online] 142 (2014), 87–93, tersedia di DOI:10.1016/j.jfoodeng.2014.06.004.
- Banerjee, R., Tudu, B., Shaw, L., Jana, A., Bhattacharyya, N. dan Bandyopadhyay, R., 2012, Instrumental testing of tea by combining the responses of electronic nose and tongue, *Journal of Food Engineering*, [Online] 110 (3), 356–363, tersedia di DOI:10.1016/j.jfoodeng.2011.12.037.
- Berna, A., 2010, Metal oxide sensors for electronic noses and their application to food analysis., *Sensors (Basel, Switzerland)*, [Online] 10 (4), 3882–3910, tersedia di DOI:10.3390/s100403882, diakses 16 Desember 2013.
- Bhattacharya, N., Tudu, B., Jana, A., Ghosh, D., Bandhopadhyaya, R. dan Saha, A.B., 2008, Illumination heating and physical raking for increasing sensitivity of electronic nose measurements with black tea, *Sensors and Actuators B: Chemical*, [Online] 131 (1), 37–42, tersedia di DOI:10.1016/j.snb.2007.12.031.
- Bhattacharyya, N. dan Bandhopadhyaya, R., 2010, Electronic Nose and Electronic Tongue, Shyam N Jha (ed.), *Nondestructive Evaluation of Food Quality*, [Online], Springer-Verlag Berlin Heidelberg., hal. 73–100, tersedia di DOI:10.1007/978-3-642-15796-7.
- Bhattacharyya, N., Bandyopadhyay, R., Bhuyan, M., Tudu, B., Ghosh, D. dan Jana, A., 2008, Electronic Nose for Black Tea Classification and Correlation of Measurements With “Tea Taster” Marks, *IEEE Transactions on Instrumentation and Measurement*, [Online] 57 (7), 1313–1321, tersedia di DOI:10.1109/TIM.2008.917189.
- Bhattacharyya, N., Seth, S., Tudu, B., Tamuly, P., Jana, A., Ghosh, D., Bandyopadhyay, R. dan Bhuyan, M., 2007, Monitoring of black tea fermentation process using electronic nose, *Journal of Food Engineering*, [Online] 80 (4), 1146–1156, tersedia di DOI:10.1016/j.jfoodeng.2006.09.006, diakses 12 Desember 2013.

- Bhattacharyya, N., Tudu, B., Bandyopadhyay, R., Bhuyan, M. dan Mudi, R., 2004, Aroma Characterization of Orthodox Black Tea With Electronic Nose, *2004 IEEE Region 10 Conference TENCON 2004.*, [Online], 2004 TENCON.2004., hal. 427–430 Vol. 2, tersedia di DOI:10.1109/TENCON.2004.1414623.
- Blanco-rodríguez, A., Campo, F., Morales, O.M., Valiente, R., Lambert, B., Becheran, L., Garcia-Ramirez, A., Lisboa, H. de M. dan Duran, A., 2016, Development of an Electronic Nose to Identify and Classify Odours from Spirits Beverages, *Chemical Engineering Transactions*, [Online] 54, tersedia di DOI:10.3303/CET1654057.
- Borah, S., Hines, E.L., Leeson, M.S., Iliescu, D.D., Bhuyan, M. dan Gardner, J.W., 2008, Neural network based electronic nose for classification of tea aroma, *Sens. & Instrumen. Food Qual.*, [Online] (2), 7–14, tersedia di DOI:10.1007/s11694-007-9028-7.
- Chen, Q., Zhao, J., Chen, Z., Lin, H. dan Zhao, D.A., 2011, Discrimination of green tea quality using the electronic nose technique and the human panel test, comparison of linear and nonlinear classification tools, *Sensors and Actuators, B: Chemical*, [Online] 159 (1), 294–300, tersedia di DOI:10.1016/j.snb.2011.07.009.
- Chester, M., 1993, *Neural Networks: A Tutorial*, 1st edisi, Prentice Hall, New Jersey.
- Cometto-Muñiz, J.E., 2004, Chemical Sensing in Humans and Machines, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 33–53, tersedia di DOI:10.1002/3527601597.ch2.
- Cosio, M.S., Ballabio, D., Benedetti, S. dan Gigliotti, C., 2007, Evaluation of different storage conditions of extra virgin olive oils with an innovative recognition tool built by means of electronic nose and electronic tongue, *Food Chemistry*, [Online] 101 (2), 485–491, tersedia di DOI:10.1016/j.foodchem.2006.02.005, diakses 13 Desember 2013.
- Dorf, R.C. dan Bishop, R.H., 2011, *Modern Control Systems*, 12th edisi, Prentice Hall, New Jersey, USA., [Online]. tersedia di DOI:10.1109/TSMC.1981.4308749.
- Dutta, A., 2011, *Black tea quality evaluation using electronic nose: An Artificial Bee Colony approach*, [Online] (2), 143–146, tersedia di DOI:10.1109/RAICS.2011.6069290.
- Dutta, R., Hines, E.L., Gardner, J.W., Kashwan, K.R. dan Bhuyan, M., 2003a, *Tea quality prediction using a tin oxide-based electronic nose: an artificial intelligence approach*, [Online] 94228–237, tersedia di DOI:10.1016/S0925-4005(03)00367-8.
- Dutta, R., Kashwan, K.R., Bhuyan, M., Hines, E.L. dan Gardner, J.W., 2003b, Electronic nose based tea quality standardization., *Neural networks: the official journal of the International Neural Network Society*, [Online] 16 (5–6), 847–853, tersedia di DOI:10.1016/S0893-6080(03)00092-3, diakses 20 Desember 2013.
- Ettre, L.S., 2001, Headspace-Gas Chromatography: An Ideal Technique for Sampling Volatiles Present in Non-Volatile Matrices, K. Rusell dan L. Rouseff (ed.), *Headspace Analysis of Foods and Flavours: Theory and Practice*, 1

- edisi, [Online], Kluwer Academic, New York., hal. 9–32, tersedia di DOI:10.1007/978-1-4615-1247-9.
- Eugster, W., Kling, G.W., Biology, E. dan Arbor, A., 2012, Performance of a low-cost methane sensor for ambient concentration measurements in preliminary studies, *Atmospheric Measurement Techniques*, [Online] 51925–1934, tersedia di DOI:10.5194/amt-5-1925-2012.
- Figaro, 2005, *Technical Information on Usage of TGS Sensors for Toxic and Explosive Gas Leak Detectors*.
- Figaro, 2001, TGS 2600 - for the detection of Air Contaminants. *Figaro USA*.
- Gao, D., Yang, Z., Cai, C. dan Liu, F., 2012, Performance evaluation of multilayer perceptrons for discriminating and quantifying multiple kinds of odors with an electronic nose, *Neural Networks*, [Online] 33204–215, tersedia di DOI:10.1016/j.neunet.2012.05.009.
- García-González, D.L. dan Aparicio, R., 2002, Sensors: From biosensors to the electronic nose, *Grasas y Aceites*, [Online] 53 (1), 96–114, tersedia di DOI:10.3989/gya.2002.v53.i1.293.
- Garcia-Martinez, T., Bellincontro, A., De Lerma, M.D.L.N.L., Peinado, R.A., Mauricio, J.C., Mencarelli, F. dan Moreno, J.J., 2011, Discrimination of sweet wines partially fermented by two osmo-ethanol-tolerant yeasts by gas chromatographic analysis and electronic nose, *Food Chemistry*, [Online] 127 (3), 1391–1396, tersedia di DOI:10.1016/j.foodchem.2011.01.130.
- Gardner, J.W., 1991, Detection of vapours and odours from a multisensor array using pattern recognition Part 1. Principal component and cluster analysis, *Sensors and Actuators B: Chemical*, [Online] 4 (1), 109–115, tersedia di DOI:[http://dx.doi.org/10.1016/0925-4005\(91\)80185-M](http://dx.doi.org/10.1016/0925-4005(91)80185-M).
- Gardner, J.W. dan Bartlett, P.N., 1994, A brief history of electronic noses, *Sensors and Actuators B: Chemical*, [Online] 18 (1–3), 210–211, tersedia di DOI:10.1016/0925-4005(94)87085-3.
- Gardner, J.W. dan Bartlett, P.N., 2000, Electronic Noses. Principles and Applications, *Measurement Science and Technology*, [Online] 11 (7), 1087, tersedia di <http://stacks.iop.org/0957-0233/11/i=7/a=702>.
- Gardner, J.W., Craven, M., Dow, C. dan Hines, E.L., 1998, The prediction of bacteria type and culture growth phase by an electronic nose with a multi-layer perceptron network, *Measurement Science and Technology*, [Online] 9 (1), 120, tersedia di <http://stacks.iop.org/0957-0233/9/i=1/a=016>.
- Ghosh, S., Bhattacharyya, N., Tudu, B. dan Bandyopadhyay, R., 2015, Black Tea Using Incremental SOM Techniques, *2nd International Symposium on Physics and Technology of Sensors (ISPTS)*, [Online], 2015 IEEEExplore Digital Library, Pune., hal. 273–277, tersedia di DOI:10.1109/ISPTS.2015.7220128.
- Gutés, a., Ibáñez, a. B., Céspedes, F., Alegret, S. dan Del Valle, M., 2005, Simultaneous determination of phenolic compounds by means of an automated voltammetric “electronic tongue,” *Analytical and Bioanalytical Chemistry*, [Online] 382 (2005), 471–476, tersedia di DOI:10.1007/s00216-005-3201-9.
- Gutierrez-Osuna, R., 2002, *Pattern analysis for machine olfaction: a review*, [Online] 2 (3), 189–202, tersedia di DOI:10.1109/JSEN.2002.800688.

- Gutierrez-Osuna, R. dan Nagle, H.T., 1999, A method for evaluating data-preprocessing techniques for odor classification with an array of gas sensors, *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, [Online] 29 (5), 626–632, tersedia di DOI:10.1109/3477.790446.
- Gutierrez-Osuna, R., Nagle, H.T., Kermani, B. dan Schiffman, S.S., 2004, Signal Conditioning and Preprocessing, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 105–132, tersedia di DOI:10.1002/3527601597.ch5.
- Harper, W.J., 2001, The Strengths and Weaknesses of The Electronic Nose, Russell L. Rouseff dan Keith R. Cadwallader (ed.), *Headspace Analysis of Food and Flavors: Theory and Practice*, 1 edisi, Kluwer Academic, New York., hal. 59–71,
- Hines, E.L., Boilot, P., Gardner, J.W. dan Gongora, M.A., 2004, Pattern Analysis for Electronic Noses, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 133–160, tersedia di DOI:10.1002/3527601597.ch6.
- Hines, E.L., Llobet, E. dan Gardner, J.W., 1999, Electronic noses: a review of signal processing techniques, *IEE Proceedings - Circuits, Devices and Systems*, [Online] 146 (6), 297, tersedia di DOI:10.1049/ip-cds:19990670.
- Holmberg, M., Winquist, F., Lundström, I., Davide, F., DiNatale, C. dan D'Amico, A., 1996, Drift counteraction for an electronic nose, *Sensors and Actuators B: Chemical*, [Online] 36 (1–3), 528–535, tersedia di DOI:10.1016/S0925-4005(97)80124-4.
- Horner, G. dan Hierold, C., 1990, Gas analysis by partial model building, *Sensors and Actuators B: Chemical*, [Online] 2 (3), 173–184, tersedia di DOI:[http://dx.doi.org/10.1016/0925-4005\(90\)85002-G](http://dx.doi.org/10.1016/0925-4005(90)85002-G).
- Huo, D., Wu, Y., Yang, M., Fa, H., Luo, X. dan Hou, C., 2014, Discrimination of Chinese green tea according to varieties and grade levels using artificial nose and tongue based on colorimetric sensor arrays., *Food chemistry*, [Online] 145639–645, tersedia di DOI:10.1016/j.foodchem.2013.07.142, diakses 20 Desember 2013.
- Iamechatronics.com, 2013, Digitization of Analog Quantities, [Online], tersedia di <http://iamechatronics.com/notes/general-engineering/279-digitization-of-analog-quantities>, diakses 12 Oktober 2016.
- Ihokura, K. dan Watson, J. (Joseph), 1994, Includes bibliographical references and index, *The stannic oxide gas sensor : principles and applications*, Boca Raton : CRC Press.
- Illuna, A.P., 2003, Smart Instrumentation Based On Gas Sensor Arrays: Novel Hardware Concepts And Algorithmic Issues, *Tesis*, Universitat de Barcelona.
- Kusumadewi, S., 2004, *Membangun Jaringan Syaraf Tiruan*, I, F. Wiwiek Nurwiyati (ed.), Graha Ilmu, Yogyakarta.
- Liang, Y., 2003, *Estimation of black tea quality by analysis of chemical composition and colour difference of tea infusions*, [Online] 80 (2), 283–290, tersedia di DOI:10.1016/S0308-8146(02)00415-6.
- Lorwongtragool, P., Wongchoosuk, C. dan Kerdcharoen, T., 2011, Portable electronic nose for beverage quality assessment, *ECTI-CON 2011 - 8th*

- Electrical Engineering/ Electronics, Computer, Telecommunications and Information Technology (ECTI) Association of Thailand - Conference 2011*, [Online] 163–166, tersedia di DOI:10.1109/ECTICON.2011.5947797.
- Loutfi, A., Coradeschi, S., Mani, G.K., Shankar, P. dan Rayappan, J.B.B., 2015, Electronic noses for food quality: A review, *Journal of Food Engineering*, [Online] 144 (2015), 103–111, tersedia di DOI:10.1016/j.jfoodeng.2014.07.019.
- Mielle, P. dan Marquis, F., 1999, Alternative way to improve the sensitivity of electronic olfactometers, *Sensors and Actuators, B: Chemical*, [Online] 58 (1–3), 526–535, tersedia di DOI:10.1016/S0925-4005(99)00158-6.
- Mirasoli, M., Gotti, R., Di, M., Leoni, A., Colliva, C. dan Roda, A., 2014, Talanta Electronic nose and chiral-capillary electrophoresis in evaluation of the quality changes in commercial green tea leaves during a long-term storage, *Talanta*, [Online] 12932–38, tersedia di DOI:10.1016/j.talanta.2014.04.044.
- Nakamoto, T., 2004, Odor Handling and Delivery Systems, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 55–78, tersedia di DOI:10.1002/3527601597.ch3.
- Nanto, H. dan Stetter, J.R., 2004, Introduction to Chemosensors, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 79–104, tersedia di DOI:10.1002/3527601597.ch4.
- Di Natale, C., Davide, F. dan D'Amico, A., 1995, Pattern Recognition in gas Sensing: Well-States Techniques and Advances, *Sensors and Actuators B: Chemical*, 23111–118,
- Ogata, K., 2010, *Modern Control Engineering*, Instrumentation and controls series, Prentice Hall., [Online]. tersedia di <https://books.google.co.id/books?id=Wu5GpNAelzkC>.
- Peris, M. dan Gilabert, L.E., 2013, On-line monitoring of food fermentation processes using electronic noses and electronic tongues: A review., *Analytica chimica acta*, [Online] 80429–36, tersedia di DOI:10.1016/j.aca.2013.09.048, diakses 20 Desember 2013.
- Prasetyo, E., 2012, *DATA MINING - Konsep dan Aplikasi Menggunakan MATLAB*, I, Nikodemus (ed.), CV Andi Offset, Yogyakarta.
- Purba, A., 2014, Jawa Barat Kuasai 78 Perkebunan Teh di Indonesia, [Online], tersedia di <http://beritadaerah.co.id/2014/05/24/jawa-barat-kuasai-78-perkebunan-teh-di-indonesia/>, diakses 1 Januari 2016.
- Rouseff, R.L. dan Cadwallader, K.R., 1998, *Headspace Analysis of Foods and Flavors: Theory and Practice*, [Online]. tersedia di DOI:10.1007/978-1-4615-1247-9.
- Rouseff, R.L. dan Cadwallader, K.R., 2001, Headspace Techniques in Food, Fragrances and Flavors: An Overview, Russell L. Rouseff dan Keith R. Cadwallader (ed.), *Headspace Analysis of Food and Flavors: Theory and Practice*, 1 edisi, [Online], Kluwer Academic, New York., hal. 1–8, tersedia di DOI:10.1007/978-1-4615-1247-9.
- Roy, R.B., Modak, A., Mondal, S., Tudu, B., Bandyopadhyay, R. dan Bhattacharyya, N., 2013, Fusion of Electronic Nose and Tongue Response Using Fuzzy based Approach for Black Tea Classification, *Procedia*



- Technology*, [Online] 10615–622, tersedia di DOI:10.1016/j.protcy.2013.12.402.
- Saha, P., Ghorai, S., Tudu, B., Bandyopadhyay, R. dan Bhattacharyay, N., 2014, GA-based optimal feature weight and parameter selection of NPPC for tea quality estimation, *International Conference on Control, Instrumentation, Energy and Communication, CIEC 2014*, [Online] 171–175, tersedia di DOI:10.1109/CIEC.2014.6959072.
- Sanaeifar, A., Mohtasebi, S.S., Ghasemi-Varnamkhasti, M. dan Ahmadi, H., 2016, Application of MOS based electronic nose for the prediction of banana quality properties, *Measurement: Journal of the International Measurement Confederation*, [Online] 82105–114, tersedia di DOI:10.1016/j.measurement.2015.12.041.
- Schiffman, S.S. dan Pearce, T.C., 2004, Introduction to Olfaction: Perception, Anatomy, Physiology, and Molecular Biology, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., hal. 1–31, tersedia di DOI:10.1002/3527601597.ch1.
- Scott, S.M., James, D. dan Ali, Z., 2007, Review Data analysis for electronic nose systems, *Microchimica Acta*, [Online] 156183–207, tersedia di DOI:10.1007/s00604-006-0623-9.
- Shaffer, R.E., Rose-Pehrsson, S.L. dan McGill, R.A., 1999, A comparison study of chemical sensor array pattern recognition algorithms, *Analytica Chimica Acta*, [Online] 384 (3), 305–317, tersedia di DOI:10.1016/S0003-2670(98)00780-6.
- Siang, J.J., 2009, *Jaringan Syaraf Tiruan & Pemrogramannya menggunakan MATLAB*, 18 edisi, Guntur (ed.), Andi Offset, Yogyakarta.
- Sinha, T., Halder, A., Mahato, M., Adhikari, B., Sarkar, S. dan Bhattacharyay, N., 2012, Discrimination of tea quality by polymer membrane electrode based potentiometric taste sensor, *2012 Sixth International Conference on Sensing Technology (ICST)*, [Online], Desember 2012 2012 IEEE, USA., hal. 781–784, tersedia di DOI:10.1109/ICSensT.2012.6461783.
- Tang, L., Zeng, G.-M., Shen, G.-L., Zhang, Y., Huang, G.-H. dan Li, J.-B., 2006, Simultaneous amperometric determination of lignin peroxidase and manganese peroxidase activities in compost bioremediation using artificial neural networks., *Analytica chimica acta*, [Online] 579 (1), 109–116, tersedia di DOI:10.1016/j.aca.2006.07.021.
- Technologies, T. dan Jenie, R.P., 2010, *Software Development for Black Tea 's Physical Variable and Quality Class Relationship Analyzing using Correlation Adaptive Visual Pattern Recognition Artificial Neural Network Based Expert System*, [Online] tersedia di DOI:10.1109/ACT.2010.13.
- Thakral, B. dan Gupta, S., 2012, Artificial neural networks for e-NOSE: A review, *International Journal of Applied Engineering Research*, 7 (11), 1601–1604,
- Theodoridis, S. dan Koutroumbas, K., 2009, Chapter 1 - Introduction, Sergios Theodoridis dan Konstantinos Koutroumbas (ed.), *Pattern Recognition (Fourth Edition)*, Fourth Edi, [Online], Academic Press, Boston., hal. 1–12, tersedia di DOI:<http://dx.doi.org/10.1016/B978-1-59749-272-0.50003-7>.
- Tripathy, A., Mohanty, A.K. dan Mohanty, M.N., 2012, Electronic Nose For Black Tea Quality Evaluation Using Kernel Based Clustering Approach,

- International Journal of Image Processing (IJIP)*, 6 (2), 86–93,
- Triyana, K., Agustika, D.K. dan Hardoyono, F., 2012, Penerapan Metode Ekstraksi Ciri Berbasis Transformasi Wavelet Diskrit untuk Meningkatkan Unjuk Kerja Electronic Nose, *Prosiding Pertemuan Ilmiah XXVI HFI Jateng & DIY*, 2012 Purworejo., hal. 90–93,
- Triyana, K., Iswanto, B.H. dan Hardoyono, F., 2015a, Rapid Discrimination of Indonesian Herbal Medicines by Using Electronic Nose Based on Array of Commercial Gas Sensors, *Instrumentation and Measurement Systems, Applied Mechanics and Materials*, [Online], 2015 Trans Tech Publications., hal. 209–212, tersedia di DOI:10.4028/www.scientific.net/AMM.771.209.
- Triyana, K., Masthori, A., Supardi, B.P., Iqbal, M. dan Bharata, A., 2007, Prototype of Electronic Nose Based on Gas Sensors Array and Back Propagation Neural Network for Tea, *Journal of Mathematics and Natural Sciences*, 17 (3), 57–62,
- Triyana, K., Tauhid Subekti, M., Aji, P., Nur Hidayat, S. dan Rohman, A., 2015b, Development of Electronic Nose with Low-Cost Dynamic Headspace for Classifying Vegetable Oils and Animal Fats, *Applied Mechanics and Materials*, [Online] 77150–54, tersedia di DOI:10.4028/www.scientific.net/AMM.771.50.
- Tudu, B., Bhattacharyya, N., Kow, B. dan Bandyopadhyay, R., 2008, Comparison of multivariate normalization techniques as applied to electronic nose based pattern classification for black tea, *IEEE Proceedings - 3rd International Conference on Sensing Technology, Nov. 30 – Dec. 3, 2008, Tainan*, [Online], November 2008 Taiwan., hal. 254–258, tersedia di DOI:10.1109/ICSENST.2008.4757108.
- Tudu, B., Ghosh, S., Bag, A.K., Ghosh, D., Bhattacharyya, N. dan Bandyopadhyay, R., 2015, Incremental FCM Technique for Black Tea Quality Evaluation Using an Electronic Nose, *Fuzzy Information and Engineering*, [Online] 7 (3), 275–289, tersedia di DOI:<http://dx.doi.org/10.1016/j.fiae.2015.09.002>.
- Tudu, B., Jana, A., Metla, A., Ghosh, D., Bhattacharyya, N. dan Bandyopadhyay, R., 2009a, Electronic nose for black tea quality evaluation by an incremental RBF network, *Sensors and Actuators B: Chemical*, [Online] 138 (1), 90–95, tersedia di DOI:10.1016/j.snb.2009.02.025, diakses 16 Desember 2013.
- Tudu, B., Metla, A., Das, B., Bhattacharyya, N. dan Jana, A., 2009b, *Classifier for Black Tea Quality Evaluation : An Incremental Fuzzy Approach*, 58 (9), 3069–3078,
- Yan, J., Guo, X., Duan, S., Jia, P., Wang, L., Peng, C. dan Zhang, S., 2015, Electronic Nose Feature Extraction Methods: A Review, *Sensors*, [Online] 1527804–27831, tersedia di DOI:10.3390/s151127804.
- Yan, J., Tian, F., He, Q., Shen, Y., Xu, S., Feng, J. dan Chaibou, K., 2012a, Feature Extraction from Sensor Data for Detection of Wound Pathogen Based on Electronic Nose, *Sensors and Materials*, 24 (2), 57–73,
- Yan, W., Tang, Z., Wei, G., Yang, J., Province, L. dan Province, S., 2012b, *An Electronic Nose Recognition Algorithm Based on PCA-ICA Preprocessing and Fuzzy Neural Network*, [Online] 1227–1230, tersedia di DOI:10.5162/IMCS2012/P1.9.22.



- Yu, H., Wang, J., Xiao, H. dan Liu, M., 2009a, Quality grade identification of green tea using the eigenvalues of PCA based on the E-nose signals, *Sensors and Actuators B: Chemical*, [Online] 140 (2), 378–382, tersedia di DOI:10.1016/j.snb.2009.05.008.
- Yu, H., Wang, Y. dan Wang, J., 2009b, *Identification of Tea Storage Times by Linear Discrimination Analysis and Back-Propagation Neural Network Techniques Based on the Eigenvalues of Principal Components Analysis of E-Nose Sensor Signals*, [Online] 8073–8082, tersedia di DOI:10.3390/s91008073.
- Zupan, J., 1994, Introduction to artificial neural network (ANN) methods: what they are and how to use them, *Acta Chimica Slovenica*, [Online] (September), 327–352, tersedia di <http://www2.ccc.uni-erlangen.de/publications/ANN-book/publications/ACS-41-94.pdf>.