



DAFTAR PUSTAKA

- Argyle, M.D., and Bartholomew, C.H. (2015). Heterogeneous Catalyst Deactivation and Regeneration: A Review. *Catalysts* 5, 145–269.
- Budiman, A., and Ishida, M. (1997). Relationship Between Distillation Column and Distribution of Exergy Losses and Driving Forces. *Journal of Chemical Engineering of Japan* 30, 966–969.
- Budiman, A., and Ishida, M. (1998). Optimal side heating and cooling in a distillation column. *Energi* 23, 365–372.
- Budiman, A., and Ishida, M. (2004). A new method for disclosing internal phenomena in a distillation column by use of material-utilization diagram. *Energi* 29, 2213–2223.
- Castanheiro, J.E., Fonseca, I.M., Ramos, A.M., Oliveira, R., and Vital, J. (2005). Hydration of α -pinene over molybdophosphoric acid immobilized in hydrophobically modified PVA membranes. *Catalysis Today* 104, 296–304.
- Castanheiro, J.E., Fonseca, I.M., Ramos, A.M., and Vital, J. (2008). Acetoxylation of camphene catalysed by beta zeolite. *Catalysis Communications* 9, 2205–2208.
- Chen, H., Zhou, G., Liu, X., and Xu, J. (2001). Rare Earth Solid Superacids $\text{SO}_4^{2-}/\text{TiO}_2-\text{La}_2\text{O}_3$ Catalyzed α -Pinene Isomerization [J]. *Journal of Jiangxi Normal University (Natural Sciences Edition)* 4, 5.



Chen, H., Liu, Y., Yang, Y., Deng, Z., and Wang, R. (2005a). Synthesis of Borneol from α -Pinene with CLY Nanometer Catalysts [J]. *Fine Chemicals* 4.

Chen, H., Yang, Y., Liu, Y., Wang, R., Ge, J., and Liu, F. (2005b). The Catalytic Synthesis of Borneolacetate by Using Nanometer Rare Earth Composite Solid Superacid [J]. *Journal of Jiangxi Normal University (Natural Sciences Edition)* 1, 16.

Chen, S., Jiang, M., and Huang, X. (2010). Application of B/Ti Based Composite Catalyst in Synthetic Borneol Production. *Biomass Chemical Engineering* 3, 45–52.

Cun, Z., Li, L., and Yongqing, X. (2010). Approaches to Revealing the Relation between the Processing and Property of Chinese Medicines. *World Science and Technology* 12, 876–881.

Departemen Kehutanan (2011). Laju Deforestasi Hutan Indonesia. Diakses dari www.dephut.go.id.

Findik, S., and Gunduz, G. (1997). Isomerization of alpha pinene to champene. *JAOCS* 74, 145–1151.

Fogler, H.S. (1999). *Element of Chemical Reaction Engineering* (New York: Prentica-Hall Inc.).

Frattini, L., Isaacs, M.A., Parlett, C.M.A., Wilson, K., Kyriakou, G., and Lee, A.F. (2017). Support enhanced α -pinene isomerization over HPW/SBA-15. *Applied Catalysis B: Environmental* 200, 10–18.



Gainsford, G.J., Hosie, C.F., and Weston, R.J. (2001). Conversion of α -pinene to

terpinyl acetate over H-beta zeolites. *Applied Catalysis A: General* 209, 269–277.

Golets, M., Ajaikumar, S., Blomberg, D., Grundberg, H., Wärnå, J., Salmi, T.,

and Mikkola, J.-P. (2012a). Liquid phase acetoxylation of α -pinene over Amberlyst-70 ion-exchange resin. *Applied Catalysis A: General* 435–436, 43–50.

Golets, M., Ajaikumar, S., Larsson, W., Blomberg, D., Grundberg, H., Wärnå, J., Salmi, T., and Mikkola, J.-P. (2012b). A Kinetic Study of the Liquid

Phase Acetoxylation of α -Pinene. *Topics in Catalysis* 55, 649–656.

Grzona, L., Comelli, N., Masini, O., Ponzi, E., and Ponzi, M. (2000). Liquid

phase isomerization of α -pinene. Study of the reaction on sulfated ZrO₂. *Reaction Kinetics and Catalysis Letters* 69, 271 – 276.

Grzona, L., Orejas, J., Volzone, C., and Ponzi, M.I. (2005). Kinetic modeling of alpha pinene catalytic transformation in liquid phase. (Rio de Janeiro), p.

Hidayat, A. (2016). Studi Pengembangan Katalis Padat Biodiesel, Aplikasinya pada Proses Kontinyu dengan Reactive Distillation dan Analisis Termodinamikanya. Universitas Gadjah Mada.

Jin, M., Yang, Y., and Tan, J. (2011). Synthesis of Borneol from α -Pinene Catalyzed by Titanium Sulfate [J]. *Chinese Journal of Synthetic Chemistry* 6, 29.

Kiss, A.A., Dimian, A.C., and Rothenberg, G. (2008). Biodiesel by catalytic reactive distillation powered by metal oxides. *Energi Fuels* 22, 598–604.



UNIVERSITAS
GADJAH MADA

STUDI PEMBUATAN BORNIL ASETAT DARI TERPENTIN SEBAGAI BAHAN ANTARA PADA PRODUKSI BORNEOL

DIANA, Arief Budiman; Rochmadi; Sutijan

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Kumar, M., Kumar, S., and Raja, B. (2010). Antihyperlipidemic effect of borneol

on L-NAME induced hypertensive rats. ResearchGate 2362–2365.

Kusumaningtyas, R.D. (2014). Studi Produksi Biodiesel Secara Kontinyu dengan Reaktive Distillation dan Analisis Termodinamikanya. Universitas Gadjah Mada.

Liu, S., Xie, C., Yu, S., Liu, F., Ji, K., and Xie, C.-X. (2008a). Esterification of α -pinene and acetic acid using acidic ionic liquids as catalysts. *Catalysis Communications* 9, 1634–1638.

Liu, S.-W., Yu, S.-T., Liu, F.-S., Xie, C.-X., Li, L., and Ji, K.-H. (2008b). Reactions of α -pinene using acidic ionic liquids as catalysts. *Journal of Molecular Catalysis A: Chemical* 279, 177–181.

Liu, Y., Chen, H., and Yang, Y. (2009). Synthesis of Borneol from β -Pinene Catalyzed by Solid Superacid [J]. *Chemistry and Industry of Forest Products* 6, 8.

Machado, J., Castanheiro, J.E., Matos, I., Ramos, A.M., Vital, J., and Fonseca, I.M. (2012). SBA-15 with sulfonic acid groups as a Green Catalyst for the acetoxylation of α -pinene. *Microporous and Mesoporous Materials* 163, 237–242.

Mai, L.-M., Lin, C.-Y., Chen, C.-Y., and Tsai, Y.-C. (2003). Synergistic effect of bismuth subgallate and borneol, the major components of Sulbogin®, on the healing of skin wound. *Biomaterials* 24, 3005–3012.



- Masten, S., and Haneke, K. (2002). Turpentine: Review of Toxicological Literature of Turpentine Oil, Wood Turpentine, Sulfate Turpentine, Sulfite Turpentine (Integrated Laboratory Systems).
- de Meireles, A.L.P., da Silva Rocha, K.A., Kozhevnikov, I.V., and Gusevskaya, E.V. (2011). Esterification of camphene over heterogeneous heteropoly acid catalysts: Synthesis of isobornyl carboxylates. *Applied Catalysis A: General* 409–410, 82–86.
- Missen, R.W., Mims, C.A., and Saville, B.A. (1998). *Introduction to Chemical Reaction Engineering and Kinetics* (Toronto: John Wiley and Sons Inc.).
- Mufrodi, Z. (2014). Studi Produksi dan Analisis Termodinamika Bioaditif dari Gliserol dan Asam Asetat dengan Reactive Distillation. Universitas Gadjah Mada.
- Nie, G., Zou, J.-J., Feng, R., Zhang, X., and Wang, L. (2014). HPW/MCM-41 catalyzed isomerization and dimerization of pure pinene and crude turpentine. *Catalysis Today* 234, 271–277.
- Ning, L., and Mei, W.Y. (2001). The method of synthesizing borneol with BPO catalyst. *Journal of Guilin Institute of Technology* 3, 123–128.
- Perhutani (2014). BUMN : Perum Perhutani Strategi Menjadi Pemain Dunia (PDGT-Pemalang). Diakses dari www.perhutani.go.id.
- Prausnitz, J.M., Lichtenthaler, R.N., and de Azevedo, E.G. (1999). *Molecular Thermodynamics of Fluid-Phase Equilibria* (New Jersey: Prentice Hall).
- Robles-Dutenhefner, P.A., da Silva, K.A., H. Siddiqui, M.R., Kozhevnikov, I.V., and Gusevskaya, E.V. (2001). Hydration and acetoxylation of



- monoterpenes catalyzed by heteropoly acid. *Journal of Molecular Catalysis A: Chemical* 175, 33–42.
- Román-Aguirre, M., Torre-Sáenz, L.D. la, Flores, W.A., Robau-Sánchez, A., and Elguézabal, A.A. (2005). Synthesis of terpineol from α -pinene by homogeneous acid catalysis. *Catalysis Today* 107–108, 310–314.
- Sastrohamidjojo, H. (2014). Kimia Minyak Atsiri (Gadjah Mada University Press).
- Schwab, W., Fuchs, C., and Huang, F.-C. (2013). Transformation of terpenes into fine chemicals. *European Journal of Lipid Science and Technology* 115, 3–8.
- Sukarno, A. (2014). Kajian Produktivitas Getah, Rendemen dan Kandungan Gondorukem - Terpentin Pinus merkusii Jungh. et de Vriese Provenans Aceh dan Ras Lahan Jawa Melalui Penyadapan Metode Bor. Disertasi. Universitas Gadjah Mada.
- Swift, K.A. (2004). Catalytic transformations of the major terpene feedstocks. *Topics in Catalysis* 27, 143–155.
- Taylor, R., and Krishna, R. (2000). Modelling reactive distillation. *Chemical Engineering Science* 55, 5183–5229.
- Thiel, L., and Hendricks, F. (2004). Study into the establishment of an aroma and fragrance fine chemicals value chain (The Fund for Research into Industrial Development, Growth and Equity (FRIDGE)).
- Twu, C.H., Coon, J.E., and Bluck, D. (1998). Comparison of the Peng–Robinson and Soave–Redlich–Kwong Equations of State Using a New Zero-



Pressure-Based Mixing Rule for the Prediction of High-Pressure and High-Temperature Phase Equilibria. *Industrial & Engineering Chemistry Research* 37, 1580–1585.

Utami, H. (2014). Studi Kinetika Reaksi dan Kesetimbangan Cair-Cair Dalam Rangka Produksi α -Terpineol dari Terpentin dengan Distilasi Reaktif. Disertasi. Universitas Gadjah Mada.

Utami, H., Budiman, A., Sutijan, R., and Sediawan, B.S. (2011). Heterogeneous Kinetics of Hydration of α -pinene for α -terpineol Production: Non-ideal Approach. *World Academy of Science, Engineering and Technology* 80, 916–919.

Vital, J., Ramos, A.M., Silva, I.F., Valente, H., and Castanheiro, J.E. (2000). Hydration of α -pinene over zeolites and activated carbons dispersed in polymeric membranes. *Catalysis Today* 56, 167–172.

Wijayati, N. (2014). Sintesis Alpha Terpineol Melalui Hidrasi Alpha Pinena dengan Katalis Homogen (SA, MCA, TCA) dan Heterogen (ZHY, TCA/ZHY) Serta Uji Aktivitas Alpha Terpineol sebagai Zat Anti Bakteri. Disertasi. Universitas Gadjah Mada.

Williams, C.M., and Whittaker, D. (1971). Rearrangements of pinane derivatives. Part II. Products of acid-catalysed rearrangement of alpha pinene and beta pinene in acetic acid. *J. Chem. Soc. B* 672–677.

Xu, Z.P., and Chuang, K.T. (1997). Effect of internal diffusion on heterogeneous catalytic esterification of acetic acid. *Chemical Engineering Science* 52, 3011–3017.



Yadav, M.K., Chudasama, C.D., and Jasra, R.V. (2004). Isomerisation of α -pinene using modified montmorillonite clays. *Journal of Molecular Catalysis A: Chemical* 216, 51–59.

Yadav, M.K., Patil, M.V., and Jasra, R.V. (2009). Acetoxylation and hydration of limonene and α -pinene using cation-exchanged zeolite beta. *Journal of Molecular Catalysis A: Chemical* 297, 101–109.

Yang, G., Liu, Y., Zhou, Z., and Zhang, Z. (2011). Kinetic study of the direct hydration of turpentine. *Chemical Engineering Journal* 168, 351–358.

Yan-Yu, X., Qi-Neng, P., and Zhi-Peng, C. (2007). The enhancing effect of synthetical borneol on the absorption of tetramethylpyrazine phosphate in mouse. *International Journal of Pharmaceutics* 337, 74–79.

Yiwen, Y., and Huizong, C. (2009). Synthesis of borneol from α -pinene catalyzed by solid super acid SO₄-2/Al₂O₃. *Chemical Reagents* 5, 78–84.

Yiwen, Y., Huizong, C., and Yonggen, L. (2006). Synthesis of borneol from α -pinene catalyzed by rare earth composite superacid (Natural Science Foundation of Jiangxi Province).

Yu, J., Feng, A., Tan, X., and Zhou, P. (1995). Study on synthesis of borneol via esterification of alpha pinene over solid acid catalyst followed by saponification. *Chemistry and Industry of Forest Product* 5, 54–59.

Yuan, X., Zhao, Z., Xu, S., Chen, Y., and Bi, L. (2015). Synthesis and Characterization of (-)-Dibornyl Oxalate. (Atlantis Press), pp. 437–440.