

## BAB VI

### DAFTAR PUSTAKA

- Ahmad, T., Chasman, D.I., Mora, S., Pare, G., Cook, N.R., Buring, J.E., Ridker, P.M., Lee, I.M. 2010. The fat mass and obesity-associated (*FTO*) gene, physical activity, and risk of incident cardiovascular events in white women. *Am. Heart. J.* 160:1163-1169.
- Albuquerque D., Manco L., Nóbrega C. 2014. 'Epigenetics of Human Obesity: A Link Between Genetics and Nutrition' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.
- Albuquerque D., Nóbrega C. 2014. 'Genetic Contribution: Common Forms of Obesity' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.
- Altshuler, D., Hirschhorn, J. N., Klannemark, M., Lindgren, C. M., Vohl, M. C., Nemesh, J., Lane, C. R., Schaffner, S. F., Bolk, S., Brewer, C., Tuomi, T., Gaudet, D., Hudson, T. J., Daly, M., Groop, L., Lander, E. S. 2000. The common PPAR $\gamma$  Pro12Ala polymorphism is associated with decreased risk of type 2 diabetes. *Nat. Genet.* 26:76-80.
- Asensio, C., Cettour-Rose, P., Theander-Carrillo, C., Rohner-Jeanrenaud, F., Muzzin, P. 2004. Changes in glycemia by leptin administration or high-fat feeding in rodent models of obesity/ type 2 diabetes suggest a link between resistin expression and control of glucose homeostasis. *Endocrinology.* 145:2206-2213
- Bouchard, L., Weisnagel, S. J., Engert, J. C., Hudson, T. J., Bouchard, C., Vohl, M. C., Pérusse, L. 2004. Human Resistin Gene Polymorphism is Associated with Visceral Obesity and Fasting and Oral Glucose

Stimulated C-Peptide in the Québec Family Study. *J. Endocrinol. Invest.* 27(11): 1001-009.

Caterson I. D., Franklin J., Colditz G. A. 2003. 'Economic Costs of Obesity' in *Handbook of Obesity: Etiology and Pathophysiology*. eds Bray, G. A. & Bouchard C. CRC Press. Florida

Cecil, J.E., Dalton, M., Finlayson, G., Blundell, J., Palmer, C.N. 2012. Obesity and Eating Behaviour in Children and Adolescents: Contribution of Common Gene Polymorphisms. *Int. Rev. Psychiatry.* 24(3):200-210.

Cecil, J.E., Tavendale, R., Watt, P., Hetherington, M.M., Palmer, C.N. 2008. An obesity-associated *FTO* gene variant and increased energy intake in children. *N. Engl. J. Med.* 359:2558-2566.

Conneely, K. N., Silander, K., Scott, L. J., Mohlke, K. L., Lazaridis, K. N., Valle, T. T., Tuomilehto, J., Bergman, R. N., Watanabe, R. M., Buchanan, T. a., Collins, F. S., Boehnke, M. 2004. Variation in the resistin gene is associated with obesity and insulin-related phenotypes in Finnish subjects. *Diabetologia* 47(10): 1782-1788.

Danawati, C. W., Nagata, M., Moriyama, H., Hara, K., Yasuda, H., Nakayama, M., Kotani, R., Yamada, K., Sakata, M., Kurohara, M., Wiyono, P., Asdie, H., Sakaue, M., Taniguchi, H., Yokono, K. 2005. A possible association of Pro12Ala polymorphism in peroxisome proliferator-activated receptor gamma2 gene with obesity in native Javanese in Indonesia. *Diabet. Metab. Res. Rev.* 21(5):465-469

De Luis, D. A., González Sagrado, M., Conde, R., Aller, R., Izaola, O. 2010. Resistin levels and inflammatory markers in patients with morbid obesity. *Nutricion Hospitalaria* 25(4): 630-634.

Degawa-yamauchi, M., Bovenkerk, J. E., Juliar, B. E., Watson, W., Kerr, K., Jones, R., Zhu, Q., Considine, R. V. 2003. Serum Resistin ( FIZZ3 ) Protein Is Increased in Obese Humans. *J. Clin. Endocrinol. Metab.* 88(May): 5452-5455.

- Dobbs R., Sawers, C., Thompson, F., Manyika, J., Woetzel, J., Child, P., McKenna, S., Spatharou, A. 2014. *Overcoming obesity: An initial economic analysis*, Kinsey&Company, London.
- El-Shal, A. S., Pasha, H. F., & Rashad, N. M. 2013. Association of resistin gene polymorphisms with insulin resistance in Egyptian obese patients. *Gene* 515(1): 233-238.
- Engert, J. C., Vohl, M. C., Williams, S. M., Lepage, P., Loredó-Osti, J. C., Faith, J., Doré, C., Renaud, Y., Burtt, N. P., Villeneuve, A., Hirschhorn, J. N., Altshuler, D., Groop, L. C., Després, J. P., Gaudet, D., Hudson, T. J. 2002. 5' Flanking Variant of Resistin are Associated with Obesity. *Diabetes*, 51(May): 847-851.
- Fontaine K. R. & Allison B. D. 2003. 'Obesity and Mortality Rates' in *Handbook of Obesity: Etiology and Pathophysiology*. eds Bray, G. A. & Bouchard C. CRC Press. Florida
- Fain, J.N., Cheema, P.S., Bahouth, S.W., Lloyd Hiler, M. 2003. Resistin release by human adipose tissue explants in primary culture. *Biochem. Biophys. Res. Commun.* 300:674-678
- Franks, P.W., Jablonski, K.A., Delahanty, L.M., McAteer, J.B., Kahn, S.E., Knowler, W.C., Florez, J. C. 2008. Assessing gene-treatment interactions at the *FTO* and *INSIG2* loci on obesity-related traits in the Diabetes Prevention Program. *Diabetologia* 51:2214-2223.
- Fujinami, A., Obayashi, H., Ohta, K., Ichimura, T., Nishimura, M., Matsui, H., Kawahara, Y., Yamazaki, M., Ogata, M., Hasegawa, G., Nakamura, N., Yoshikawa, T., Nakano, K., Ohta, M. 2004. Enzyme-linked immunosorbent assay for circulating human resistin: resistin concentrations in normal subjects and patients with type 2 diabetes. *Clin. Chim. Acta.* 339:57-63
- Gatineau, M., Mathrani, S. 2012. Obesity and alcohol: an overview. National Obesity Observatory. Oxford

- González-Jiménez, E. 2014. 'Molecular Mechanisms Involved in the Regulation of Food Intake' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.
- Heilbronn, L.K., Rood, J., Janderova, L., Albu, J. B., Kelley, D. E., Ravussin, E., Smith, S. R. 2004. Relationship between serum resistin concentrations and insulin resistance in nonobese, obese, and obese diabetic subjects. *J. Clin. Endocrinol. Metab.* 89:1844-1848.
- Huvenne H., Dubern B. 2014. 'Monogenic Forms of Obesity' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.
- Janke, J., Engeli, S., Gorzelniak, K., Luft, F.C., Sharma, A.M. 2002. Resistin gene expression in human adipocytes is not related to insulin resistance. *Obes. Res.* 10:1-5
- Kanter, R., Caballero, B. 2012. Global Gender Disparities In Obesity: A Review. *Adv. Nutr.* 3:491-498
- Kaser, S., Kaser, A., Sandhofer, A., Ebenbichler, C. F., Tilg, H., Patsch, J. R. 2003. Resistin messenger-RNA expression is increased by pro-inflammatory cytokines *in vitro*. *Biochem. Biophys. Res. Commun.* 309:286-290
- Kawanami, D., Maemura, K., Takeda, N., Harada, T., Nojiri, T., Imai, Y., Manabe, I., Utsunomiya, K., Nagai, R. 2004. Direct reciprocal effects of resistin and adiponectin on vascular endothelial cells: a new insight into adipocytokine-endothelial cell interactions. *Biochem. Biophys. Res. Commun.* 314:415-419
- Kim, Y.W. and Scarpace, P.J. 2003. Repeated fasting/refeeding elevates plasma leptin without increasing fat mass in rats. *Physiol. Behav.* 78:459-464
- Kunnari, A., Ukkola, O, Kesäniemi, Y. A. 2005. Resistin

polymorphisms are associated with cerebrovascular disease in Finnish Type 2 diabetic patients. *Diabet. Med.* 22:583-589

Kusminsky, C. M., McTernan, P. G., Kumar, S. 2005. Role of Resistin in Obesity, Insulin Resistance and Type II Diabetes. *Clin. Sci. (Lond)*. 109(3):243-256

Ledikwe, J.H., Ello-Martin, J., Pelkman, C.L., Birch, L.L., Mannino, M.L., Rolls, B.J. 2007. A reliable, valid questionnaire indicates that preference for dietary fat declines when following a reduced-fat diet. *Appetite* 49(1):74-83.

Lee, J.H., Chan, J.L., Yiannakouris, N. Kontogianni, M., Estrada, E., Seip, R., Orlova, C., Mantzoros, C., S. 2003. Circulating resistin levels are not associated with obesity or insulin resistance in humans and are not regulated by fasting or leptin administration: cross-sectional and interventional studies in normal, insulin-resistant, and diabetic subjects. *J. Clin. Endocrinol. Metab.* 88:4848-4856

Lee, J.H., Bullen, Jr, J.W., Stoyneva, V. L., and Mantzoros, C.S. 2005. Circulating resistin in lean, obese and insulin-resistant mouse models: lack of association with insulinemia and glycemia. *Am. J. Physiol.* 288:625-632

Lehrke, M., Rerily, M. P., Millington, S. C., Iqbal, N., Rader, D. J., Lazar, M. A. 2004. An Inflammatory cascade leading to hyperresistinemia in humans. *PLoS Med.* 1:E45

Lemeshow, S., Lawanga, S. K. 1991. Sample size determination in health studies: a practical manual. World Health Organization. Geneva

Livingstone, D. E. W., Jones, G. C., Smith, K., Jamieson, P. M., Andrew, R., Kenyon, C. J., Walker, B. R. 2000. Understanding the Role of Glucocorticoids in Obesity Tissue-Specific Alterations of Corticosterone Metabolism in Obese Zucker Rats. *Endocrinology.* 141(2):560-563

Maebuchi, M., Machidori, M., Urade, R., Ogawa, T., Moriyama, T. 2003. Low resistin levels in adipose

tissues and serum in high-fat fed mice and genetically obese mice: development of an ELISA system for quantification of resistin. *Arch. Biochem. Biophys.* 416:164-170

Manson, J. E., Skerrett P. J., Willett W. C. 2003. 'Obesity as a Risk Factor for Major Health Outcomes' in *Handbook of Obesity: Etiology and Pathophysiology*. eds Bray, G. A. & Bouchard C. CRC Press. Florida

Mattes, R.D. 1993. Fat preference and adherence to a reduced-fat diet. *Am. J. Clin. Nutr.* 57(3):373-381.

Mattevi, V. S., Zembrzuski, V. M., & Hutz, M. H. 2004. A Resistin Gene Polymorphism is Associated with Body Mass Index in Women. *Hum. Gen.* 115(3): 208-212.

McTernan, C.L., McTernan, P.G., Harte, A.L., Levick, P., Barnett, A.H., Kumar, S. 2002. Resistin, central obesity, and type 2 diabetes. *Lancet.* 359:46-47

McTernan, P.G., McTernan, C.L., Chetty, R., Jenner, K., Fisher, F. M., Lauer, M. N., Crocker, J., Barnett, A. H., Kumar, S. 2002. Increased resistin gene and protein expression in human abdominal adipose tissue. *J. Clin. Endocrinol. Metab.* 87:2407

McTernan, P. G., Fisher, F., M., Valsamakis, G., Chetty, R., Harte, A., McTernan, C. L., Clark, P. M., Smith, S. A., Barnett, A. H., Kumar, S. 2003. Resistin and type 2 diabetes: regulation of resistin expression by insulin and rosiglitazone and the effects of recombinant resistin on lipid and glucose metabolism in human differentiated adipocytes. *J. Clin. Endocrinol. Metab.* 88:6098-6106

Nieva-Vazquez, A., Pérez-Fuentes, r., Tores-Rasgado, E., López-López, J. G., Romero, J. R. 2014. Serum resistin levels are associated with adiposity and insulin sensitivity in obese Hispanic subjects. *Metab. Syndr. Relat. Disord.* 12(2):143-148

Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., Mullany, E. C., Biryukov, S., Abbafati, C., Abera, S. F., Abraham, J. P., Abu-Rmeileh, N. M. E., Achoki, T., AlBuhairan, F. S.,

Alemu, Z. A., Alfonso, R., Ali, M. K., Ali, R., Guzman, N. A., Ammar, W., Anwari, P., Banerjee, A., Barquera, S., SBasu, S., Bennett, D. A., Bhutta, Z., Blore, J., Cabral, N., Nonato, I. C., Chang, J. C., Chowdhury, R., Courcille, K. J., Criqui, M. H., Cundiff, D. K., Dabhadkaar, K. C., Dandona, L., Davis, A., Dayama, A., Dharmaratne, S. D., Ding, E. L., Durrani, A. M., Esteghamati, A., Farzadfar, F., Fay, D. F. J., Feigin, V. L., Flaxman, Abraham, Forouzanfar, M. H., Goto, A., Green, M. A., Gupta, R., Hafezi-Nejad, N., Hankey, G. J., Harewoodd, H. C., Havmoeller, R., Hay, S. Hernandez, L., Husseini, A., Idrisoc, B. T., Ikeda, N., Islami, F., Jahangir, E., Jassal, S. K., Jee, S. H., Jeffreys, M., Jonas, J. B., Kabagambe, E. K., Khalifa, S. E. A. H., Kengne, A. P., Khader, Y. S., Khang, Y. H., Kim, D., Kimokoti, R. W., Kinge, J. M., Kokubo, Y., KoseN, S., Kwan, G., Lai, G., Leinsalu, M., L., Y., Liang, X., Liu, S., Logroscino, G., Lotufo, P. A., Lu, Y., Ma, J., Mainoo, N. K., Mensah, G., A., Merriman, T. R., Mokdad, A. H., Moschandreas, J., Naghavi, M., Naheed, A., Nand, D., Narayan, K. M. V., Nelson, E. L., Neuhouser, M. L., Nisar, M. I., Ohkubo, T., Oti, S. O., Pedroza, A., Prabhakaran, D., Roy, N., Sampson, U., Seop. H., Sepanlou, S. G., Shibuya, K., Shiri, R., Shive, I., Singh, G. M., Singh, J. A., Skirbekk, V., Stapelberg, N. J. C., Sturua, L., Sykes, B. L., Tobias, M., Tran, B. X., Trasande, L., Toyoshiman, H., Vijver, S. V. D., Vasankari, T. J., Veerman, J. L., Velasquez-Melendez, G., Vlassoc, V. V., Vollset, S. E., Vos, T., Wang, C., Wang, X R., Weiderpass, E., Werdecker, A., Wright, J.L., Yang, Y. C., Yatsuya, H., Yoon, J., Yoon, S., Zhao, Y., Zhou, M., Zhu, S., Lopez, A. D., Murray, C. J. L., Gokidou, E. 2014. Global , regional , and national prevalence of overweight and obesity in children and adults during 1980 - 2013: a systematic analysis for the Global Burden of Disease Study. *Lancet* 384: 766-781.

Osawa, H., Onuma, H., Ochi, M., Murakami, A., Yamauchi, J., Takasuka, T., Tanabe, F., Shimizu, I., Kato, K., Nishida, W., Yamada, K., Tabara, Y., Yasukawa, M., Fujii, Y., Ohashi, J., Miki, T., Makino, H. 2005. Resistin SNP-420 determines its monocyte mRNA and serum levels inducing type 2 diabetes. *Biochem. Biophys. Res. Comm.* 335(2): 596-602.

- Park, S.L., Cheng, I., Pendergrass, S.A., Kucharska-Newton, A.M., Lim, U., Ambite, J.L., Calberto, C. P., Monroe, K. R., Schumacher, F., Hindorff, L. A., Oetjens, M. T., Wilson, S., Goodloe, R. J., Love, S. A., henderson, B. E., Kolonel, L. N., Haiman, C. A., Crawford, D. C., North, K. E., Heiss, G., Ritchie, M. D., Wilkens, L. R., Le Marchand, L. 2013. Association of the *FTO* obesity risk variant rs8050136 with percentage of energy intake from fat in multiple racial/ethnic populations: the PAGE study. *Am. J. Epidemiol* 178:780-790.
- Patel, L., Buckels, A.C., Kinghorn, I.J., Murdock, P. R., Holbrook, J. D., Plumpton, C., Macphee, C. H., Smith, S. A. 2003. Resistin is expressed in human macrophages and directly regulated by PPAR $\gamma$  activators. *Biochem. Biophys. Res. Commun.* 300:472-476
- Rajala, M.W., Qi, Y., Patel, H.R., Takashi, N., Banerjee, R., Pajvani, U. B., Sinha, M. K., Gingerich, R. L., Scherer, P. E., Ahima, R. S. 2004. Regulation of resistin expression and circulating levels in obesity, diabetes, and fasting. *Diabetes.* 53:1671-1679
- Riset Kesehatan Dasar.* 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, Jakarta.
- Roberga, C. & Rodríguez-López, R. (ed.) 2014. *Molecular Mechanism Underpinning the Development of Obesity*, Springer International Publishing, Switzerland.
- Rodríguez-López R. 2014. 'Heterogenous Obesity Syndromes: New Strategies for Diagnosis' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.
- Roemling, C., & Qaim, M. 2012. Obesity trends and determinants in Indonesia. *Appetite* 58(3): 1005-1013.
- Sadashiv, Tiwari, S., Paul, B.N., Kumar, S., Chandra, A., Dhananjai, S., Negi, M. P. 2012. Over Expression

of Resistin in Adipose Tissue of the Obese Induces Insulin Resistance . *World. J. Diabet.* 3(7):135-141.

Savage, D.B., Sewter, C.P., Klenk, E.S., Segal, D. G., Vidal-Puig, A., Considine, R. V., O'Rahilly, S. 2001. Resistin/Fizz3 expression in relation to obesity and peroxisome proliferator-activated receptor- $\gamma$  action in humans. *Diabetes.* 50:2199-2202.

Seow, K. M., Juan, C. C., Ho, L. T., Hsu, Y. P., Lin, Y. H., Huang, L. W., Hwang, J. L. 2007. Adipocyte resistin mRNA levels are down-regulated by laparoscopic ovarian electrocautery in both obese and lean women with polycystic ovary syndrome. *Hum. Repro.* 22(4): 1100-1106.

Silha, J.V., Krsek, M., Skrha, J.V., Sucharda, P., Nyomba, BL., Murphy, L.J.. 2003. Plasma resistin, adiponectin and leptin levels in lean and obese subjects: correlations with insulin resistance. *Eur. J. Endocrinol.* 149:331-335

Silventoin, K., Rokholm, B., Kaprio, J., Sørensen, T.I.A. 2010. The genetic and environmental influences on childhood obesity: a systematic review of twin and adoption studies. *Int. J. Obes. (Lond)* 34:29-40.

Smith, S. R., Bai, F., Charbonneau, C., Janderova, L., Argyropoulos, G. 2003. A promoter genotype and oxidative stress potentially link resistin to human insulin resistance. *Diabet.* 52:1611-1618.

Sonested, E., Roos, C., Gullberg, B., Ericson, U., Wirfalt E, Orho-Melander M. 2009. Fat and carbohydrate intake modify the association between genetic variation in the *FTO* genotype and obesity. *Am. J. Clin. Nutr.* 90:1418-1425.

Sørensen. 2014. 'Challenges in Understanding Development of Obesity' in *Molecular Mechanism Underpinning the Development of Obesity.* eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.

Speakman, J.R., Rance, K.A., Johnstone, A.M. 2008. Polymorphisms of the *FTO* gene are associated with

variation in energy intake, but not energy expenditure. *Obesity (Silver Spring)* 16:1961-1965.

Steppan, C. M., Lazar, M. A.. 2004. *The Current Biology of Resistin. J. Intern. Med.* 255:439-447

Steppan, C.M., Wang, J., Whiteman, E.L., Birnbaum, M.J., Lazar, M.A. 2005. Activation of SOCS-3 by resistin. *Mol. Cell. Biol.* 25:1569-1575

Stewart, J.E., Feinle-Bisset, C., Golding, M., Delahunty, C., Clifton, P.M., Keast, R.S. 2010. Oral sensitivity to fatty acids, food consumption and BMI in human subjects. *Br. J. Nutr.* 104(1):145-152

Stunkard, A.J., Foch, T.T., Hrubec, Z. 1986. A twin study of human obesity. *JAMA* 256:51-54.

Sugondo, S. 2006. 'Obesitas' in *Buku Ajar Ilmu Penyakit Dalam*. eds Sudoyo, AW., Setiyohadi, B., Alwi, I., Simadibrata, MK., Setiati, S. Pusat Penerbit Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia. Jakarta

Suriyaprom, K., Phonrat, B., Namjuntra, P., Chanchay, S., Tungtrongchitr, R. 2009. The +299(G>A) Resistin Gene Polymorphism and Susceptibility to Type 2 Diabetes in Thais. *J. Clin. Biochem. Nutr.* 44:104-110

Tabara, Y., Onuma, H., Kawamura, R., Tanaka, T., Ohashi, J., Nishida, W., Takata, Y., Ochi, M., Ymada, K., Kawamoto, R., Kohara, K., Miki, T., Makino, H., Osawa, H. 2010. A at Single Nucleotide Polymorphism-358 Is Required for G at -420 to Confer the Highest Plasma Resistin in the General Japanese Population. *PLoS ONE* 5(3): 1-8.

Tanofsky-Kraff, M., Han, J.C., Anandalingam, K., Shomaker, L.B., Columbo, K.M., Wolkoff, L.E., Kozlosky, M., Elliott, C., Ranzenhofer, L. M., Roza, C. A., Yanovski, S. Z., Yanovski, J. A. 2009. The *FTO* gene rs9939609 obesity-risk allele and loss of control over eating. *Am. J. Clin. Nutr.* 90:1483-1488.

Tellez, L., Medina, S., Han, W., Ferreira, J., Licona-

- Limon, P., Ren, X., Lam, T. T., Schwartz, G. J., de Araujo, I. E. 2013. A gut lipid messenger links excess dietary fat to dopamine deficiency. *Science* 341:800-802.
- Timpson, N.J., Emmett, P.M., Frayling, T.M., Rogers, I., Hattersley, A.T., McCarthy, M.I., Davey-Smith, G. 2008. The fat mass and obesity-associated locus and dietary intake in children. *Am. J. Clin. Nutr.* 88:971-978.
- Vimaleswaran, K.S., Li, S., Zhao, J.H., Luan, J., Bingham, S.A., Khaw, K.T., Ekelund, U., Wareham, N.J., Loos, R.J. 2009. Physical activity attenuates the body mass index-increasing influence of genetic variation in the *FTO* gene. *Am. J. Clin. Nutr.* 90:425-428.
- Vojarova de Courten, B., Degawa-Yamauchi, M., Considine, R.V., Tatarani, P.A., Volarova de Courten, B. 2004. High serum resistin is associated with an increase in adiposity but not a worsening of insulin resistance in Pima Indians. *Diabetes.* 53:1279-1284.
- Wardle, J., Carnell, S., Haworth, C.M., Farooqi, I.S., O'Rahilly, S., Plomin, R. 2008. Obesity associated genetic variation in *FTO* is associated with diminished satiety. *J. Clin Endocrinol. Metab.* 93:3640-3643.
- Wardle, J., Llewellyn, C., Sanderson, S., Plomin, R. 2009. The *FTO* gene and measured food intake in children. *Int. J. Obes. (Lond)* 33:42-45.
- Whitaker, R.C., Wright, J.A., Pepe, M.S., Seidel, K.D., Dietz, W.H. 1997. Predicting obesity in young adulthood from childhood and parental obesity. *N. Engl. J. Med.* 337:869-873.
- Williamson D. A., O'Neil P. M. 2003. 'Obesity and Quality of Life' in *Handbook of Obesity: Etiology and Pathophysiology*. eds Bray, G. A. & Bouchard C. CRC Press. Florida
- Winkler, G., Kiss, S., Keszthelyi, L., Sapi, Z., Ory, I., Salamon, F., Kovacs, M., Vargha, P., Szekeres,

O., Speer, G., Karádi, I., Sikter, M., Kaszás, E., Dworak, O., Gerö, G., Cseh, K. 2003. Expression of tumor necrosis factor (TNF)- $\alpha$  protein in the subcutaneous and visceral adipose tissue in correlation with adipocyte cell volume, serum TNF- $\alpha$ , soluble serum TNF-receptor-2 concentrations and C-peptide level. *Eur. J. Endocrinol.* 149:129-135.

World Health Organization. 2000. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organization Technical Report Series 894*: 8-9.

World Health Organization. 2014. Global Status Report of Alcohol and Health 2014. *World Health Organization Technical Report Series 894*: 8-9.

Yannakoulia, M., Yiannakouris, N., Bluher, S., Matalas, A.L., Klimis-Zacas, D., Manziros, C. S. 2003. Body fat mass and macronutrient intake in relation to circulating soluble leptin receptor, free leptin index, adiponectin, and resistin concentrations in healthy humans. *J. Clin. Endocrinol. Metab.* 88:1730-1736.

Yeo, G. S. H. 2014. 'The Role of the GWAS Identified FTO Locus in Regulating Body Size and Composition' in *Molecular Mechanism Underpinning the Development of Obesity*. eds Roberga, C. & Rodríguez-López, R. Springer International Publishing. Switzerland.

Zhang, J., Qin, Y., Zheng, X., Qiu, J., Gong, L., Mao, H., Jia, W., Guo, J. 2002. The relationship between human serum resistin level and body fat content, plasma glucose as well as blood pressure. *Zhonghua Yi Xue Za Zhi.* 82:1609-1612.