



DAFTAR PUSTAKA

- Abe, T., Black, P. M., Ojemann, R. G. & Hedley-White, E. T. (1994) Cerebral edema in intracranial meningiomas: evidence for local and diffuse patterns and factors associated with its occurrence. *Surg Neurol*, 42(6): 471-5.
- Adams, E. F., Todo, T., Schrell, U. M., Thierauf, P., White, M. C. & Fahlbusch, R. (1991) Autocrine control of human meningioma proliferation: secretion of platelet-derived growth-factor-like molecules. *Int J Cancer*, 49(3): 398-402.
- Agrawal, V., Ludwig, N., Agrawal, A., & Bulsara, K. R. (2007) intraosseous intracranial meningioma. *ANJR Am J Neuroradiol*, 28:314-5.
- Albertazzi, P., Bottazzi, M. & Steel, S. A. (2006) Bone mineral density and depot medroxyprogesterone acetate. *Contraception*, 73(6): 577-583.
- Al-Mefty, O., & Smith, R. R. (1991) *Tuberculum Sellae Meningiomas*. New York: Raven Press.
- Alvarez, F., Roda, J. M., Perez-Romero, M., Morales, C., Sarmieanto, M. A., & Blazquez M. G. (1987) Malignant and atypical meningiomas: a reappraisal of clinical, histological and computed tomographic features. *Neurosurgery*, 20:688-694.
- Ammirati, M., Mirzai, S., & Samii, M. (1990) Primary introsseous meningiomas of the skull base. *Acta Neurochir (Wien)*, 107:56-60.
- Amundsen, P., Dugstad, G., & Syvertsen, A. H. (1978) The reliability of computer tomography for a diagnosis and differential diagnosis of meningiomas, gliomas, and brain metastases. *Acta Neurochir (Wien)*, 41:177-190.
- Anderson, T. (1992) An example of meningiomatous hyperostosis from medieval Rochester. *Medical History*, 36(02): 207-213.
- Annegers, J. F., Schoenberg, B. S., Okazaki, H. & Kurland, L. T. (1981) Epidemiologic study of primary intracranial neoplasms. *Archives of Neurology*, 38(4): 217-219.
- Arana, E., Diaz, C., Latorre, F. F., et al. (1996) Primary intraossecous meningiomas. *Acta Radiol*, 37:937-41.
- Aronica, E., Boer, K., Becker, A., Redeker, S., Spliet, W. G., & Van Rijen, P. C. (2008) Gene expression profile analysis of epilepsy-associated ganglion gliomas. *Neuroscience* 151(1):272.



- Asagiri, M. & Takayanagi, H. (2007) The molecular understanding of osteoclast differentiation. *Bone*, 40:251-264.
- Asaoka, K., Barrs, D. M., Sampson, J. H., McEleven, J. J. T., Tucci, D. L., & Fukushima, T. (2002) Intracanalicular meningioma mimicking vestibular schwannoma. *AJNR Am J Neuroradiol*, 23:1493-6.
- Bateman, D. E., Hardy, J. A., McDermott, J. R., Parker, D. S., & Edwardson, J. A. (1988) Amino acid transmitter levels in gliomas and their relationship to the incidence of epilepsy. *Neurol Res*, 10:112.
- Baylink DJ, Finkelman RD, Mohan S (1993) Growth factors to stimulate bone formation. *J Bone Miner Res* 8:565-572
- Beaumont, A., & Whittle, I. R. (2000) The pathogenesis of tumours associated with epilepsy. *Acta Neurochir (Wien)*, 142:1.
- Bellows, C. G., Pei, W., Jia, Y. & Heersche, J. N. (2003) Proliferation, differentiation and self-renewal of osteoprogenitors in vertebral cell populations from aged and young female rats. *Mech Ageing Dev*, 124(6): 747-57.
- Bhatoe, H. S., Singh, P., & Dutta, V. (2006) Intraventricular meningiomas: a clinicalpathological study and review. *Neurosurg Focus*, 15:20(3):E9.
- Biachi, L., De Micheli, E., Bricolo, A., Ballini, C., Fattori, M., & Venturi, C. (2004) Della Corte LExtracellular levels of amino acids and choline in human high grade gliomas: an intraoperative microdialysis study. *Neurochem Res*, 29(1):325.
- Bindal R et al (2003) The Natural history of Untreated Skull base. Meningioma Surg Neurology. 59(2):89-92
- Black, P. M., Carroll, R., Glowacka, D., Riley, K. & Dashner, K. (1994) Platelet-derived growth factor expression and stimulation in human meningiomas. *J Neurosurg*, 81(3): 388-93.
- Black, P., Carroll, R. & Zhang, J. (1996) The molecular biology of hormone and growth factor receptors in meningiomas. *Acta Neurochir Suppl*, 65(1):50-53.
- Blair HC, Teitelbaum SL, Ghiselli R et al (1989) Osteoclastic bone resorption by a polarized vacuolar proton pump. *Science* 245:855-857
- Blankenstein, M. A., Blaauw, G. & Lamberts, S. W. (1984) Progestin and estrogen receptors in human meningioma. *Clin Neuropharmacol*, 7(4): 363-7.



- Blobe, G. C., Schiemann, W. P. & Lodish, H. F. (2000) Role of transforming growth factor beta in human disease. *N Engl J Med*, 342(18): 1350-8.
- Boldrini, L., Pistolesi, S., Gisfredi, S., Ursino, S., Ali, G., Pieracci, N., Basolo, F., Parenti, G., Fontanini, G. (2006) Expression of endothelin 1 and its angiogenic role in meningiomas. *Virchows Arch*, 449(5):546-53.
- Bonewald, L. F. (1999) Establishment and Characterization of an osteocyte-like cell line, MLO-Y4. *J Bone Miner Metab*, 17:61-65.
- Bonewald, L. F., & Dallas, S. L. (1994) Role of active and latent transforming growth factor- β in bone formation. *J Cell Biochem*, 55:350-357.
- Bonewald, L. F., & Mundy, G. (1990) Role of transforming growth factor beta in bone remodeling. *Clin Orthop Relat Res*, 2S:35-40.
- Bosch, M. M., Wischmann, W. W., Boltshauser, E., & Landau, K. (2006) Optic nerve sheath meningiomas in patient with neurofibromatosis type 2. *Arch Ophthalmol*, 124(3):379. Boulpaep EL, Boron WF (2005) Medical physiology: a cellular and molecular approach. Saunders, Philadelphia, pp 1089-1091.
- Boyle, W. J., Simonet, W. S., & Lacey, D. L. (2003) Osteoclast differentiation and activation. *Nature*, 423:337-342.
- Brandis, A., Mirzai, S., Tatagiba, M., Walter, G. F., Samii, M. & Ostertag, H. (1993) Immunohistochemical detection of female sex hormone receptors in meningiomas: correlation with clinical and histological features. *Neurosurgery*, 33(2): 212-7; discussion 217-8.
- Brighton, C. T., & Hunt, R. M. (1986) Histochemical localization of calcium in the fracture callus with potassium pyroantimonate: possible role of chondrocyte mitochondrial calcium in callus calcification. *J Bone Joint Surg*, 68-A:703-715.
- Brighton, C. T., & Hunt, R. M. (1991) Early histological and ultrastructural changes in medullary fracture callus. *J Bone Joint Surg*, 73-A:832-847.
- Brighton, C. T., Sugioka, Y., & Hunt, R. M. (1973) Cytoplasmic structures of epiphyseal plate chondrocytes; quantitative evaluation using electron micrographs of rat costochondral junctions with specific reference to the fate of hypertrophic cells. *J Bone Joint Surg*, 55:771-784.
- Brodsky, B., & Persikov, A. V. (2005) Molecular structure of the collagen triple helix. *Adv Protein Chem*, 70:301-339.
- Bruzzaniti, A., & Baron, R. (2007) Molecular regulation of osteoclast activity. *Rev Endocr Metab Disord*, 7:123-139.



- Burns, P. E., Jha, N. & Bain, G. O. (1986) Association of breast cancer with meningioma: A report of five cases. *Cancer*, 58(7): 1537-1539.
- Burr, D. B. (2002) Targeted and non targeted remodeling. *Bone*, 30:2-4.
- Cadigan, K. M., & Liu, Y. I. (2006) Wnt signaling: complexity at the surface. *J Cell Sci*, 119:395-402.
- Caetano-Lopes, J., Canhao, H., & Fonseca, J. E. (2007) Osteoblast and Bone formation. *Acta Reumatol Port*, 32:103-110.
- Calvocoressi, L. & Claus, E. B. (2010) Epidemiology and Natural History of Meningioma. IN Pamir, M. N., Black, P. M. & Fahlbusch, R. (Eds.) *Meningomas: A comprehensive text*. New York: Saunders Elsevier.
- Campbell, B. A., Jhamb, A., Maguire, J. A., Toyota, B. & Ma, R. (2009) Meningiomas in 2009: controversies and future challenges. *Am J Clin Oncol*, 32(1): 73-85.
- Canalis E, McCarthy TL, Centrella M (1989) The role of growth factors in skeletal remodeling. *Endocrinol Metab Clin North Am* 18:903-918
- Canalis E, Economides AN, Gazzero E (2003) Bone morphogenetic proteins, their antagonists, and the skeleton. *Endocr Rev* 24:218-235
- Carroll, R. S., Black, P. M., Zhang, J., Kirsch, M., Percec, I., Lau, N. & Guha, A. (1997) Expression and activation of epidermal growth factor receptors in meningiomas. *J Neurosurg*, 87(2): 315-23.
- Carroll, R. S., Brown, M., Zhang, J., DiRenzo, J., Font De Mora, J., & Black, P. M. (2002) Expression of a subset of steroid receptor cofactor is associated with progesterone receptor expression in meningiomas. *Clin Cancer Res*, 6(90):3570-5.
- Carroll, R. S., Glowacka, D., Dashner, K. & Black, P. M. (1993) Progesterone receptor expression in meningiomas. *Cancer Res*, 53(6): 1312-6.
- Carroll, R. S., Schell, U. M., Zhang, J., Dashner, K., Nomikos, P., & Fahlbusch, R., (1996) Dopamine D₂ and prolactin receptor messenger ribonucleic acid expression by the polymerase chain reaction in human meningiomas. *Neurosurgery*, 38(2):367-75.
- Carroll, R. S., Zhang, J. & Black, P. M. (1999) Expression of estrogen receptors alpha and beta in human meningiomas. *J Neurooncol*, 42(2): 109-16.
- Carroll, R. S., Zhang, J., Dashner, K. & Black, P. M. (1995) Progesterone and glucocorticoid receptor activation in meningiomas. *Neurosurgery*, 37(1): 92-7.



- Carroll, R. S., Zhang, J., Dashner, K., & Black, P. M. (1995) Progesterone and gluco-corticoid receptor activation receptor in meningiomas. *Neurosurgery*, 37:496-504.
- Carroll, R. S., Zhang, J., Dashner, K., Sar, M., Wilson, E. M. & Black, P. M. (1995) Androgen receptor expression in meningiomas. *J Neurosurg*, 82(3): 453-60.
- Carroll, S., Black, P. M., Zhang, J., Kirsch, M., Percec, I., & Lau, N. (1997) Expression and activation of epidermal growth factor receptor in meningiomas. *J Neurosurg*, 87(2):315-23.
- Carvalho, G. A., Matthies, C., Tatagiba, M., Eghbal, R., & Samii, M. (2000) Impact of computed tomographic and magnetic resonance imaging findings on surgical outcome in petroclival meningiomas. *Neurosurgery*, 47:1287-94.
- Chamberlain, M. C., Glantz, M. J. & Fadul, C. E. (2007) Recurrent meningioma: salvage therapy with long-acting somatostatin analogue. *Neurology*, 69(10): 969-73.
- Chan, R. C., & Thompson, G. B. (1984) Morbidity, mortality, and quality of life following surgery of intracranial meningiomas. A retrospective study in 257 cases. *J Neurosurg*, 60(1):52.
- Chang, J. H., Kim, J. A., Chang, J. W., Park, Y. G., & Kim, T. S. (2005) Sylvian meningioma without dural attachment in adult. *J Neurooncol*, 74(1):43.
- Chozick, B. S., Reinert, S. E., & Greenblatt, S. H. (1996) Incidence of seizures after surgery of supratentorial meningiomas: a modern analysis. *J Neurosurg*, 84(3):382.
- Christi, C., Lechapt-Zalcman, E., Adle-Biassette, H., Nachew, S., Gherrardi, R. K. (1999) Vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) and its receptor flt-1 in microcystic meningiomas. *Acta Neuropathol*, 98(4):4.
- Christov, C., Lechapt-Zalcman, E., Adle-Biassette, H., Nachev, S. & Gherardi, R. K. (1999) Vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) and its receptor flt-1 in microcystic meningiomas. *Acta Neuropathol*, 98(4): 414-20.
- Ciaveria, L., Sutton, D., & Tress, B. M. (1977) The radiological diagnosis of meningiomas, the impact of EMI scanning. *Br J Radiol*, 50:15-22.
- Charles JM, Key LL (1998) Developmental spectrum of children with congenital osteopetrosis. *J Pediatr* 132:371-374



- Claus, E. B., Black, P. M., Bondy, M. L., Calvocoressi, L., Schildkraut, J. M., Wiemels, J. L. & Wrensch, M. (2007) Exogenous hormone use and meningioma risk: what do we tell our patients? *Cancer*, 110(3): 471-6.
- Cohen, M. M. (2006) The new bone biology: pathologic, molecular, clinical correlates. *Am J Med Genet A*, 140:2646-2706.
- Cohick, W. A., & Clemons, D. R. (1993) The insulin-like growth factors. *Annu Rev Physiol*, 55:131-153.
- Compston, J. E. (2001) Sex steroids and bone. *Physiol Rev*, 81:419-447.
- Conover, C. A. (2008) Insulin-like growth factor-binding proteins and bone metabolism. *Am J Physiol Endocrinol Metab*, 294:10-14.
- Clarke, B. (2008) Normal Bone anatomy and physiology. *Clin J Am Soc Nephrol*, 3:S131-S139.
- Crawford, T. S., Kleinschmidt, O., DeMasters, B. K., & Lillehei, K. O. (1995) Primary intraosseous meningioma. Case report. *J Neurosurg*, 83:912-5.
- Custer, B. S., Koepsell, T. D. & Mueller, B. A. (2002) The association between breast carcinoma and meningioma in women. *Cancer*, 94(6): 1626-35.
- Deftos, L. J. (1998) Calcium and phosphate homeostasis, chapter 2. In: Clinical essentials of calcium and skeletal metabolism, 1st edn. Professional Communication Inc., pp 1-208.
- Deftos, L. J. (2001) Immunoassays for PTH and PTHrP, chapter 9. In: Bilezikian JP, Marcus R, Levine A (eds) The parathyroids, 2nd edn. Academic Press, San Diego, pp 143-166
- Deftos, L. J., & Gagel, R. (2000) Calcitonin and medullary thyroid carcinoma, chapter 265. In: Wyngarden JB, Bennett JC (eds) Cecil textbook of medicine, 21st edn. WB Saunders Company, Philadelphia, pp 1406-1409.
- Delmas, P. D. (1995) Biochemical markers for the assessment of bone turnover. In: Riggs BL, Melton J (eds) Osteoporosis: etiology, diagnosis, and management, 2nd edn. Lippincott-Raven, Philadelphia.
- Dempster, D. W., Cosman, F., & Parisien, M. (1993) Anabolic actions of parathyroid hormone on bone. *Endocr Rev*, 14:690-709.
- De-Jesus *et al.* (1996) Long term follow up of patients with meningiomas involving the cavernous sinus recurrence, progression quality of life. *J Neurosurgery*, 35(5):915-919.
- Derome, P. J. & Visot, A. (1991) Bony reaction and invasion in meningiomas. IN AI-Mefty, O. (Ed.) *Meningiomas*. New York: Raven Press.



- Donnell, M. S., Meyer, G. A. & Donegan, W. L. (1979) Estrogen-receptor protein in intracranial meningiomas. *J Neurosurg*, 50(4): 499-502.
- Dravalagas, A., Xinou, E., Karacostas, D., Karkavelas, G., & Milonas, I. (2005) Meningioma growth and interferon beta-1b treated multiple sclerosis: co-incidence or relationship. *Neuroradiology*, 47(7):516-9.
- Dumanski, J. P., Carlstrom, E., Collins, V. P. & Nordenskjold, M. (1987) Deletion mapping of a locus on human chromosome 22 involved in the oncogenesis of meningioma. *Proc Natl Acad Sci U S A*, 84(24): 9275-9.
- Dutton, J. J. (1992) Optic nerve sheath meningiomas. *Surv Ophthalmol*, 37(3):167.
- Elmaci, L., Ekinci, G., Kurtkaya, O., Sav, A., & Pamir, M. N. (2001) Tumor in tumor: metastasis of breast carcinoma to intracranial meningioma. *Tumori*, 87:423-7.
- Emry, J. (1984) The association between breast cancer and meningioma, California: University of Southern California.
- Engel J, Pedley TA. Epilepsy: A Comprehensive Textbook. *Philadelphia: Lippincott Williams & Wilkins*;2008.
- Eriksen, E. F. (1986) Normal and pathological remodeling of human trabecular bone: three dimensional reconstruction of the remodeling sequence in normals and in metabolic bone disease. *Endocr Rev*, 7:379-408.
- Eriksen, E. F., Axelrod, D. W., & Melsen, F. (1994) Bone histomorphometry. *Raven Press, New York*, pp 1-12.
- Fernandez-Tressguerres-Hernandez-Gil, I., Alobera-Gracia, M. A., del Canto-Pingarron, M. (2006) Physiological bases of bone regeneration II. The remodeling process. *Med Oral Patol Oral Cir Bucal*, 11:E151-E157.
- Fewings, P. E., Battersby, R. D. & Timperley, W. R. (2000) Long-term follow up of progesterone receptor status in benign meningioma: a prognostic indicator of recurrence? *J Neurosurg*, 92(3): 401-5.
- Fisher, J. L., Schwartzbaum, J. A., Wrench, M., & Berger, M. S. (2006) Evaluation of epidemiologic evidence of primary adult brain tumor risk factors using evidence-based medicine. *Prog Neurol Surg*, 19:54.
- Flyger, G. (1956) Epilepsy following radical removal of parasagittal and convexity meningiomas. *Acta Psychiatr Neurol Scand*, 31:245.
- Foy, P. M., Copeland, G. P., & Shaw, M. D. (1981) The incidence of postoperative seizures. *Acta Neurochir*, 55:253.



Fraher L (1993) Biochemical markers of bone turnover. *Clin Biochem* 26:431-432

Gallagher, J. C., Kable, W. T. & Goldgar, D. (1991) Effect of progestin therapy on cortical and trabecular bone: comparison with estrogen. *Am J Med*, 90(2): 171-8.

Gallagher, S. K. (1997) Biochemical markers of bone metabolism as they relate to osteoporosis. *MLO: Med Lab Obs*, 29(8):50.

Gallant, M. A., Samadfam, R., Hackett, J. A., Antoniou, J., Parent, J. L. & de Brum-Fernandes, A. J. (2005) Production of prostaglandin D(2) by human osteoblasts and modulation of osteoprotegerin, RANKL, and cellular migration by DP and CRTH2 receptors. *J Bone Miner Res*, 20(4): 672-81.

George, A. G., Russell, E. J., & Kricheff, I. I. (1980) White matter buckling: CT sign of extraxial intracranial mass. *AJR Am J Roentgenol*, 135:1031-6.

Gerweck, L. E., & Seetharman, K. (1996) Cellular pH gradient in tumours versus normal tissue-potential exploitation for the treatment of cancer. *Cancer Res*, 56:1194.

Gilbert, M. E., Shelton, C., & McDonald, A. (2004) Meningioma of the jugular foramen: glomus jugulare mimic and surgical challenge. *Laryngoscope*, 114:25.

Glantz, M. J., Cole, B. F., Forsyth, P. A., Recht, L. D., Wen, P. Y., & Chamberlain, M. C. (2000) Practice parameter: anticonvulsant prophylaxis in patients with newly diagnosed brain tumors. Report of the Quality Standards Sub-committee of the American Academy of Neurology. *Neurology*, 54(10):1886.

Goldman, C. K., Bharara, S., Palmer, C. A., Vitek, J., Tsai, J. C., Weiss, H. L. & Gillespie, G. Y. (1997) Brain edema in meningiomas is associated with increased vascular endothelial growth factor expression. *Neurosurgery*, 40(6): 1269-77.

Goldsher, D., Litt, A. W., Pinto, R. S., Bannon, K. R., & Kricheff, I. I. (1990) Dural "tail" associated with meningiomas on Gd-DTPA-enhanced MR images: characteristics, differential diagnostic value, and possible implications for treatment. *Radiology*, 176:447-50.

Gouliamous, A. D., Jiemenez, J. P., & Goree, J. A. (1978) Computed Tomography and skull radiography in the diagnosis of calcified brain tumor. *AJR Am J Roentgenol*, 130:761-4.

Gori, F., Hofbauer, L. C., & Dunstan, C. R. (2000) The expression of osteoprotegerin and RANK ligand and the support of osteoclast formation



by stromal-osteoblast lineage cells is developmentally regulated.
Endocrinology, 141:4768-4776.

Goyal, N., Kakkar, A., Sarkar, C., & Agrawal, D. (2012) Does bony hyperostosis in intracranial meningioma signify tumor invasion? A radio-pathologic study. *Neurol India*, 60(1):50-4.

Grant, S. F. A., & Ralston, S. H. (1997) Genes and osteoporosis. *Endocrinology*, 8:232-239.

Grunberg, S. M., Weiss, M. H., Russell, C. A., Spitz, I. M., Ahmadi, J., Sadun, A. & Sitruk-Ware, R. (2006) Long-term administration of mifepristone (RU486): clinical tolerance during extended treatment of meningioma. *Cancer Invest*, 24(8): 727-33.

Grunberg, S. M., Weiss, M. H., Spitz, I. M., Ahmadi, J., Sadun, A., Russell, C. A., Lucci, L. & Stevenson, L. L. (1991) Treatment of unresectable meningiomas with the antiprogestrone agent mifepristone. *J Neurosurg*, 74(6): 861-6.

Gunnet, J. W., Granger, K., Cryan, E. & Demarest, K. T. (1999) Characterization of the progestin receptors in the human TE85 and murine MC3T3-E1 osteoblast-like cell lines. *J Endocrinol*, 163(1): 139-47.

Hakeda, Y., Kawaguchi, H., & Hurley, M. (1996) Intract insulin-like growth factor binding protein-5 (IGFBP-5) associates with bone matrix and the soluble fragments of IGFBP-5 accumulated in culture medium of neonatal mouse calvariac by parathyroid hormone and prostaglandin E2-treatment. *J Cell Physiol*, 166:370-379.

Hamilton, B. E., Salzman, K. L., & Patel, N. (2006) Imaging and clinical characteristic of temporal bone meningioma. *AJNR Am J Neuroradiol*, 27:2204-9.

Harada, S., & Rodan, G. A. (2003) Control of osteoblast function and regulation of bone mass. *Nature*, 423: 349-355.

Harvey, S., & Hull, K. L. (1998) Growth Hormone: a paracrine growth factor ? *Endocrine*, 7:267-279.

Hentschel, S. J., & DeMonte, F. (2003) Olfactory groove meningiomas. *Neurosurg Focus*, 14:e4.

Higer, H. P., Pedrosa, P., Schuth, M., & Schuth, M. (1989) MR Imaging of cerebral tumors: state of the art and work in progress. *Neurosurg Rev*, 12:91-106.



Hildebrand, J. (2004) Management of epileptic seizures. *Curr Opin Oncol*, 16(4):314.

Hildebrand, J., Leicaille, C., Perennes, J., & Delattre, J. Y. (2005) Epileptic seizures during follow-up of patients treated for primary brain tumours. *Neurology*, 65:212.

Hill, P. A., Reynolds, J. J., & Meikle, M. C. (1995) Osteoblasts mediate insulin-like growth factor-I and-II stimulation of osteoclast formation and function. *Endocrinology*, 136:124-131.

Hirch, W. L., Hryshko, F. G., & Sekhar, L. N. (1988) Comparison of MR imaging, CT, angiography in the evaluation of the enlarged cavernous sinus. *AJR Am J Roentgenol*, 151:1015-23.

Hock, J. M., Centrella, M., & Canalis, E. (2004) Insulin-like growth factor I (IGF-I) has independent effects on bone matrix formation and cell replication. *Endocrinology*, 122:254-260.

Hofbauer, L. C., Kholsa, S., & Dunstan, C. R. (1999) Estrogen stimulates gene expression and protein production of osteoprotegerin in human osteoblastic cells. *Endocrinology*, 140:4367-4370.

Horowitz, M. (2003) Matrix proteins versus cytokines in the regulation of osteoblast function and bone formation. *Calcif Tissue Int*, 72:5-7.

Horwood, N. J., Elliott, J., Martin, T. J. (1998) Osteotropic agents regulate the expression of osteoclast differentiation factor and osteoprotegerin in osteoblastic stromal cells. *Endocrinology*, 139:4743-4746.

Hsu, D. W., Efird, J. T. & Hedley-Whyte, E. T. (1997) Progesterone and estrogen receptors in meningiomas: prognostic considerations. *J Neurosurg*, 86(1): 113-20.

Hui, A. C., Lam, A. K., Wong, A., Chow, K. M., Chan, E. L., & Choi, S. L. (2005) Generalized tonic-clonic status epilepticus in the elderly in china. *Epileptic Disord*, 7(1):27.

Ibrahim, K., & Appleton, R. (2004) Seizures as the presenting symptom of brain tumors in children. *Seizures*, 13:108.

Ide, M., Jimbo, M., Kubo, O., Yamamoto, M., Takeyama, M., & Imanaga, H. (1994) Peritumoral brain edema and cortical damage by meningioma. *Acta Neurochir Suppl (Wien)*, 60:369-72.

Irlbacher, K., Brandt, S. H., & Meyer, B. U. (2002) In vivo study indicating loss of intracortical inhibition in tumours-associated epilepsy. *Ann Neurol*, 52(1):119.



- Ishida, Y., Mine, T. & Taguchi, T. (2008) Effect of progestins with different glucocorticoid activity on bone metabolism. *Clin Endocrinol (Oxf)*, 68(3): 423-8.
- Ishida, Y., Tertinegg, I., Heersche, J. N. (1996) Progesterone and dexamethasone stimulate proliferation and differentiation of osteoprogenitors and progenitors for adipocytes and macrophages in cell populations derived from adult rat vertebrae. *J Bone Miner Res*, 11:921–930.
- Ishiuchi, S., Yoshida, Y., Sugawara, K., Aihara, M., Ohtani, T., & Watanabe, T. (2007) Ca^{2+} -permeable AMPA receptors regulate growth of human glioblastoma via Akt activation. *J Neurosci*, 27(30):7987.
- Isla, A., Alvarez, F., Gutierrez, M., Gammalo, C., Garcia-Blazquez, M., & Vega, A. (1996) Primary cranial vault lymphoma mimicking meningioma. *Neuroradiology*, 38:211-3.
- Jackler, R. K., & Parker, D. A. (1992) Radiographic differential diagnosis of petrous apex lesions. *Am J Otol*, 13:561-74.
- Jacob, M., Wydh, E., Vighetto, A., & Sindou, M. (2008) Visual outcome after surgery for cavernous sinus meningioma. *Acta Neurochir (Wien)*, 150(5):421.
- Jensen, R. L., Soleau, S., Bhayani, M. K. & Christiansen, D. (2002) Expression of hypoxia inducible factor-1 alpha and correlation with preoperative embolization of meningiomas. *J Neurosurg*, 97(3): 658-67.
- Jimenez-Hakim, E., El Azouzi, M., & Black, P. M. (1993) The effect prolactin and bombesin on growth of meningioma derived cell in monolayer culture. *J Neurooncol*, 16:185-90.
- Johnson, M. D., Federspiel, C. F., Gold, L. I. & Moses, H. L. (1992) Transforming growth factor-beta and transforming growth factor beta-receptor expression in human meningioma cells. *Am J Pathol*, 141(3): 633-42.
- Johnson, M. D., Horiba, M., Winnier, A. R. & Arteaga, C. L. (1994) The epidermal growth factor receptor is associated with phospholipase C-gamma 1 in meningiomas. *Hum Pathol*, 25(2): 146-53.
- Johnson, M. D., Powell, S. Z., Boyer, P. J., Weil, R. J., & Moots, P. L. (2002) Dural lesions mimicking meningiomas. *Hum Pathol*, 33:1211-26.
- Jones, N. R., Rossi, M. L., Gregoriou, M. & Hughes, J. T. (1990) Epidermal growth factor receptor expression in 72 meningiomas. *Cancer*, 66(1): 152-5.



- Kaba, S. E., DeMonte, F., Bruner, J. M., Kyritsis, A. P., Jaeckle, K. A., & Levin, V. (1997) The treatment recurrent unresectable and malignant meningioma with interferon alpha-2b. *Neurosurgery*, 40(2):271-5.
- Kalamarides, M., & Goutagny, S. (2006) Meningiomas. *Rev Prat*, 56(16):1792.
- Kalkanis, S. N., Carroll, R. S., Zhang, J., Zamani, A. A. & Black, P. M. (1996) Correlation of vascular endothelial growth factor messenger RNA expression with peritumoral vasogenic cerebral edema in meningiomas. *J Neurosurg*, 85(6): 1095-101.
- Kalkanis, S. N. (2001) Quality of life following surgery for intracranial meningioma at Brigham and women hospital: A study of 164 Patients using a modification of the functional assessment of cancer therapy brain questioner. *J Neurooncology*, 48(3):233-241.
- Karnofsky, D. (1949) *The clinical evaluation of chemotherapeutic agent in cancer*. In: Mc Cload ed. *Evaluation of chemotherapeutic agents*. New York. Colombia University Press 191-205.
- Kaur, K., Cooper, M. S., Arlt, W., Stewart, P. M., Hewison, M. & Quinkler, M. (2004) Inactivating progesterone metabolism in human osteoblasts. *Endocrine Abstracts*, 7P10.
- Kawaguchi, H., Pilbeam, C. C., & Raisz, L. G. (1994) Anabolic effects of 3,3',5-triiodothyronine and triiodothyroacetic acid in cultured neonatal mouse pariental bones. *Endocrinology*, 135:971-976.
- Kawaguchi, H., Pilbeam, C. C., & Harrison, J. R. (1995) The role of prostaglandins in the regulation of bone metabolism. *Clin Orthop*, 313:36-46.
- Kepes, J. J. (1994) Lipidized meningotheelial tumor cell in "xanthomatous" meningioma express marcophage antigen. *J Neuropathol Exp Neurol*, 53:384-8.
- Ketonen, L. (1978) Computerized tomography for diagnosis of supratentorial tumors, *Acta Neurol Scand Suppl*, 67:153-64.
- Kilic, T., Bayri, Y., Ozduman, K., et al. (2002) Tenascin in meningioma:expression is correlated with anaplasia, vascular endothelial growth factor expression and peritumoral edema but not with tumor border shape. *Neurosurgery*, 51:183-92.
- Kim, E. Y., Weon, Y. C., Kim, S. T., et al. (2007) Rhabdoid meningioma: clinical features and MR imaging findings in 15 patient. *AJNR Am J Neuroradiol*, 28:1462-5.



- Kim, K. S., Roger, L. F., & Lee, C. (1983) The dural lucent line: characteristic sign of hyperostosing meningioma en plaque. *AJR Am J Roentgenol*, 141:1217-21.
- Kimura, T., Ohkuba, M., Igarashi, H., Kwee, I. L., & Nakada, T. (2007) Increase in glutamate as a sensitive indicator of extracellular matrix integrity in peritumoral edema: a 3.0-tesla proton magnetic resonance spectroscopy study. *J Neurosurg*, 106(4):609.
- Kitagawa, N., Tsutsumi, K., Niwa, M., et al. (1994) A selective endothelin ETA antagonist, BQ-123, inhibits 125 I-endothelin-1(125 I-ET-1) binding to human meningiomas and antagonizes ET-1-induced proliferation of meningiomas cells. *Cell Mol Neurobiol*, 14(2):105-18.
- Kitagawa, N., Tsutsumi, K., Niwa, M., et al. (1994) Expression of a functional endothelin (ETA) receptor in human meningiomas. *J Neurosurg*, 86(4):723-31.
- Kizana, E., Lee, R., Young, N., Dorsch, N. W. & Soo, Y. S. (1996) A review of the radiological features of intracranial meningiomas. *Australas Radiol*, 40(4): 454-62.
- Knelles, D., Barthel, T., Kraus, U. (1997) Randomized trial comparing early postoperative irradiation vs. the use of nonsteroidal anti-inflammatory drugs for prevention of heterotopic ossification following prosthetic total hip replacement. *Int J Radiat Oncol Biol Phys*, 39:961-966.
- Kobayashi, S., Takahashi, H. E., Ito, (2003) Trabecular minimodeling in human iliac bone. *Bone*, 32:163-169.
- Kochanek, S., Schroder, R., Firsching, R. (1986) Hemangiopericytoma of meninges. I. Histopathological variability and differential diagnosis. *Zentralbl Neurochir*, 47:183-90.
- Kondo, T. (1997) Brain tumor and parkinsonism. *Nippon Rinsho*, 55(1):118.
- Kondziolka, D., Flickinger, J. C., Perez, B., (1998) Judicious resection and radiosurgery for parasagittal meningiomas: outcome from a multicenter review. *Neurosurgery*, 43:405.
- Kong, Y. G., Su, C. B., Ren, Z. Y. & Wang, R. Z. (2002) Measurement of epidermal growth factor receptor concentration in the pre- and postoperative serum in patients with meningiomas. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao*, 24(4): 427-9.
- Konstantinidou, A. E., Korkolopoulou, P., Mahera, H., Kotsakis, X., Hranioti, S., Eftychiadis, C. & Patsouris, E. (2003) Hormone receptors in non-malignant meningiomas correlate with apoptosis, cell proliferation and



recurrence-free survival. *Histopathology*, 43(3): 280-90.

- Koper, J. W., Markstein, R., Kohler, C., Kwekkeboom, D. J., Avezaat, C. J., Lamberts, S. W. & Reubi, J. C. (1992) Somatostatin inhibits the activity of adenylate cyclase in cultured human meningioma cells and stimulates their growth. *The Journal of Clinical Endocrinology & Metabolism*, 74(3): 543-547.
- Koper, J. W., Zwarthoff, E. C., Hagemeijer, A., Braakman, R., Avezaat, C. J., & Bergstrom, M. (1991) Inhibition of growth of meningiomas cells by recombinant interferon-alpha. *Eur J Cancer*, 27(4):416-9.
- Kostron, H., Daxenbichler, G. & Maier, H. (1990) Steroid receptors and atypical histology as prognostic parameters in meningioma. *Wien Klin Wochenschr*, 102(18): 525-8.
- Krisch, M., Santarius, T. & Black, P. (1997) Molecular Biology of meningiomas and peripheral nerve sheath tumors. *Concepts Neurosurg*, 8(1): 126-145.
- Krishnan, V., Bryant, H. U., & Macdougald, O. A. (2006) Regulation of bone mass by Wnt signaling. *J Clin Invest*, 116:1202-1209.
- Kunert-Radek, J., Stepien, H., Radek, A. & Pawlikowski, M. (1987) Somatostatin suppression of meningioma cell proliferation in vitro. *Acta Neurol Scand*, 75(6): 434-6.
- Kurland, L. T., Schoenberg, B. S., Annegers, J. F., Okazaki, H., & Molgaard, C. A. (1982) The incidence of primary intracranial neoplasm in Rochester, Minnesota, 1935-1977. *Ann NY Acad Sci*, 381:6.
- Lacey, D. L., Timms, E., Tan, H. L. (1998) Osteoprotegerin ligand is a cytokine that regulates osteoclast differentiation and activation. *Cell*, 93:165-176.
- Laidlaw, J. D., Kumar, A., & Chan, A. (2004) Dural metastases mimicking meningioma. Case report and review of the literature. *J Clin Neurosci*, 11:780-3.
- Lamberts, S. W., Tanghe, H. L., Avezaat, C. J., Braakman, R., Wijngaarde, R., Koper, J. W. & de Jong, H. (1992) Mifepristone (RU 486) treatment of meningiomas. *J Neurol Neurosurg Psychiatry*, 55(6): 486-90.
- Lamsus, K., Avezaat, C. J., Braakman, R. (2004) Angiogenesis related growth factor in brain tumor. *Cancer tread*, 117:169-190.
- Lang, D. A. et al., (1999) Out come after neurosurgery the care give's burden is forgotten. *J Neurosurgery*, 91(3):359-363.
- Leon, S. P., Zhu, J. & Black, P. M. (1994) Genetic aberrations in human brain



tumors. *Neurosurgery*, 34(4): 708-22.

Lesch, K. P., Schott, W., Engl, H. G., Gross, S. & Thierauf, P. (1987) Gonadal steroid receptors in meningiomas. *J Neurol*, 234(5): 328-33.

Liang, M., Liao, E. Y., Xu, X., Luo, X. H. & Xiao, X. H. (2003) Effects of progesterone and 18-methyl levonorgestrel on osteoblastic cells. *Endocr Res*, 29(4): 483-501.

Liao, E. Y. & Luo, X. H. (2001) Effects of 17beta-estradiol on the expression of matrix metalloproteinase-1, -2 and tissue inhibitor of metalloproteinase-1 in human osteoblast-like cell cultures. *Endocrine*, 15(3): 291-5.

Lieu, A. S., & Howng, S. L. (2000) Intracranial meningiomas and epilepsy: incidence, prognosis and influencing factors. *Epilepsy Res*, 38(1):45.

Lind, M., Deleuran, B., Thestrup-Pedersen, K. (1995) Chemotaxis of human osteoblasts. Effects of osteotropic growth factors. *AMPIS*, 103:140-146.

Lindsay, R., Cosman, F., Zhou, H. (2006) A novel tetracycline labeling schedule for longitudinal evaluation of the short-term effects of anabolic therapy with a single iliac crest biopsy: early actions of teriparatide. *J Bone Miner Res*, 21:366-373.

Linton, O. W., Mettler Jr, F. A. National conference on dose reduction in CT, with an emphasis on.

Liu, T. C., Zhang, T., Fukuhara, H., Kuroda, T., Todo, T., Canron, X., Bikfalvi, A., Martuza, R. L., Kurtz, A. & Rabkin, S. D. (2006) Dominant-negative fibroblast growth factor receptor expression enhances antitumoral potency of oncolytic herpes simplex virus in neural tumors. *Clin Cancer Res*, 12(22): 6791-9.

Locklin, R. M., Oreffo, R. O., & Triffitt, J. T. (1999) Effects of TGF β and bFGF on the differentiation of human bone marrow stromal fibroblasts. *Cell Biol Int*, 23:185-194.

Logan, C. Y., & Nusse, R. (2004) The Wnt signaling pathway in development and disease. *Annu Rev Cell Dev Biol*, 20:781-810.

Lorenzo, J. A. (1992) The role of cytokines in the regulation of local bone resorption. *Crit Rev Immunol*, 11:195-213.

Lou, X. H. & Liao, E. Y. (2002) Progesterone Upregulated TGF- β Isoforms (β 1, β 2 and β 3) Expression in Normal Human Osteoblast Like Cells. 71(4): 329-334.

Louis, D. N., Ramesh, V., & Gusella, J. F. (1995) Neuropathology and molecular genetic of neurofibromatosis 2 and related tumors. *Brain Pathol*, 5:163-72.



- Louis, D. N., Scheithauer, B. W., Budka, H., con Deimling, A., & Kepes, J. J. (2002) Lyon: the WHO Classification of Tumors of the Nervous System, In: Kleihues, P., Cavenee, W. K. editors. Meningiomas.
- Louw, D., Sutherland, G., Halliday, W., & Kaufmann, J. (1990) Meningiomas mimicking cerebral schwannoma. *J Neurosurg*, 73:715-9.
- Lukert, B. P., & Kream, B. E. (1996) Clinical and basic aspects of glucocorticoid action in bone. In: Bilezikian JP, Raisz LG, Rodan GA (eds) Principles of bone biology. Academic, San Diego, pp 533-548.
- Lydeking-Olsen, E., Beck-Jensen, J. E., Setchell, K. D. & Holm-Jensen, T. (2004) Soymilk or progesterone for prevention of bone loss--a 2 year randomized, placebo-controlled trial. *Eur J Nutr*, 43(4): 246-57.
- Lynam, L. M., Lyons, M. K., Drazkowski, J. F., Sirven, J. I., Noe, K. H., & Zimmerman, R. S. (2007) Frequency of seizures in patients with newly diagnosed brain tumours: a retrospective review. *Clin Neurol Neurosurg*, 109(7):634.
- Lyngdoh, B. T., Giri, P. J., Behari, S., Banerji, D., Chhabra, D. K., & Jain, V. K. (2007) Intraventricular meningiomas: a surgical challenge. *J Clin Neurosci*, 14(5):442.
- Lyons, S. A., Chung, W. J., Weaver, A. K., Ogunrinu, T., & Southeimer, H. (2007) Autocrine glutamate signaling promotes glioma cell invasion. *Cancer Res*, 67(19):9463.
- MacDonald, A. J., Salzman, K. L., Harnsberger, H. R., Gilbert, E., & Shelton, C. (2004) Primary jugular foramen meningioma: imaging appearance and differentiating features. *AJR Am J Roentgenol*, 182:373-7.
- Mackie, E. J. (2003) Osteoblasts: novel roles in orchestration of skeletal architecture. *Int J Biochem Cell Biol*, 35:1301-1305.
- Maiuri, F., De Caro, M. B., Esposito, F., Cappabianca, P., Strazzullo, V., Pettinato, G. & de Divitiis, E. (2007) Recurrences of meningiomas: predictive value of pathological features and hormonal and growth factors. *J Neurooncol*, 82(1): 63-8.
- Maiuri, F., Montagnani, S., Gallicchio, B., Carandente, M., Lanza, G. G. & D'Andrea, F. (1989) Oestrogen and progesterone sensitivity in cultured meningioma cells. *Neurol Res*, 11(1): 9-13.
- Manolagas, S. C. (2000) Birth and death of bone cells: basic regulatory mechanisms and implications for the pathogenesis and treatment of osteoporosis. *Endocr Rev*, 21(2): 115-37.



- Mantle, R. E. (1999) Predicting the probability of meningioma recurrent base on the quality of peritumoral edema on computerized tomography scanning. *J Neurosurgery*, 91:137-183.
- Marie, P. J. (2003) Fibroblast growth factor signaling controlling osteoblast differentiation. *Gene*, 316:23-32.
- Matsumoto M et al (2007) Dynamic 3D-CT Angiographic AJNR. *J Neuro radiology* 26:635-641
- Matsumoto, M., Kodama, N., Endo, Y., et al. (2007) Dynamic 3D-CT angiography. *AJNR Am J Neuroradiol*, 28:299-304.
- Matsumoto, M., Kodama, N., Sakuma, J., et al. (2005) 3D-CT arteriography and 3D-CT venography: the separate demonstration of arterial-phase and venous-phase on 3D-CT angiography in a single procedure. *AJNR Am J Neuroradiol*, 26:635-41.
- Mautner, V. F., Lindenau, M., Baser, M. E., et al. (1996) The neuroimaging and clinical spectrum of neurofibromatosis 2. *Neurosurgery*, 38:880-5
- Maxwell, M., Galanopoulos, T., Tessa Hedley-Whyte, E., McL. Black, P. & Antoniades, H. N. (1990) Human meningiomas co-express platelet-derived growth factor (pdgf) and pdgf-receptor genes and their protein products. *International Journal of Cancer*, 46(1): 16-21.
- Maxwell, R. E., & Chou, S. N. (1991) *Parasagittal and Falx Meningiomas*. Philadelphia:WB Saunders Company.
- McDermott, M. W. (2003) Intraventricular meningiomas. *Neurosurg Clin N Am*, 14(4):559.
- McDonald, A., Salzman, K. L., Harnsberger, H. R., et al. (2004) Primary jugular foramen meningioma: imaging appereance and differentiating features. *AJR Am J Reantgenol*, 182:373.
- Mc Horney (1993) The MOS 36 item short form health survey (SF-36) II psikometric and clinical test of validity in maturing physical and mental health construct. *Med Care*, 31(3):247-263.
- Medrano, V., Mallada, F. J., Lopez Hernandez, N., Fernandez, I. S., & Piquiras, R. L. (2004) Olfactory seizures and parasellar meningioma. *Rev Neurol*, 38(5):435.
- Metellus, P., Nanni, I., Dussert, C., Trinkhaus, M., Fuentes, S., Chinot, O., Ouafik, L. H., Fina, F., Dufour, H., Figarella-Branger, D., Grisoli, F., Lah, T. T. & Martin, P. M. (2008) Prognostic implications of biologic markers in intracranial meningiomas: 120 cases. *Neurochirurgie*, 54(6): 750-6.



- Miller, N. R. (2004) Primary tumors of the optic nerve and its sheath. *Eye*, 18:1026.
- Mills, B. G., Frausto, A. (1997) Cytokines expressed in multinucleated cells: Paget's disease and giant cell tumors versus normal bone. *Calcif Tissue Int*, 61:16-21.
- Mirimanoff, R. O., Dosoretz, D. E., Linggood, R. M., Ojemann, R. G., & Martuza, R. L. (1985) Meningioma: analysis of recurrence and progression following neurosurgical resection. *J Neurosurg*, 62:18-24.
- Mohan, S., & Baylink, D. J. (1991) Bone growth factors. *Clin Orthop*, 263:30-48.
- Mohanty, M. (1996) Cellular basis for failure of joint prosthesis. *Biomed Mater Eng*, 6:165-172
- Moots, P. L., Maciunas, R. J., Eisert, D. R., Parker, R. A., Laporte, K., & Aboukhail, B. (1995) The course of seizures disorders in patients with malignant gliomas. *Arch Neurol*, 52:717.
- Morrell, F. (1989) Varieties of human secondary epileptogenesis. *J Clin Neurophysiol*, 6(3):227.
- Muhr, C., Gudjonsson, O., Lilja, A., Hartman, M., Zhang, Z. J., & Langstrom, B. (2001) Meningioma treated with interferon-alpha, evaluated with $\{\text{(11)C}\}$ -1-methionine positron emission tomography. *Clin Cancer Res*, 7(8):2269-76.
- Mukherjee, S., Nath, S., Chatterjee, U., Chatterjee, S., (2011) Detection of Progesterone Receptor and the correlation with Ki-67 labeling index in meningiomas. *Neurology India*, 817-22.
- Murakami, T., Yamamoto, M., Yamamoto, M., Ono, K., Nishikawa, M., Nagata, N., Motoyoshi, K. & Akatsu, T. (1998) Transforming Growth Factor- β 1 Increases mRNA Levels of Osteoclastogenesis Inhibitory Factor in Osteoblastic/Stromal Cells and Inhibits the Survival of Murine Osteoclast-like Cells. *Biochemical and Biophysical Research Communications*, 252(3): 747-752.
- Naidich, T. P., Lin, J. P., Leeds, N. E., et al. (1976) Computed tomography in the diagnosis of extra-axial posterior fossa masses. *Radiology*, 120:333-9.
- Nakamura, M., Roser, F., Mirzai, S., Matthies, C., Vorkapic, P., & Samii, M. (2004) Meningiomas of the auditory canal. *Neurosurgery*, 55:119-27.
- Nakamura, M., Struck, M., Roser, F., Vorkapic, P., & Samii, M. (2007) Olfactory groove meningiomas: clinical outcome and recurrence rates after tumor



removal through the frontolateral and bifrontal approach. *Neurosurgery*, 60:844-52.

Nakasu, S., Nakasu, Y., Nakajima, M., Matsuda, M., & Handa, J. (1999) Preoperative identification of meningioma that are highly likely to recur. *J Neurosurg*, 90:455-62.

Nash, T. J., Howlett, C. R., Martin, C. (1994) Effects of platelet-derived growth factor on tibial osteotomies in rabbits. *Bone*, 15:203-208.

Netter, F. H. (1987) *Musculoskeletal system: anatomy, physiology, and metabolic disorders*. Ciba-Geigy Corporation, Summit, pp 129-130.

New, P. F., Hesselink, J. R., Carroll, C. P., & Kleinman, G. M. (1982) Malignant meningiomas: CT and histologic criteria, including a new CT sign. *ANJR Am J Neuroradiol*, 3:267-76.

Nitta, T., Sato, K. & Okumura, K. (1991) Transforming growth factor (TGF)-beta like activity of intracranial meningioma and its effect on cell growth. *Journal of the neurological sciences*, 101(1): 19-23.

Olson, J. J., Beck, D. W., Schlechte, J. & Loh, P. M. (1986) Hormonal manipulation of meningiomas in vitro. *J Neurosurg*, 65(1): 99-107.

Oransky, I., & Sir Godfrey, N. (2004) Hounsfield. *Lancet*, 364:1032.

Osborn, A. G. (1994) Brain tumors and tumor like masses: classification and differential diagnosis. In : Osborn, A. G., editor. *Diagnostic neuroradiology*. St. Louis: Mosby.

Osborn, A. G. (1994) *Diagnostic Neuroradiology*. St. Louis: Mosby.

Paggota, U., Arzberger, T., Hopner, U., et al. (1995) Expression and localization of endothelin 1 and endothelin receptor in human meningiomas. Evidence for a role in tumoral growth. *J ClinInvest*, 96(4):2017-25.

Paker, S., Cerci, A., Ozgen, S., et al. (2005) Spinal meningiomas: evaluation of 41 patient. *J Neurosurg Sci*, 49:7.

Pamir, M. N., Belirgen, N., Ozduman, K., Kilic, T., & Ozek, M. (2008) Anterior clinoidal meningiomas: analysis of 43 consecutive surgically treated cases. *Acta Neurochir (Wien)*, 29. [Epub ahead of print].

Pamir, M. N., Erbengi, A., Zileli, T., & Ozgen, T. (1983) Diagnostic features and efficacy of cranial. Diagnostic features and efficacy of cranial computerized tomography in intracranial in meningiomas. Cerrahpasa. *Tip Fakultesi Dergisi*, 1983:47.



- Pamir, M. N., Kilic, T., Bayrakli, F., & Peker, S. (2005) Changing treatment strategy of cavernous sinus meningiomas: experience of a single institution. *Surg Neurol*, 64:(Suppl. 2):S58.
- Pamir, M. N., Kilic, T., Ozduman, K., & Ture, U. (2004) Experience of a single institution treating foramen magnum meningiomas. *J Clin Neurosci*, 11:863-7.
- Pamir, M. N., Ozduman, K., Belirgen, M., Kilic, T., & Ozek, M. M. (2015) Outcome determinant of pterional surgery for tuberculum sellae meningiomas. *Acta Neurochir (Wien)*, 147(11):1121.
- Pamir, M. N., Peker, S., Kilic, T., & Sengoz, M. (2007) Efficacy of gamma-knife surgery for treating meningiomas that involve the superior sagittal sinus. *Zentralbl Neurochir*, 68(2):73.
- Papanicolaou, D. A., Wilder, R. L., Manolagas, S. C. (1998) The pathophysiologic roles of interleukin-6 in human disease. *Ann Intern Med*, 128:127-137.
- Parfitt, A. M. (2002) Targeted and nontargeted bone remodeling: relationship to basic multicellular unit organization and progression. *Bone*, 30:5-7.
- Park, K., Kim, J. H., Nam, D. H., Lee, J. I., Kim, J. S., Hong, S. C., Shin, H. J., Eoh, W. & Park, K. (2000) Vascular endothelial growth factor expression under ischemic stress in human meningiomas. *Neurosci Lett*, 283(1): 45-8.
- Patankar, T., Prasad, S., & Goel, A. (1997) Sphenoid wings meningioma-an unusual cause of duro-optic calcification. *J Postgrad Med*, 43(2):48.
- Paulus, W., Grothe, C., Sensenbrenner, M., Janet, T., Baur, I., Graf, M. & Roggendorf, W. (1990) Localization of basic fibroblast growth factor, a mitogen and angiogenic factor, in human brain tumors. *Acta Neuropathol*, 79(4): 418-23.
- Pei, W., Bellows, C. G., Jia, Y. & Heersche, J. N. M. (2006) Effect of age on progesterone receptor expression, and osteoprogenitor proliferation and differentiation in female rat vertebral cell populations. *Journal of Endocrinology*, 190(2): 261-270.
- Penfield, W., Erickson, T. C., Tarlov, I. (2001) Relation of intracranial tumours and symptomatic epilepsy. *Arch Neurol Psychiatry*, 1940;44:300.
- Perrot-Appanat, M., Groyer-Picard, M. T. & Kujas, M. (1992) Immunocytochemical study of progesterone receptor in human meningioma. *Acta Neurochir (Wien)*, 115(1-2): 20-30.



- Perry, J. R., Tucker, W. S., Chui, M., Bilbao, J. M. (1993) Dural cavernous hemangioma: an under-recognized lesion mimicking meningioma. *Can J Neurol Sci*, 20:230-3.
- Pieper, D. R., Al-Mefty, O., Hanada, Y., & Buechner, D. (1999) Hyperostosis associated with meningioma of the cranial base: secondary changes or tumors invasion. *Neurosurgery*, 44:742-6.
- Piquer, J., Cerdà, M., Lluch, A., Barcia Salorio, J. L. & Garcia-Conde, J. (1991) Correlations of female steroid hormone receptors with histologic features in meningiomas. *Acta Neurochir (Wien)*, 110(1-2): 38-43.
- Pistolesi, S., Fontanini, G., Boldrini, L., Camacci, T., De Ieso, K., Lupi, G., Caniglia, M., Mariani, G., Boni, G., Suriano, S., Padolecchia, R., Pingitore, R. & Parenti, G. (2003) The role of somatostatin in vasogenic meningioma associated brain edema. *Tumori*, 89(2): 136-40.
- Plotkin, L. I., Manolagas, S. C., & Bellido, T. (2002) Transduction of cell survival signals by connexin-43 hemichannels. *J Biol Chem*, 277:8648-8657.
- Plotkin, L. I., Aguirre, J. I., Kousteni, S. (2005) Bisphosphonates and estrogens inhibit osteocyte apoptosis via distinct molecular mechanisms downstream of extracellular signal-regulated kinase activation. *J Biol Chem*, 280:7317-7325.
- Pocock, N. A., Eisman, J. A., Hopper, J. L. (1987) Genetic determinants of bone mass in adults: a twin study. *J Clin Invest* 80:706-710
- Raisz LG (1993) Bone cell biology: new approaches and unanswered questions. *J Bone Miner Res*, 8:457-465.
- Prat, R., Banzo, J. & Diaz, F. J. (1997) [Somatostatin receptors in meningioma: diagnostic and therapeutic value]. *Rev Neurol*, 25(148): 2002-5.
- Pravdenkova, S., Al-Mefty, O., Sawyer, J. & Husain, M. (2006) Progesterone and estrogen receptors: opposing prognostic indicators in meningiomas. *J Neurosurg*, 105(2): 163-73.
- Press, M. F. & Greene, G. L. (1988) Localization of progesterone receptor with monoclonal antibodies to the human progestin receptor. *Endocrinology*, 122(3): 1165-75.
- Preston-Martin (1998) A International case control study of adult glioma and meningioma the rule of head trauma. *Int J Epidemiology* 27:579-586
- Prior, J. C., Vigna, Y. M., Barr, S. I., Rexworthy, C. & Lentle, B. C. (1994) Cyclic medroxyprogesterone treatment increases bone density: a controlled trial in active women with menstrual cycle disturbances. *Am J Med*, 96(6): 521-30.



- Provias, *et al.* (1997) Meningioma role of vascular endothelial growth factor vascular permeability factor in angiogenesis and peritumoral edema. *Neurosurgery*, 40:1016-1026.
- Quinden, E. *et al.* (1987) Correlation of tumor plasminogen activator with peritumoral cerebral edema. A CT and bio chemical study. *J Neurosurgery*, 66:729-733.
- Raisz, L. G. (1993) Bone cell biology: new approaches and unanswered questions. *J Bone Miner Res*, 8:457-465.
- Raisz, L. G. (1997) The osteoporosis revolution. *Ann Intern Med*, 126:458-462.
- Raisz, L. G. (1999) Physiology and pathophysiology of bone remodeling. *Clin Chem*, 45:1353-1358.
- Raffel, C. & Harsh, G. R. (1996) *The Molecular Basis of Neurosurgical Disease: Concept In Neurosurgery*, Baltimore: Lippincott Williams & Wilkins.
- Ramamurthi, B., Ravi, B., & Ramachandran, V. (1980) Convulsions with meningiomas: incidence and significance. *Surg Neurol*, 14(6):415.
- Reddy, S. V. (2004) Regulatory mechanisms operative in osteoclasts. *Crit Rev Eukaryot Gene Expr*, 14:255-270.
- Regis, J., Sanson, M., & Kalamarides, M. (2005) Recurrent multiple meningioma and generalized seizure. *Neurochirurgie*, 51(2):129.
- Reubi, J. C., Laissue, J., Krenning, E. & Lamberts, S. W. (1992) Somatostatin receptors in human cancer: incidence, characteristics, functional correlates and clinical implications. *J Steroid Biochem Mol Biol*, 43(1-3): 27-35.
- Richardson, M. P., Hammers, A., Brooks, D. J., & Duncan, J. S. Benzodiazepine-GABA(A) receptor binding is very low in dysembryoplastic neuropithelial tumor: a PET study. *Epilepsia*, 42(10):1327.
- Rickard, D. J., Iwaniec, U. T., Evans, G., Hefferan, T. E., Hunter, J. C., Waters, K. M., Lydon, J. P., O'Malley, B. W., Khosla, S., Spelsberg, T. C. & Turner, R. T. (2008) Bone growth and turnover in progesterone receptor knockout mice. *Endocrinology*, 149(5): 2383-90.
- Roberti, F., Sekhar, L. N., Kalavakonda, C., & Wright, D. C. (2001) Posterior fossa meningiomas: surgical experience in 161 cases. *Surg Neurol*, 56:8.
- Rohringer, M., Sutherland, G. R., Louw, D. F., & Sima, A. A. (1989) Incidence and clinicopathological features of meningioma. *J Neurosurg*, 71:665-72.



Roodman, G. D. (1999) Cell biology of the osteoclast. *Exp Hematol* 27:1229-1241.

Roodman, G. D., Kurihara N, & Ohsaki Y. (1992) Interleukin-6: a potential autocrine/paracrine agent in Paget's disease of bone. *J Clin Invest*, 89:46-52.

Rosen, C. J., Donahue, L. R. (1998) Insulin-like growth factors and bone-the osteoporosis connection revisited. *Proc Soc Exp Biol Med*, 219:1-7.

Roser, F., Nakamura, M., Bellinzona, M., Rosahl, S. K., Ostertag, H. & Samii, M. (2004) The prognostic value of progesterone receptor status in meningiomas. *J Clin Pathol*, 57(10): 1033-7.

Roser, F., Nakamura, M., Ritz, R., Bellinzona, M., Dietz, K., Samii, M. & Tatagiba, M. S. (2005) Proliferation and progesterone receptor status in benign meningiomas are not age dependent. *Cancer*, 104(3): 598-601.

Rothoerl, R. D., Bernreuther, D., Woertgen, C., & Brawanski, A. (2003) The value of routine electrocephalographic recording in predicting postoperative seizures associated with meningioma surgery. *Neurosurg Rev*, 26(2):108.

Rubio, M. P., Correa, K. M., Ramesh, V., MacCollin, M. M., Jacoby, L. B., von Deimling, A., Gusella, J. F. & Louis, D. N. (1994) Analysis of the neurofibromatosis 2 gene in human ependymomas and astrocytomas. *Cancer Res*, 54(1): 45-7.

Russell, E. J., George, A. E., Kricheff, I. I., & Budzilovich, G. (1980) Atypical computed tomography features of intracranial meningioma: radiological pathological correlation in a series of 131 consecutive cases. *Radiology*, 135:673-82.

Saeed, P., Rootman, J., Nuggent, R. A., White, V. A., Mackenzia, I. R., & Koornnef, L. (2003) Optic nerve sheath meningiomas. *Ophthalmology*, 110(10):2019.

Sakou, T. (1998) Bone morphogenetic proteins: from basic studies to clinical approaches. *Bone*, 22:591-603.

Sakuma, T., Nakagawa, T., Ido, K., Takeuchi, H., Sato, K. & Kubota, T. (2008) Expression of vascular endothelial growth factor-A and mRNA stability factor HuR in human meningiomas. *J Neurooncol*, 88(2): 143-55.

Salmaggi, A., Riva, M., Silvani, A., Merli, R., Tomei, G., Lorrusso, L., et al. (2005) Lombardia Neuro-oncology Group. A multicentre prospective collection of newly diagnosed glioblastoma patients in Lombardia, Italy. *Neurolog Sci*, 26(4):227.



- Salvati, M., Frati, A., Ferrari, P., Verrelli, C., Artizzu, S., & Letizia, C. (2000) Parkinsonian syndrome in patient with a pterional meningioma: case report and review of the literature. *Clin Neurol Neurosurg*, 102(4):243.
- Sandhu, F. A., Schellinger, D., & Martuza, R. L. (2000) A vascular sarcoid mass mimicking a convexity meningioma. *Neuroradiology*, 42:195-8.
- Sanson, M. et al. (2000) Biology of meningioma. *Acta Neurochirr (Wien)* 42:493-500.
- Schaller, B., & Ruegg, S. J. (2003) Brain tumor and seizures: pathophysiology and its implications for treatment revisited. *Epilepsia*, 44:1223.
- Schneider, G. B., Key, L. L., & Popoff, S. N. (1998) Osteoporosis. *Therapeutic strategies. Endocrinologist*, 8:409-417.
- Schoenberg, B. S., Christine, B. W. & Whisnant, J. P. (1975) Nervous system neoplasms and primary malignancies of other sites. The unique association between meningiomas and breast cancer. *Neurology*, 25(8): 705-12.
- Scholtes, F. B., Renior, W. O., & Meinardi, H. (1994) Generalized convulsive status epilepticus causes, therapy, and outcome in 346 patients. *Epilepsia*, 35(5):1104.
- Schrell, U. M., Fahlbusch, R., Adams, E. F., Nomikos, P., & Reif, M. (1999) Growth of cultured human cerebral meningioma inhibited by dopaminergic agents. Presence of high affinity dopamine-D1 receptors. *J clin Endocrinol metab*, 77(6)1669-71.
- Schrell, U. M., Gauer, S., Kiesewetter, F., Bickel, A., Hren, J., Adams, E. F. & Fahlbusch, R. (1995) Inhibition of proliferation of human cerebral meningioma cells by suramin: effects on cell growth, cell cycle phases, extracellular growth factors, and PDGF-BB autocrine growth loop. *J Neurosurg*, 82(4): 600-7.
- Schrell, U. M., Nomikos, P., & Fahlbusch. R. (1992) Presence of dopamine D1 and absence of dopamine D2 receptor in human cerebral meningioma tissue. *J Neurosurg*, 77(2):288-94.
- Schwartz, A., Gass, A., & Hennerici, M. (1999) Stroke vignette: Epidural hematoma and hemorrhagic infarction mimicking a left temporal meningioma. *Cerebrovasc*, 9:251-2.
- Shamah, S. M., Alberta, J. A., Giannobile, W. V., Guha, A., Kwon, Y. K., Carroll, R. S., Black, P. M. & Stiles, C. D. (1997) Detection of activated platelet-derived growth factor receptors in human meningioma. *Cancer Res*, 57(18): 4141-7.



- Shepoiraitis, L. A., Osborn, A. G., Smirnitopoulos, J. G., Clunie, D. A., Howelson, J., & D'Agostino, A. N. (1992) Intracranial meningioma. *AJNR Am J Neuroradiol*, 13:29-37.
- Simpson, D. (1957) Recurrence of intracranial meningiomas after surgical treatment. *J Neurol Neurosurg Psychiatry*, 20:22-39.
- Sindou, (2007) Result of attempted radical tumor removal and venous repair in 100 consecutive meningioma involving the major dural sinuses. *J Neurosurgery*, 514-525.
- Siris, E. S. (1998) Paget's disease of bone. *J Bone Miner Res*, 13:1061-1065.
- Sirven, J. I., Wingerchuk, D. M., Drazkowski, J. F., Lyons, M. K., & Zimmerman, R. S. (2004) Seizure prophylaxis in patient with brain tumors: a meta-analysis. *Mayo Clin Proc*, 79:1489.
- Sklar, E. M., Schtz, N. J., Glaser, J. S., Sternau, L., & Seffo, F. (2000) Optic tract edema in a meningioma of the tuberculum sellae. *ANJR Am J Neuroradiol*, 21:1661-3.
- Smith, D. A. & Cahill, D. W. (1994) The biology of meningiomas. *Neurosurg Clin N Am*, 5(2): 201-15.
- Smith, J. S., Lal, A., Harmon-Smith, M., Bollen, A. W. & McDermott, M. W. (2007) Association between absence of epidermal growth factor receptor immunoreactivity and poor prognosis in patients with atypical meningioma. *J Neurosurg*, 106(6):1034-40.
- Solero, C., Fornari, M., Giombini, S., et al. (1989) Spinal meningiomas: review of 174 Operated cases. *Neurosurgery*, 25:153.
- Som, P. M., Sachdev, V. P., Sacher, M. M., Stollman, A. L., & Lawson, W. (1991) Intrafrontal sinus primary meningioma. *Neuroradiology*, 33:251-2.
- Stemhoff, H., Lanksh, W., & Kazner, E, (1977) Computed tomography in the diagnosis and differential diagnosis of glioblastomas. A qualitative study of 295 cases. *Neuroradiology*, 14:193-200.
- Stiles, C. D. (1983) The molecular biology of platelet-derived growth factor. *Cell*, 33(3): 653-5.
- Suda, T., Takashi, N., & Udagawa, N. (1999) Modulation of osteoclast differentiation and function by the new members of tumor necrosis factor reseptor and ligand families. *Endocr Rev*, 20:345-357.



Surawicz (1999) Descriptive epidemiology of primary brain and CNS tumor result on the central brain tumor registry of the United State 1970-1999. *Neuro oncology*, 14-25.

Surven, J. I., & Malamut, B. L. (2002) *Clinical Neurology PF the Older Adult*. Philadelphia: Lippincott Williams and Wilkins.

Sutherland, G. R., Florell, R., Louw, D., Choi, N. W., & Sima, A. A. (1987) Epidemiology of primary intracranial neoplasms in Manitoba. Canada. *Can J Neurol Sci*, 14(4):586.

Tada, M., & de Tribolet, N. (1993) Recent advances in immunobiology of brain tumours. *J Neurooncol*, 17:261

Taichman, R. S. (2005) Blood and Bone: two issues whose fates are intertwined to create the hematopoietic stem cell niche. *Blood*, 105:2631-2639.

Takano, T., Lin, J. H., Arcuino, G., Gao, Q., Yang, J., & Nedergaard, M. (2001) Glutamate release promotes growth of malignant gliomas. *Nat Med*, 7:1011.

Teitelbaum, S. L., & Ross, F. P. (2003) Genetic regulation of osteoclast development and function. *Nat Rev Genet*, 4:638-649.

Teitelbaum, S. L., Abu-Amer, Y., & Ross, F. P. (1995) Molecular mechanisms of bone resorption. *J Cell Biochem*, 59:1-10.

Theill, L. E., Boyle, W. J., & Penninger, J. M. (2002) RANK-L and RANK: T cells, bone loss, and mammalian evolution. *Annu Rev Immunol*, 20:795-823.

Terstegge, K., Schorner, W., Henkes, H., Heye, N., Hosten, N., & Lanksch, W. R. (1994) Hyperostosis in meningioma: MR findings in patient with recurrent inmeningioma of the sphenoid wings. *AJNR Am J Neuroradiol*, 15:555-60.

Todo, T., Adams E. F., Rafferty, B., Fahlbusch, R., Dingermann, T., & Werner, H. (1994) Secretion of interluekin-6 by human meningioma cells:possible autocrineinhibitory regulation of neuroplastic cell growth. *J Neurosurg*, 81(3):394-401.

Todo, T., Adams, E. F. & Fahlbusch, R. (1993) Inhibitory effect of trapidil on human meningioma cell proliferation via interruption of autocrine growth stimulation. *J Neurosurg*, 78(3): 463-9.

Todo, T., Adams, E. F., Fahlbusch, R., Dingermann, T. & Werner, H. (1996) Autocrine growth stimulation of human meningioma cells by platelet-derived growth factor. *Journal of Neurosurgery*, 84(5): 852-858.

Todo, T., Kondo, T., Kirino, T., Asai, A., Adams, E. F., Nakamura, S., Ikeda, K.



- & Kurokawa, T. (1998) Expression and growth stimulatory effect of fibroblast growth factor 9 in human brain tumors. *Neurosurgery*, 43(2): 337-46.
- Tokgoz, N., Oner, Y. A., Kaymaz, M., Ucar, M., Yilmaz, G., & Tali, T. E. (2005) Primary intraosseous meningioma: CT and MRI appearance. *ANJR Am J Neuroradiol*, 26:2053-6.
- Tomand, B. F., Hammen, T., Klotz, E., Ditt, H., Stemper, B., & Lell, M. (2006) Bone-Subtraction CT angiography for the evaluation of intracranial Aneurysms. *AJNR Am J Neuroradiol*, 27:55-9.
- Trueta, J. (1963) The role of blood vessels in osteogenesis. *J Bone Joint Surg Br*, 45:402.
- Tuna, M., Gocer, A. L., Gezeren, Y., Vural, A., & Ildan, F. (1999) Haciayakupoglu S, et al. Huge Meningiomas: a Review of 93 cases. *Skull Base Surg*, 9(3):227.
- Turner, C. H. (1998) Three rules for bone adaptation to mechanical stimuli. *Bone*, 23:339-409.
- Ubara, Y., Fushimi, T., Tagami, T. et al. (2003) Histomorphometric features of bone in patients with primary and secondary hyperparathyroidism. *Kidney Int*, 63:1809-1816.
- Ubara, Y., Tagami, T., Nakanishi, S. et al. (2005) Significance of minimodeling in dialysis patients with adynamic bone disease. *Kidney Int*, 68:833-839.
- Ueba, T., Takahashi, J. A., Fukumoto, M., Ohta, M., Ito, N., Oda, Y., Kikuchi, H. & Hatanaka, M. (1994) Expression of fibroblast growth factor receptor-1 in human glioma and meningioma tissues. *Neurosurgery*, 34(2): 221-5; discussion 225-6.
- Usha, K. (2012) *Physiology of Bone Formation, Remodeling, dan Metabolism*. Springer-Verlag, 29-57.
- Vaananen, H. K., Zhao, H., Mulari, M. et al. (2000) The cell biology of osteoclast function. *J Cell Sci*, 113:377-381.
- Van Breemen, M. S., & Vecht, C. J. (2005) Optimal seizures management in brain tumors patients. *Curr Neurol Neurosci Rep*, 5(3):207.
- Van Den Bosch, L., Van Damme, P., Bogaert, E., & Robberecht, W. (2006) The role of excitotoxicity in pathogenesis of amyotrophic lateral sclerosis. *Biochim Biophys Acta*. 1762:1068.



Van Havenbergh, T., Carvalho, G., Tatagiba, M., Plets, C., & Samii, M. (2003) Natural history of petroclival meningiomas. *Neurosurgery*, 52:55-62.

Vassilouthis, J., & Ambrose, J. (1979) Computerized tomography scanning appearances of intracranial meningiomas. An attempt to predict the histological features. *J Neurosurg*, 50:320-7.

Vecht, C. J., & van Bremen, M. (2006) Optimizing therapy of seizures in patient with brain tumors. *Neurology*, 67(Suppl.4):S10.

Vecht, C. J., Wagner, G. L., & Wilms, E. B. (2003) Interactions between antileptic and chemotherapeutic drugs. *Lancet Neurol*, 2(7):404.

Vecht, C. J., Wagner, G. L., & Wilms, E. B. (2003) Interactions between antiepileptic and chemotherapeutic agents. *Semin Oncol*, 30(6 Suppl. 19):49.

Verheijen, F. M., Donker, G. H., Viera, C. S., Sprong, M., Jacobs, H. M., Blaauw, G., Thijssen, J. H. & Blankenstein, M. A. (2002) Progesterone receptor, bc1-2 and bax expression in meningiomas. *J Neurooncol*, 56(1): 35-41.

Viereck, V., Grundker, C., Friess, S. C., Frosch, K. H., Raddatz, D., Schoppeit, M., Nisslein, T., Emons, G. & Hofbauer, L. C. (2005) Isopropanolic extract of black cohosh stimulates osteoprotegerin production by human osteoblasts. *J Bone Miner Res*, 20(11): 2036-43.

Vieregge, P., Reinhardt, V., & Kretschmar, C. (1990) Meningioma in psychiatry clinic-pathologic contribution to differential cerebral organic psychosyndrome diagnosis in middle and advanced age. *Schweiz Arch Neurol Psychiatr*, 141:269.

Villemure, J. G., & de Tribolet, N. (1996) Epilepsy in patients with central nervous system tumour. *Curr Opin Neurol*, 9:424.

Voss, N. F., Vrionis, F. D., Heilman, C. B., & Robertson, J. H. (2000) Meningiomas of the cerebellopontine angle. *Surg Neurol*, 53:439.

Wang, J. L., Nister, M., Hermansson, M., Westermark, B. & Ponten, J. (1990) Expression of PDGF beta-receptors in human meningioma cells. *Int J Cancer*, 46(5): 772-8.

Ware, J. E., et al. (1992) The MOS 36 item short form health survey (SF-36) conceptual framework and item selection. *Med Care*. 36(5):473-83.

Wei, L. L., Leach, M. W., Miner, R. S. & Demers, L. M. (1993) Evidence for progesterone receptors in human osteoblast-like cells. *Biochem Biophys Res Commun*, 195(2): 525-32.



- Wen, P. Y., & Marks, P. W. (2002) Medical management of patients with brain tumors. *Curr Opin Oncol*, 14:199.
- Wetzel, S. G., Kirsch, E., Stock, K. W., Kolbe, M., Kaim, A., & Radue, E. W. (1999) Cerebral veins: comparative study of CT venography with intraarterial digital subtraction angiography. *ANJR Am J Neuroradiol*, 20:249-55.
- Whinle, I. R., Foo, M. S., Besser, M. & Vanderfield, G. K. (1984) Progesterone and oestrogen receptors in meningiomas: Biochemical and clinicopathological considerations. *Australian and New Zealand Journal of Surgery*, 54(4): 325-330.
- Whittle, I. R., & Beoumont, A. (1995) Seizures in patient with supratentorial oligodendglial tumours. Clinicopathological features and management considerations. *Acta Neurochir (Wien)*, 135(1-2):19.
- Whyte, M. P. (1994) Hypophosphatasia and the role of alkaline phosphatase in skeletal mineralization. *Endocr Rev*, 15:439-461.
- Williams, A. L., & Haughton, V. M. (1985) *Cranial Computerized Tomography*. St. Louis: Mosby.
- Wolf, H. K., Roos, D., Blumcke, I., Pietsch, T., & Wiestler, O. D. (1996) Perifisional neurochemical change in focal epilepsies. *Acta Neuropathol (Berl)*, 91:376.
- Wyllie, E. (2001) *The Treatment of Epilepsy: Principles and Practise*. Philadelphia: Lippincott Qilliams & Wilkins.
- Xing L, Boyce BF (2005) Regulation of apoptosis in osteoclasts and osteoblastic cells. *Biochem Biophys Res Commun* 328:709-720
- Yamaguchi, A., Komori, T., Suda, T. et al. (2000) Regulation of ostoblast differentiation mediated by bone morphogenetic proteins, hedgehogs, and Cbfal. *Endocr Rev*, 21:393-411
- Yamashima, T. (1996) On Arachnoid Villi and Meningiomas: Functional Implication of Ultrastructure, Cell Adhesion Mechanisms, and Extracellular Matrix Composition. *Pathol Oncol Res*, 2(3): 144-149.
- Yang, S. Y. & Xu, G. M. (2001) Expression of PDGF and its receptor as well as their relationship to proliferating activity and apoptosis of meningiomas in human meningiomas. *J Clin Neurosci*, 8 Suppl 149-53.
- Yasuda, H., Shima, N., Nakagawa, N. et al. (1998) Osteoclast differentiation factor is a ligand for osteoprotegerin/osteoclastogenesis-inhibitory factor



and is identical to TRANCE/RANKL. Proc Natl Acad Sci USA 95:3597-3602.

Yoneoka (2000) Growth of Incidental meningioma. Acta Neurochirr, 142(5):507-511.

Young, M. F. (2003) Bone matrix proteins: more than markers. *Calcif Tissue Int* 72:2-4.

Yu, Z.-y., wrange, Ö., Haglund, B., Granholm, L. & Gustafsson, j.-å. (1982) Estrogen and progestin receptors in intracranial meningiomas. *Journal of Steroid Biochemistry*, 16(3): 451-456.

Zag-zag, D. et al. (1996) Angiogenic vessel in human astrocytoma and by human brain endothelial cell in vitro. *Cancer*, 56:182-189.

Zava, D. T., Markwalder, T.-M. & Markwalder, R. V. (1984) Biological Expression of Steroid Hormone Receptors in Primary Meningioma Cells in Monolayer Culture. *Clinical Neuropharmacology*, 7(4): 382-388.

Zhang, Z. J., Muhr, C., & Wang, J. L. (1996) Interferon-alpha inhibits the DNA synthesis induced by PDGF and EGF in cultured meningioma cell. *Anticancer Res*, 16(2):717-23.

Zhu, J. J., Maruyama, T., Jacoby, L. B., Herman, J. G., Gusella, J. F., Black, P. M. & Wu, J. K. (1999) Clonal analysis of a case of multiple meningiomas using multiple molecular genetic approaches: pathology case report. *Neurosurgery*, 45(2): 409-16.

Zhu, J., Frosch, M. P., Busque, L., Beggs, A. H., Dashner, K., Gilliland, D. G. & Black, P. M. (1995) Analysis of meningiomas by methylation- and transcription-based clonality assays. *Cancer Res*, 55(17): 3865-72.