

## DAFTAR PUSTAKA

- Bays, H.E., Chapman, R.H., Grandy (2007). The relationship of body mass index to diabetes melitus, hypertension and dyslipidaemia: comparison of data from two national surveys. *Int J Clin Pract*, 61(5): 737–747.
- Betteng, R., Pangemanan, D., Mayulu, N. (2014). Analisis faktor risiko penyebab terjadinya diabetes melitus tipe 2 pada wanita usia produktif di Puskesmas Wawonasa. *Jurnal e-Biomedik*. Volume 2, Nomor 2, Juli 2014.
- Bustan, M.N. (2007) *Epidemiologi penyakit tidak menular*. Jakarta: Rineka Cipta.
- Cani P.D., Amar J, Iglesias M.A. (2007). Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes care*, 56:1761–1772.
- Centers for Disease Control and Prevention. (2011). *National diabetes fact sheet: national estimates and general information on diabetes and prediabetes in the United States*. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention
- Concato, J. (2004). Overview of research design in epidemiology. *Journal of Law and Policy*, 16: 489-507.
- Daniels S.R., Steinberger J. (2003). Obesity, insulin resistance, diabetes, and cardiovascular risk in children: An american hearts association scientific statement from the atherosclerosis, hypertension, and obesity in the young committee (council and nutrition, physical activity, and metabolism). *Circulation*, 107:1448–1453.
- DeFronzo, R.A. (2009). From the triumvirate to the ominous octet: a new paradigm for the treatment of type 2 diabetes melitus. *Diabetes*, 58:773-795
- Departemen Kesehatan Republik Indonesia (2007). Tahun 2030 prevalensi diabetes melitus di Indonesia mencapai 21,3 juta orang. <http://www.depkes.go.id/index.php>. (15 Maret 2010)
- Ganong, W.F., (2008). *Buku Ajar Fisiologi Kedokteran*. Edisi 22. Jakarta: EGC.
- Ganz, M.L., Wintfeld, N., Li, Q., Alas, V., Langer, J., and Hammer, M. (2014). The association of body mass index with the risk of type 2 diabetes: a case-control study nested in an electronic health records system in the United States. *Diabetology & Metabolic Syndrome*, 6: 50
- Gibney, M. J., Margetts, B.M., Kearney, J.M., Arab, L. (2005). *Gizi kesehatan masyarakat*. Jakarta: Penerbit Buku Kedokteran EGC

- Gudono (2016). *Analisis data multivariat*. Edisi keempat. Yogyakarta: BPFE.
- Gupta, G, *et al.* (2000). Ability of insulin to modulate hepatic glucose production in aging rats is impaired by fat accumulation. *Am J Physiol Endocrinol Metab.* Jun;278(6).
- Guyton, A.H. (2007). *Buku Ajar Fisiologi Kedokteran*. Edisi 9. Jakarta: EGC.
- Hadi, S. (2015). *Statistik*. Yogyakarta: Pustaka Pelajar.
- Harvard University (2009). Abdominal obesity and your health [online]. Tersedia di [http://www.health.harvard.edu/family\\_health\\_guide/abdominal-obesity-and-your-health](http://www.health.harvard.edu/family_health_guide/abdominal-obesity-and-your-health) [2 Maret 2016]
- Kementerian Kesehatan RI (2013). *Riset kesehatan dasar tahun 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Labib, M. (2003). The investigation and management of obesity. *J Clin Pathol*, 56:17-25.
- Lisbet, C.A. (2004). Hubungan antara obesitas berdasarkan klasifikasi indeks massa tubuh dengan kejadian sindroma metabolik pada karyawan bank. *Nexus Medicus*, 16:20-25.
- Merentek, E. (2006). Resistensi insulin pada diabetes melitus tipe 2. *Cermin Dunia Kedokteran*, 150:38-41.
- Ogden C.L., Yanovski S.Z., Carrol M.D., and Flegal K.M. (2007). The epidemiology of obesity. *Gastroenterology*, 132:087–102.
- Pan American Health Organization (2010). Gender and Diabetes in the Americans. Dalam: <http://www.worlddiabetesfoundation.org/media> (30 Juni 2012)
- Petersen, K.F, *et al.* (2003). Mitochondrial dysfunction in the elderly: possible role in insulin resistance. *Science*. May 16;300(5622):1140-2.
- Ramachandran, A., *et al.* (2004). Temporal changes in prevalence of diabetes and impaired glucose tolerance associated with lifestyle transition occurring in rural population in India. *Diabetologia*, 47: 860-865.
- Schienkiewitz, A., Schulze, M.B., Hoffmann, K., Kroke, A., Boeing, H. (2006). Body mass index history and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)–Potsdam Study. *Am J Clin Nutr*, 84: 427–33.

Soelistijo, S.A., *et al.* (2015). *Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia*. Jakarta: PB Perkeni.

Soetiarto, F., Roselinda, Suhardi. (2010). *Hubungan diabetes melitus dengan obesitas berdasarkan indeks massa tubuh dan lingkār pinggang (Data Riskesdas 2007)*. Jakarta: Pusat Penelitian dan Pengembangan Biomedis & Farmasi.

Snijder M.B., Heine R.J., Seidell J.C., Bouter L.M., Stehouwer C.D., Nijpels G.(2006). Associations of adiponectin levels with incident impaired glucose metabolism and type 2 diabetes in older men and women. *Diabetes Care*, 29:2498–2503.

Steinberger, J, Daniels, S.R. (2003). Obesity, insulin resistance, diabetes, and cardiovascular risk in children: an American Heart Association scientific statement from the atherosclerosis, hypertension, and obesity in the young committee. *Circulation*.107:1448-53.

Strauss, J., Witoelar, F., Sikoki, B. (2016) *The fifth wave of the Indonesia family life survey (IFLS5): Overview and Field Report*. WR-1143/1-NIA/NICHD

Sugondo S. (2006). Obesitas. Dalam : Sudoyo A.W, dkk (eds). *Buku ajar ilmu penyakit dalam jilid III*. Edisi IV. Jakarta: FKUI.

Supariasa I.D.N, Bakri B, Fajar I. (2002). *Penilaian status gizi*. Jakarta: EGC.

World Health Organization (2010). *Obesity and overweight: programmes and project of global strategy on diet, physical activity and health*. Geneva, Switzerland : WHO document production services.

WHO (2014). *Global status report on non communicable diseases 2014*. Geneva: WHO Library.