

DAFTAR PUSTAKA

- American Diabetes Association. 2014. ADA's Clinical Practice Recommendations. *Diabetes Care*. 37(suppl):S1-S159.
- American Diabetes Association. 2015. Clasification and Diagnosis of Diabetes. *Diabetes Care*.38(suppl):S8-16.
- Acheson,L.S.,Wang,C.,Zyzanski,S.J.,lynn,A.,Ruffin,M.T.,Gramling,R.,Rubinstei, W.S.,O'Neill,S.M.,Nease,D.E.,2014. Family history and perceptions about risk and prevention for chronic disease in primary care : A report from the Family Healthware™ Impact Trial.
- Adamis, D., Ball, C., 2000. Physical morbidity in elderly psychiatric inpatients: Prevalence and possible relations between the major mental disorders and physical illness. *Int J Geriatr Psychiatry*.15(3):248-53
- Almatsier, S. 2003. Prinsip Dasar Ilmu Gizi. Jakarta: PT. Gramedia Pustaka Utama.
- Amini, M., Janghorbani, M., 2007. Diabetes and Impaired Glucose Regulation in First-Degree Relatives of Patients with Type 2 Diabetes in Isfahan, Iran: Prevalence and Risk Factors. *Rev Diabet Stud*. 4:169-176.
- Armilawati, dkk. 2007. Hipertensi dan faktor risikonya dalam kajian epidemiologi. Makassar: Bagian Epidemiologi FKM UNHAS.
- Amin, K., Anjum, A., Muhammad, D., Jamil, K., Haider, R. 2010. Frequency of Impaired Glucose Tolerance in Different Grades of Obesity. *JUMDC* 2(1): 4-7. 7.
- Bakari, A.G., Onyemelukwe, G.C.,Sani, B.G., Aliyu, I.S., Hassan, S.S.,Aliyu, T.M., 2006. Relationship between Blood Sugar and Body Mass Index in an African Population. *Int J Diabetes & Metabolism* 8(14): 144
- Barrett-Connor, E., Khaw K., 1986. Family history of heart attack: a modifiablerisk factor? *Circulation* 74, No. 2, 239-244
- Brock,J.K., Allen,V.M., Kieser,K.,Langlois,S., 2010. Family History Screening : Use of the Three Generation Pedigree in Clinical Practice
- Bilous,R.,Donnelly,R.2015.Buku Pegangan Diabetes, Penerbit : Bumi Medika,Jakarta
- Buell,C.,Kermah,D.,Davidson,MB.,2007.Utility of A1C for diabetes screening in the 1999 -2004 *NHANES population Diabetes Care*. 30:2233-2235
- Barrett-Connor, E., Khaw K., 1986. Family history of heart attack: a modifiable risk factor? *Circulation* 74, No. 2, 239-244
- Cutler, J.A., Follmann, D., Allender, P.S.,1997.Randomized trials of sodium reduction: an overview. *Am J Clin Nutr* ; 65 (2 Suppl) 643S–651S
- Depkes RI,2008. Pedoman Teknis Penemuan Dan Tatalaksana Penyakit Diabetes Melitus
- Depkes RI,2004.Laporan Survei Kesehatan Nasional, Jakarta
- Dahlquist, G., Frisk, G., Ivarsson, S.A., et al.1995. Indications that maternal coxsackie B Virus infection during pregnancy is a risk factor for childhood onset IDDM.*Diabetologia*. 38: 1371-1373.

- Dorman, J.S., Bunker, C.H.2000. HLA-DQ locus of the human leukocyte antigen complex and type 1 diabetes mellitus:*a HuGE review.Epidemiologi Rev*,22: 218-227.
- Dowse, G., Zimmet, P.,Alberti, K.G.M.M, 1997. Screening for Diabetes and Glucose Intolerance. Dalam. Alberti,K.G.M.M., Zimmet, P, DeFronzo, R.A., Keen, H (Eds) *International Textbook of Diabetes Melitus. 2nd Ed.* Vol 2:1687-707. John Wiley & Sons.
- Epstein, M.,Sowers, J.R. 1992. Diabetes and Hypertension. *Hypertension*. 19: 403-418.
- Errikson, J., Lindstorm, J., Tuomilehto,J., 2001. Potential for The Prevention of Type 2 Diabetes. *British Medical Bulletin*. 60:183-199.
- Emery,J.D.,Reid,G.,Prevost,A.T.,Walter,F.M.2014. Development and Validation of a Family History Screening Questionnaire in Australian Primary Care
- Etukumana,E.A.,Puepet, F.H., Obadofin, M.O. 2014. Relationship of Blood Glucose Levels with Waist Circumference, Hip Circumference, and Waist Hip Ratio Among Rural Adults in Nigeria. *Asian J Pharm Clin Res* 1(7): 204-6.
- Flores, J.C., Hirschhorn, J., Altshuler, D.2003.The inherited basis of diabetes mellitus: implications for the genetic analysis of complex traits.*Annu Rev Genomics Hum Genet*. 4: 257-291.
- Gangwisch, J.E., Heymsfield, S.B., Boden-Albala, B., Buijs, R.M., Kreier, T.G., Th. Pickering, T.G., Rundle, A.G., Zammit, G.K., Malaspina, D. 2006. Short Sleep Duration as a Risk Factor for Hypertension Analyses of the First National Health and Nutrition Examination Survey Hypertion. 47; 833-839
- Gangwisch, J.E. 2004. A Review of Evidence for Link Between Sleep Duration and Hypertension.*American Journal of Hypertension*
- Gloyn, A.L. 2003.The search for type 2 diabetes genes.*Ageing Res Rev*. 2: 111-127.
- Guyton, Arthur, C. Hall., John, E. 2007. *Buku Ajar Fisiologi Kedokteran Edisi 11*. Jakarta: EGC
- Guallar-Castillon et al. 2007. Intake of fried foods is associated with obesity in the cohort of Spanish adults from the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr* 86:198 –205.
- Guagnano, M.T., Ballone, E., Colagrande, V., Vecchia, R.D., Manigrasso, M.R., Mertitti, D., Riccioni, G., Sensi, S.2001. Large waist circumference and risk of hypertension, *International Journal of obesity* ; 25: 1360-1364
- Glumer, C., Jorgensen, T., BorchJohnsen, K. 2003. Prevalences of Diabetes and Impaired Glucose Regulation in a Danish Associated Insulin Resistance. *Genes & Dev* 21(10): 1443-55.
- Gibney, M.J., Margetts, B.M., Kearney, J.M., Arab, L. 2008. Gizi Kesehatan Masyarakat (Public Health Nutrition). Diterjemahkan oleh Hartono. Jakarta: Penerbit Buku Kedokteran EGC.
- Gill, T.2002.Importance of preventing weight gain in adulthood. *Asia Pasifik Journal Clinical Nutrition*, Vol 2, pp, 632-636

- Gress, T.W., Nieto, J., Shaha, E., Wofford, M.R., Brancati, F.L. 2000.Hypertension and AntihypertensionTherapy as Risk Factors for Type 2 Diabetes Mellitus. *N Engl Med*,342:905-12
- Hansen, L.2003.Candidate genes and late-onset type 2 diabetes mellitus.Susceptibility genes or common polymorphisms? *Dan Med Bull*. 50: 320-346.
- Hartono, A. 2004. Terapi Gizi dan Diet Rumah Sakit. Buku Kedokteran EGC: Jakarta
- Harahap, H., Widodo,Y., Muljati, S., Triwinarto, A., Effendi, I., 2010. Pengembangan Alat Skrining untuk Hipertensi : *Gizi Indon* , 33(2):96-107
- Hu, G., Linstorm, J., Valle, T.T., Errikson, J.G., Jousilahti, P., Silventoinen, K., Qiao, Q., Toumlehto, J. 2004.Physical Activity, Body Mass Index, and Risk of Type 2 Diabetes in Patient With Normal or Impaired Glucose Regulation. *Arch Intern Med*. 164: 892-896.
- Hu, F.B.2003. Sedentary lifestyle and risk of obesity and type 2 diabetes.*Lipids*. 38: 103-108
- Hirschhorn, J.N. 2003.Genetic epidemiology of type 1 diabetes.*Pediatr Diabetes*. 4: 87-100
- International Diabetes Federation, 2012. Global Guideline for Type 2 Diabetes. Brussel Belgium
- International Physical Activity Questionnaire.2005 Guedelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ). *IPAQ Research Committee*
- JKN,2014.Panduan Praktis Program Rujuk Balik Bagi Peserta JKN, Jakarta
- JNC 7,2003, Prevention, Detection , Evaluation and Treatment of Hight Blood Presssure
- Jonas, B.S,, Franks, P., Ingram, D.D., 1997. Are symptoms of anxiety and depression risk factors for hypertension? Longitudinal evidence from the National Health and Nutrition Examination Survey I Epidemiologic Follow-up Study. *Arch Fam Med*. ;6(1):43-9.
- Kaplan, N.M,2002,Clinical Hypertension.8th ed Lippicott:Williams &Wilkins
- Krummel, D.A. 2004. Medical Nutrition Therapy in Hypertension. Di dalam: Mahan LK dan Escott-Stump S, editor. *Food, Nutrition and Diet Therapy. USA: Saunders co*. hlm. 900-918.
- Krisnatuti, D., Yenrina, R. 2005. Perencanaan Menu Bagi Penderita Jantung Koroner. Jakarta: Trubus Agriwidya.
- Kanai ,H., Matsuzawa ,Y., Kotani, K., Keno, Y., Kobatake, T., Naga, Y., Fujioka, S., Tokunawa, K., Tarui, S.1990. Close correlation of intraabdominal fat accumulation to hypertension in obese women. *Hypertens* ;16 :484-490
- Khomsan, A. 1996. Defisiensi dan Kelebihan Gizi. *dalam: Khomsan A dan Sulaeman A, editor. 1996. Gizi dan Kesehatan dalam Pertanian*. Bogor: IPB Pres.
- Karyadi, E. 2002. Hidup Bersama Penyakit Hipertensi, Asam Urat, Jantung Koroner. Jakarta: PT. Intisari Mediatama.

- Kelley, G.A., Kelley, K.S., Tran, Z.V. 2001. Walking and resting blood pressure in adults: a meta analysis. *Preventive Med* 33:120-7.
- Kumar, A., Tewari, P., Sahoo, S.S., Srivastava, A.K. 2005. Prevalence of Insulin Resistance in First Degree Relatives of Type 2 Diabetes Mellitus Patients: A Prospective Study in North Indian Population. *Indian Journal of Clinical Biochemistry*. 20(2): 10-17.
- Lee, H., Jang, H.C., Park, H.K., Metzger, B.E., Cho, N.H. 2008. Prevalence Of Type 2 Diabetes Among Women With A Previous History Of Gestational Diabetes Mellitus. *Diabetes Res Clin Pract*. Jul;81(1):124-9.
- Maskarinec, G., Grandinetti, A., Matsura, G., Sharma, S., Mau, M., Henderson, B.E., Kolonel, L.N. 2009. Diabetes Prevalence And Body Mass Index Differ By Ethnicity: The Multiethnic Cohort. *Ethnicity & Disease*, Volume 19.
- Mannan, H., Wahiduddin, Rismayanti. 2012 Faktor Risiko Kejadian Hipertensi DiWilayah Kerja Puskesmas Bangkalan Kabupaten Jenepono Bag Epidemiologi UNHAS Makasar
- McCulloch, D.K. 2015. Clinical Presentation And Diagnosis Of Diabetes Mellitus In Adults. Review.
- McFarlane, S.I., Banerji, M.A.,James. 2001. Insulin Resistance and Cardiovascular Disease. *J Clin Endocrinol Metab*, 86 (2) : 710-718
- Megia A., Gallart, L., Manuel,J., Real , F, Vedrel, J., Simon, I.,Gutierrez, C.,Richardt, C. 2011. Mannose Biding Lectin Gene Polymorphisms Are Associated With Gestasional Diabetes Melitus *JCEM Endojournal society* Vol 89 5881-5887
- Mihardja, L., Soetrisno, U., Soegondo, S. 2014. Prevalence and Clinical Profile of Diabetes Mellitus in Productive Aged Urban Indonesia. *J Diabetes Invest*. 5: 507-512.
- Nakagawara, M., Witzke, W., Matussek, N., 1987. Hypertension in depression. *Psychol Res*. ;21(1):85-6
- Nasir, O., .Latif Abuzahral, M.A., Babiker, S., Mansour, A.M.2014. Body Mass Index and Waist Circumference as a risk factor for Diabetes Mellitus Type-2 in Turabah Province, Saudia Arabia. *Int. J. of Multidisciplinary and Current research*
- Sastroasmoro,S., Ismael,S. 2014. Dasar-dasar Metodologi Penelitian Klinis, edisi ke-5. CV Sagung Seto, Jakarta, hal 382.
- Suastika,K.,Dwipayana,P., Budhiarta,A.A., Syrabefara, D.N., Aryana, I.G.P.S., Saraswati, I.M.R., Gotera, W.2004. Epidemiology Study of Metabolic Syndrome in Rural Population in Bali.*International Journal of Obesity*,28:s55
- O'Neill,S.M.,Rubinstein,W,S.,Wang,C.,Yoon,P.W.,Acheson,L.S.,Rothrock,N.,Starzyk,E.J.,Beaumont,J.L.,Gailher,J.M.,Ruffin,M.T.2009. Familial Risk For Common Disease in Primary Care The Family Healthware Impact Trial.
- Ozder, A. 2014. Lipid Profile Abnormalities Seenin T2DM Patients inPrimary Healthcare inTurkey: a Cross Sectional Study. *BioMed Central*. 13: 183.
- Perkeni,2006.Konsensus Pengelolaan Diabetes Melitus Tipe 2 di Indonesia. Jakarta

- Perry, J. 2003 Salt, Science and Politics. Jurnal of Human Hypertension 17, 1-3
dio 10 1038/ sj jhh
- Profil Dinas Kesehatan Kabupaten Bantul, 2016. Dinkes Bantul
- Riskesdas, 2013. Riset Kesehatan Dasar, Jakarta
- Rahajeng, E., Tuminah, S., 2009. Prevalence of Hypertension and Determinants in Indonesia. Depkes RI, Jakarta
- Rilantono, 2012. Penyakit Kardiovaskuler. Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Shaker, J., Bernet, A.H. 2004. Diabetes, Obesity and cardiovascular disease-therapeutic implication, in : Barnett A. H dan Kumar S. ed. Obesity and diabete, USA: John Eiler and Sons
- Stampfer, M.J. 2000. Primary prevention of coronary heart disease in women through diet and lifestyle. *N Engl J Med* . 343: 16–22.
- Sulistyaningrum, 2010. Hubungan Indeks Massa Tubuh Dan Rasio Lingkar Pinggang Pinggul Dengan Kadar Gula Darah Puasa. Skripsi. Surakarta Universitas Negeri sebelas Maret
- Siren, R., Eriksson, Johan, G., V. Hannu. 2012. Disease Waist Circumference A Good Indicator of Future Risk for Type 2 Diabetes and Cardiovascular. *BMC Public Health*. 12:631
- Sugiharto, A. 2007. Faktor-Faktor Risiko Hipertensi Grade II pada Masyarakat (Studi Kasus di Kabupaten Karanganyar)
- Soni, H.P. 2013. Diabetes Mellitus . *International Journal of Pharmaceutical and Biological Research*. 4(3): 89-99
- Schwartz, S., Feller, A., Perlmutter, L.C. 2001. Postprandial systolic blood pressure and subsyndromal depression. *Exp Aging Res*. 27:309-18
- Trisnawati, Shara, K. 2013. Faktor Risiko Kejadian Diabetes Melitus Tipe 2 di Puskesmas Kecamatan Cengkareng Jakarta Barat tahun 2012. *Jurnal Ilmiah Kesehatan*. Vol.5 No.1:1-11
- Triwibowo, Rochmah, W., Pramantara, I.D.P., Bayupurnama, P., Dinarti, L.K., Probosuseno, Widita, H. 1997. *Bersahabat dengan Diabetes di Usia Lanjut*. SMFGeriatri RSUP Dr. Sardjito, Yogyakarta.
- Tesfaye F et al. 2007. Association between body mass index and blood pressure across three population in Africa and Asia. *J of Human Hypertension* 21: 28-37.
- Taylor, C., Ward, A. 2003 . Patients' views of high blood pressure, its treatment and risks. *Aust Fam Physician*. 32(4): p278-82.
- WHO, 2005. Genetic and Diabetes
- Williamson, D.F., Kahn, H.S., Worthman, C.M, 1993. Precision of Antropometry. *Am J Biol*, 15: 159-167
- Williams, G.H. 1991. Hypertensive vascular disease. Di dalam: Wilson Jean D. et al., editor. *Harrison's Principles of Internal Medicine* - 12th ed. Spanish: McGraw-Hill, Inc. hlm. 1001-1015.
- Wardoyo, 1996. Pencegahan Penyakit Jantung Koroner. Solo: Toko Buku Agency

- Wardani , K. (2006) Pola makan dan obesitas sebagai faktor risiko diabetes melitus tipe 2 di rumah sakit sanglah Denpasar. Fakultas kedokteran UGM, Yogyakarta
- Wajchenberg,B.L.,2000. Subcutaneous and Visceral Adipose Tissue Their Relation to Metabolic Syndrome Endocrine 22: 677-681
- Warren, T.Y., Wilcox, S., Dowda, M., Baruth, M.2012. Independent Association of Waist Circumference With Hypertension and Diabetes in African American Women, South Carolina, 2007–2009 *CDC - Preventing Chronic Disease: Volume 9*, 2012: 11_0170
- Wang, Y.E.B. ,Rimm, M.J., Stampfer, W. Willett., Frank, B. hu. 2005 Comparison of Abdominal Adiposity and Overall Obesity in Predicting Risk ff Tipe 2 Diabetes Among Men. *The American journal of clinical nutrition.*;81:555-563
- Wong, L & Tan, A (2001) The glucose challege test for screening gestasional in pregnant women with no risk factors . *Singapore Med Journal*, Vol.42 No. 11 pp 517-52
- Wild, S., Roglic, G., Green, A., et al, 2004. Global Prevalence of diabetes. *Diabetes Care.* 27: 1047-1053