

DAFTAR PUSTAKA

- Allan, M.G., Hamilton, D.P., Hicks, B.J. dan Brabyn, L., 2011. Landsat Remote Sensing of Chlorophyll a Concentrations in Central North Island Lakes of New Zealand. *International Journal of Remote Sensing*, 32(7), pp.2037-2055.
- Allen, M., Brainard, J., Clark, J., dan Moser, F., 2014, *Remote Sensing Harmful Algal Bloom Workshop: Chesapeake and Coastal Bays Region. Maryland Sea Grant Publication*. Maryland
- Anderson, J.R., 1976, *A land use and land cover classification system for use with remote sensor data* (Vol. 964). US Government Printing Office.
- Apte, C. dan Weiss, S., 1997, Data mining with decision trees and decision rules. *Future generation computer systems*, 13(2), pp.197-210.
- Asdak, C, 2010, Hidrologi dan Pengelolaan Daerah Aliran Sungai. Yogyakarta: Gajah Mada University Press
- Badan Pusat Statistik Kabupaten Banjar. 2008. *Kabupaten Banjar Dalam Angka*. Kabupaten Banjar.
- Badan Pusat Statistik Provinsi Kalimantan Selatan. 2016. *Data Kependudukan*. Diterima tanggal 20 Oktober 2016, dari
- Barale, V., Jaquet, J.M. dan Ndiaye, M., 2008. Algal blooming patterns and anomalies in the Mediterranean Sea as derived from the SeaWiFS data set (1998–2003). *Remote Sensing of Environment*, 112(8), pp.3300-3313.
- Bosc, E., Bricaud, A. dan Antoine, D., 2004. Seasonal and interannual variability in algal biomass and primary production in the Mediterranean Sea, as derived from 4 years of SeaWiFS observations. *Global Biogeochemical Cycles*, 18(1).
- Brahmana, S.S, Summarriani. Y, dan Ahmad. F., 2010, *Kualitas Air dan Eutrofikasi Waduk Riam Kanan di Kaliman Selatan*. Prosiding Seminar Nasional Limnologi V. Puslitbang Sumber Daya Air, Bandung.
- Breiman, L., 1996, Bagging predictors. *Machine learning*, 24(2), pp.123-140
- Brivio, P.A., Giardino, C. dan Zilioli, E., 2001. Determination of Chlorophyll Concentration Changes in Lake Garda Using An Image-Based Radiative Transfer Code for Landsat TM Images. *International Journal of Remote Sensing*, 22(2-3), pp.487-502.
- Cappelli, C., Mola, F. dan Siciliano, R., 2002, A statistical approach to growing a reliable honest tree. *Computational statistics & data analysis*, 38(3), pp.285-299.

- Carlson, R.E. (1977). *A Trophic State Index for Lakes*. Minneapolis: Limnology Research Center, University of Minnesota.
- Chapman, D., 1996, *Water quality assessments: a guide to the use of biota, sediments and water in environmental monitoring – Second Edition*. UNESCO/WHO/UNEP. The University Press, Cambridge
- Daniel, T.C, Sharpley. A.N, dan Lemunyon. J.L., 1998, *Agricultural Phosphorus and Eutrophication: A Symposium Overview*. J. Environ. Qual 27:251-257
- Danoedoro, P., 2012, *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Andi.
- Davis, M.L. dan Cornwell, D.A., 1991, *Introduction to environmental engineering*.
- Davranche, A., Lefebvre, G. dan Poulin, B., 2010. Wetland monitoring using classification trees and SPOT-5 seasonal time series. *Remote sensing of environment*, 114(3), pp.552-562.
- De'ath, G. dan Fabricius, K.E., 2000, Classification and regression trees: a powerful yet simple technique for ecological data analysis. *Ecology*, 81(11), pp.3178-3192.
- Department of Interior, 2015, *Landsat 8 (L8) Data Users Handbook Version 1.0*, USGS, South Dakota.
- Dillon, P.J. dan Rigler, F.H., 1974. The phosphorus-chlorophyll relationship in lakes. *Limnol. Oceanogr*, 19(5), pp.767-773.
- Effendi, H, 2003, *Telaah kualitas air: Bagi Pengelolaan Sumber Daya Dan Lingkungan Perairan..* Kanisius. Jakarta.
- Florida Lakewatch. (2001). *A Beginner's Guide to Water Management (Water Clarity) 3rd Edition*. Florida: Departemen Of Fisheries And Aquatic Sciences, Intitute Of Food And Agricultural Sciences University Of Florida.
- Friedl, M.A. dan Brodley, C.E., 1997, Decision tree classification of land cover from remotely sensed data. *Remote sensing of environment*, 61(3), pp.399-409.
- Fuller, L.M., dan Minnerick, R.J., 2001, *Predicting Water Quality by Relating Secchi-Disk Transparency and Chlorophyll a Measurements to Landsat Satellite Imagery for Michigan Inland Lakes*. USGS
- Gitelson, A.A., Rundquist, D.C., Dall'Olmo, G., Moses, W., dan Leavitt, B.C., 2009, Real Time Proximal Sensing. *Remote Sensing Methods For Lake Management*, USEPA, Wisconsin
- Glibert, P.M. dan Pitcher, G., 2001, *Global Ecology and Oceanography of Harmful Algal Blooms: Science*

- Han, J., Kamber, M. dan Pei, J., 2011, *Data mining: concepts and techniques*. Elsevier.
- Hansen, M., Dubayah, R. dan DeFries, R., 1996, Classification trees: an alternative to traditional land cover classifiers. *International journal of remote sensing*, 17(5), pp.1075-1081.
- Hansen, M.C., DeFries, R.S., Townshend, J.R. dan Sohlberg, R., 2000. Global land cover classification at 1 km spatial resolution using a classification tree approach. *International journal of remote sensing*, 21(6-7), pp.1331-1364.
- Heiskary, S.A., 2009, Remote Sensing Methods for Lake Management: A Guide for Resource Managers and Decision-Makers. *Remote Sensing Methods For Lake Management*, USEPA, Wisconsin
- <https://www.fondriest.com/environmental-measurements/parameters/water-quality/algae-phytoplankton-chlorophyll/#algae5>, diakses tanggal 1 Agustus 2016
- <https://kalsel.bps.go.id/Subjek/view/id/12#subjekViewTab3|accordion-daftar-subjek1>
- Hua, L., Man, W., Wang, Q. dan Zhao, X., 2012, December. A new decision tree classification approach for extracting urban land from Landsat TM in a coastal city, China. In *Information Science and Engineering (ISISE), 2012 International Symposium on* (pp. 282-286). IEEE.
- Hutagalung, H.P., Setiapermana, D. dan Riyono, S.H., 1997. Metode analisis air laut, sedimen dan biota. *Buku*, 2, p.P2O.
- Irianto .W.Eko dan Anong Sudarna. 1996. *Karakteristik Beban Pencemaran Limbah Penduduk di Bandung dan Yogyakarta*, Buletin PUSAIR, Media Kegiatan Penelitian Keairan (V) No: 21, 15-35 p
- Jensen, J.R., 1996. *Introductory digital image processing* (p. 152).Englewood Cliffs, NJ: Prentice-Hall.
- Kahru, M., Savchuk, O.P. dan Elmgren, R., 2007. Satellite measurements of cyanobacterial bloom frequency in the Baltic Sea: interannual and spatial variability. *Marine Ecology Progress Series*, 343, pp.15-23.
- Kimmel, B.L. dan Groeger, A.W., 1984. Factors controlling primary production in lakes and reservoirs: a perspective. *Lake and reservoir management*, 1(1), pp.277-281.
- KLH, Kementerian Lingkungan Hidup, 2009. *Peraturan Menteri Negara Lingkungan Hidup No.28 Tentang Daya Tampung Beban Pencemaran Air Danau dan/atau Waduk*. Jakarta

- Kloiber, S.M., Brezonik, P.L., Olmanson, L.G. dan Bauer, M.E., 2002. A procedure for regional lake water clarity assessment using Landsat multispectral data. *Remote Sensing of Environment*, 82(1), pp.38-47.
- Kordi, M.G.H. dan Tancung, A.B., 2007, *Pengelolaan kualitas air dalam budidaya perairan*. Rineka Cipta. Jakarta.
- Krizanich, G.W. dan Finn, M.P., 2009. *Table Rock Lake Water-Clarity Assessment Using Landsat Thematic Mapper Satellite Data*. US Geological Survey.
- Landner, L. dan Wahlgren, U., 1988, *Eutrophication of lakes and reservoirs in warm climates*. World Health Organization, Regional Office for Europe.
- Lawrence, R. dan Labus, M., 2003, Early detection of Douglas-fir beetle infestation with subcanopy resolution hyperspectral imagery. *Western Journal of Applied Forestry*, 18(3), pp.202-206.
- Lawrence, R.L. dan Wright, A., 2001, Rule-based classification systems using classification and regression tree (CART) analysis. *Photogrammetric engineering and remote sensing*, 67(10), pp.1137-1142.
- Lekki, J., Anderson, R., Nguyen, Q.V., Demers, J., Leshkevich, G., Flatico, J. dan Kojima, J., 2009, April. "Development of Hyperspectral remote sensing capability for the early detection and monitoring of Harmful Algal Blooms (HABs) in the Great Lakes". *Proceedings of the AIAA Infotech Aerospace Conference, Seattle, WA, USA* (Vol. 69, p. 114).
- Lopez, C.B., Jewett, E.B., Dortch, Q., Walton, B.T., dan Hudnell, H.K., 2008, *Scientific Assessment of Freshwater Harmful Algal Blooms*. Interagency Working Group on Harmful Algal Blooms, Hypoxia, and Human Health of the Joint Subcommittee on Ocean Science and Technology. Washington, DC
- Mason, C.F., 1991, *Biology of freshwater pollution. (second edition)*. Longman Scientific and Technical. New York
- Matthews, M.W., Bernard, S. dan Winter, K., 2010. Remote sensing of cyanobacteria-dominant algal blooms and water quality parameters in Zeekoevlei, a small hypertrophic lake, using MERIS. *Remote Sensing of Environment*, 114(9), pp.2070-2087.
- McCoy, R.M., 2005. *Field methods in remote sensing*. Guilford Press.
- Merwade, V.M., Maidment, D.R. dan Goff, J.A., 2006. Anisotropic considerations while interpolating river channel bathymetry. *Journal of Hydrology*, 331(3), pp.731-741.
- Mingqin, H., Tao, J., Weizheng, Z., Shouyin, D. dan Wenhui, L., 2010, October. Landuse information extraction in Qingdao based on decision tree

- classification. In *Image and Signal Processing (CISP), 2010 3rd International Congress on* (Vol. 5, pp. 2194-2197). IEEE.
- OECD, 1982. *Eutrophication of Waters: Monitoring, Assesment, and Control*. Organization for Economic and Co-operative Development, Paris, Perancis
- Olmanson, L.G., Bauer, M.E., dan Brezonik, P.L., 2009, Landsat And Other Moderate-Resolution Systems. *Remote Sensing Methods For Lake Management*, USEPA, Wisconsin
- Palmer, Stephanie C.J., Kutser, T., Hunter, dan Peter.D., 2014, Remote Sensing of Inland Waters: Challenges, Progress and Future Directions. *Remote Sensing of Environment* 1-8, Science Direct. Elsevier
- Pasaribu, J.M. dan Haryani, N.S., 2012. Perbandingan Teknik Interpolasi DEM SRTM dengan Metode Inverse Distance Weighted (IDW), Natural Neighbor dan Spline. *Jurnal Penginderaan Jauh*, 9(2), pp.126-139.
- Pemerintahan Kecamatan Ariano. 2008. *Kecamatan Ariano Dalam Angka*. Kecamatan Ariano.
- Perk, R.L., Rundquist, D.C., Dall'Olmo, G., dan Gitelson, A.A., 2009, Airborne Hyperspectral Remote Sensing. *Remote sensing methods for lake management*, USEPA, Wisconsin
- Perwitagama, C.B, 2015, Metode Non-Parametrik Classification Tree Analysis (CTA) dengan Teknik Data Mining untuk Klasifikasi Penggunaan Lahan Menggunakan Citra Landsat-8 OLI, Tesis. Universitas Gadjah Mada. Yogyakarta
- Pramono, G.H., 2008. Akurasi Metode IDW dan Kriging untuk Interpolasi Sebaran Sedimen Tersuspensi di Maros, Sulawesi Selatan.
- Prasad, A.G.D. dan Siddaraju. 2012. *Carlson's Trophic State Index for The Assessment of Trophic Status of Two Lakes in Mandya District. Pelagia Research Library, Department of Environmental Sciences, University of Mysore, Karnataka, India*, 3, hal. 2992-2996.
- Priadi, T, 2014, Identifikasi Status Trofik Perairan Menggunakan Daya Penginderaan Jauh Citra Landsat-8 OLI di Waduk Sutami (Karangkates) Jawa Timur, Skripsi: Universitas Gadjah Mada, Yogyakarta.
- Qingyu, W, Nan. J, Heng. L, dan Bin. H, 2008, *The Modeling For Dynamic Algae Blooms Prediction Based on Remote Sensing*. The International Archives Of The Photogrammetry, Remote Sensing And Spatial Information Sciences. Vol. XXXVII. Part B4. Beijing
- Quinlan, J., 1993, *C4.5: Programs for Machine Learning*. Morgan Kaufmann Publishers, Inc.

- Richardson, L.L., 1996, *Remote Sensing of Algal Bloom Dynamics: New Research Fuses Remote Sensing of Aquatic Ecosystems with Algal Accessory Pigment Analysis*. ProQuest Research Library Pg. 492.
- Ruttner, F., 1952, *Fundamentals of Limnology*. University of Toronto Press. Walter de Gruyter & Co. Berlin. Pg 129.
- Sediadi, A dan Edward, 2000, Kandungan Klorofil-a Fitoplankton Di Perairan Pulau-Pulau Lease Maluku Tengah. Makalah dalam Seminar Nasional Pendayagunaan Sumberdaya Hayati Dalam Pengelolaan Lingkungan Hidup tanggal 3 Juni 2000 di Salatiga. Puslitbang Oseanografi LIPI
- Sellner, K.G, Doucette, G. J, dan Kirkpatrick, G. J, 2003, Harmful Algal Blooms; Causes, Impacts, and Detection. *Journal of Industrial Microbiology and Biotechnology Volume 30, Issue 7*, pp 383-406.
- Stumpf, R.P. dan Tomlinson, M.C., 2007. Remote sensing of harmful algal blooms. In *Remote sensing of coastal aquatic environments* (pp. 277-296). Springer Netherlands.
- Stumpf, R.P., 2001. Applications of satellite ocean color sensors for monitoring and predicting harmful algal blooms. *Human and Ecological Risk Assessment: An International Journal*, 7(5), pp.1363-1368.
- Subramaniam, A. dan Carpenter, E.J., 1994. An empirically derived protocol for the detection of blooms of the marine cyanobacterium *Trichodesmium* using CZCS imagery. *International Journal of Remote Sensing*, 15(8), pp.1559-1569.
- Sugiyono, 2007, *Statistika Untuk Penelitian*, Alfabeta, Bandung.
- Thornton, K.W., Kimmel, B.L. dan Payne, F.E., 1990, *Reservoir limnology: ecological perspectives*, John Wiley & Sons.
- Walpole, R.E., 1995. Pengantar Statistik Edisi 3 (Terjemahan dari: Introduction to statistics 3 rd edition Penerjemah: Sumantri B). *Jakarta (ID): Gramedia*
- Wantasen, S, Sudarmadji, dan Suprayogi. S, 2012, “Dampak Penggunaan Lahan Daerah Tangkapan Dan Pemanfaatan Perairan Danau Pada Eutrofikasi Dan Keberlanjutan Danau Tondano”, Prosiding Seminar Nasional Limnologi VI
- Wetzel, R.G., 2001. *Limnology: lake and river ecosystems*. Gulf Professional Publishing.
- Wouthuyzen, S., Tan, C.K., Ishizaka, J., Son, T.P.H., Ransi, V., Tarigan, S. dan Sediadi, A., 2004. Monitoring of Algal Blooms and Massive Fish Kill in the Jakarta Bay, Indonesia using Satellite Imageries. *Month*, 2005, pp.2006-2007.
- Wu, C., Wu, J., Qi, J., Zhang, L., Huang, H., Lou, L. dan Chen, Y., 2010. Empirical Estimation of Total Phosphorus Concentration in The Mainstream of The

Qiantang River in China Using Landsat TM Data. *International Journal of Remote Sensing*, 31(9), pp.2309-2324.

Zambon, M., Lawrence, R., Bunn, A. dan Powell, S., 2006. Effect of alternative splitting rules on image processing using classification tree analysis. *Photogrammetric Engineering & Remote Sensing*, 72(1), pp.25-30.