

DAFTAR PUSTAKA

- Aditya, R.H., Wiwiek, S.W., Paniman, A.M. 2015. Ketahanan Lapangan Lima Genotipe Padi terhadap Penyakit Hawar Daun Bakteri. *Jurnal Fitopatologi Indonesia*. Volume 11. Nomor 5. Halaman 160-166.
- Arif, M., M. Jaffar., M. Babar., M.A. Sheikh., S. Kousar., A. Arif and Y. Zafar. 2008. Identification of bacterial blight resistance genes *Xa4* in Pakistani rice germplasm using PCR. *African Journal of Biotechnology*. Vol. 7 (5), pp. 541-545.
- Bharathkumar, S., Gnanamanickam, S.S., Jitendra, K., Archana, B., Yasin, B. SK., Amit, D & Deepak, K.N. 2014. Differential Disease Reaction Of Rice Pathogen *Xanthomonas oryzae* pv. *oryzae* Prevailing In India On Rice Cultivars. *The Bioscan*. 9 (3) : 1257-1262.
- Battacharjee, P., R.S. Shinghal, and P.R. Kulkarno. 2002. Basmati rice : A review. *Int. J. Food Sci. Tech*. 37 (1): 1-12.
- Berg, J.M., J.L. Tymoczko, and L. Stryer. 2002. *Biochemistry 5th Edition*. WH Freeman p. 108-109.
- Budiman. 2012. *Model Pertumbuhan Padi Hitam Pada Sawah Organik Di Kecamatan Kepanjen Kabupaten Malang*. TESIS. Jurusan Biologi, Universitas Brawijaya: Malang.
- Burdman, S., Shen, Y., Lee, S.W., Xue, Q., Ronald, P. 2004. RaxH/RaxR: a two-component regulatory system in *Xanthomonas oryzae* pv. *oryzae* required for AvrXa21 activity. *Mol Plant Microbe Interact*. 17:602-612.
- Bustin, S. 2004. *A-Z of Quantitative PCR*. IUL Biotechnology Series, International University Line, La Jolla, California.
- Casassola, A., S.P. Brammer., M.S. Chaves., J.A. Martinelli., M.F. Grando., N.D.A. Denardin. 2013. Gene Expression: A Review on Methods for the Study of Defense-Related Gene Differential Expression in Plants. *American Journal of Plant Sciences*. 4 : 64-73.
- Century, KS., Lagman, R.A., Adkisson M., Morlan, J., Tobias, R., Schwartz, K., Smith, A., Love, J., Ronald, PC., Whalen, MC. 1999. Developmental control of *Xa21*-mediated disease resistance in rice. *The Plant Journal*. 20 : 231- 236.
- Chen, X., and Ronald, P.C. 2011. Innate immunity in rice. *Trends Plant Sci*. 16, 451-459.

- Chomczynski, P and N. Sacchi. 1987. Single-step method of RNA isolation by acid guanidium thiocyanate-phenol-chloroform extraction. *Anal Biochem.* 162(1):15-69.
- Cristanti, L.D dan Endang A. 2013. Pertumbuhan Padi Hitam dan Serangan Beberapa Herbivor di Sawah Padi Organik Kecamatan Kepanjen. *Jurnal Biotropika*. Vol. 1 No. 5.
- Crowder, L.V. 2015. *Genetika Tumbuhan*. Yogyakarta : Gadjah Mada University Press.
- Djatismiko, H.A., Budi, P dan Nur, P. 2011. Penentuan Patotipe dan Keragaman Genetik *Xanthomonas oryzae* pv. *oryzae* pada Tanaman Padi di Wilayah Karesidenan Banyumas. *J. HPT Tropika*. Vol. 11. No. 1 : 35-46.
- EPPO. 2007. *Xanthomonas oryzae*. European and Mediterranean Plant-Protection Organization. *Bulletin OEPP/EPPO*. 37: 543-553.
- Ghazi, I.A., Prem, S.S., Vivek, D., Kishor, G., Ashok, K.S., Tilak, R.S., Nagendra, K.S and Trilochan, M. 2009. Physical mapping, expression analysis and polymorphism survey of resistance gene analogues on chromosome 11 of rice. *J. Biosci.* 34(2) : 251-261.
- Grewal, R.K., Sumanti, G., and Sampa, D. 2012. *Xanthomonas oryzae* pv *oryzae* Triggers Immediate Transcriptomic Modulations In Rice. *BMC Genomics*, 13:49.
- Gururani, M.A., Jelli, V., Chandrama, P.U., Akula, N., Shashank, K.P., Se, W.P. 2012. Plant disease resistance genes: Current status and future directions. *Physiological and Molecular Plant Pathology* 78 (2012) 51e65.
- Haris, N., Aswidinnoor, H., Suwanto, A., Suhartono, M.T., Mathius, N.T., Purwantara, A. 2005. Konstruksi pustaka cDNA dari daun klon karet AVROS 2037 yang diinfeksi patogen *Corynespora cassiicola*. *Menara Perkebunan*. Vol. 2. No. 73. Hal: 44-62.
- Harvey, D. 2000. *Modern Analytical Chemistry First Edition*. USA: McGraw-Hill Companies Inc. p. 597.
- Herlina, L. dan Tiur, S.S. 2011. Seleksi Lapang Ketahanan Beberapa Varietas Padi terhadap Infeksi Hawar Daun Bakteri Strain IV dan VIII. *Buletin Plasma Nutfah*. Vol. 17. No. 2.

- Horgan, R.P and L.C. Kenny. 2011. ‘Omic’ technologies: genomics, transcriptomics, proteomics and metabolomics. *SAC review*. 13:189–195.
- International Rice Research Institute (IRRI). 2014. *Standard Evaluation System for Rice*. Los Banos, Philippines: International Rice Research Institute. 57p.
- Khaeruni, A, M. Taufik, T. Wijayanto, E.P. Johan. 2014. Perkembangan Penyakit Hawar Daun Bakteri pada Tiga Varietas Padi Sawah yang Diinokulasi pada Beberapa Fase Pertumbuhan. *Jurnal Fitopatologi Indonesia*. Volume 10, Nomor 4, Halaman 119-125.
- Kim, SM, Jung-Pil S, Yang Q, Tae-Hwan N, Russel FR, Kshirod K.J. 2015. Identification and fine-mapping of a new resistance gene, *Xa40*, conferring resistance to bacterial blight races in rice (*Oryza sativa* L.). *Theor Appl Genet* 128:1933–1943.
- Klug, W. S., M.R. Cummings, C.A. Spencer, and M.A. Palladino. 2012. *Concepts of Genetics*. 10th edition. Pearson Education, Inc. California, pp. 556-557.
- Kottapalli, K.R., R. Rakwal., K. Satoh., J. Shibato., Pratibha, K., H. Iwahashi and S. Kikuchi. 2007. Transcriptional profiling of indica rice cultivar IET8585 (Ajaya) infected with bacterial leaf blight pathogen *Xanthomonas oryzae* pv. *oryzae*. *Plant Physiology and Biochemistry* 45. 834-850.
- Kristamtini, Taryono, Panjisakti, B, Rudi, H.M, Supriyanta. 2012. Morphological Of Genetic Relationships Among Black Rice Landraces From Yogyakarta And Surrounding Areas. *ARNP Journal Of Agricultural And Biological Science*. Vol. 7, No. 12.
- Kristamtini, Taryono, Panjisakti B, dan Rudi H.M. 2014. Keragaman Genetik dan Korelasi Parameter Warna Beras dan Kandungan Antosianin Total Sebelas Kultivar Padi Beras Hitam Lokal. *Ilmu Pertanian* Vol. 17 No.1, 2014 : 57 – 70.
- Kumar, A., Mir Z.G., Ayesha Z., Waikhom B., Insaf, A.Q., Irfan, A.G. 2013. Differential Antioxidative Responses Of Three Different Rice Genotypes During Bacterial Blight Infection. *AJCS* 7(12):1893-1900.
- Lang, J.M., J.P. Hamilton, M.G.Q. Diaz, M.A.V. Sluys, M.R.G. Burgos, C.M.V. Cruz, C.B. Buell, N.A. Tiserat, and J.E. Leach. 2010. Genomics-Based Diagnostic Marker Development For *Xanthomonas oryzae* pv. *oryzae* and *X. oryzae* pv. *oryzicola*. *Plant Dis*. 94: 311–319.

- Lewis, M. 2001. *Agarose gel electrophoresis (basic method)*. Biological Protocols. Department of Pathology, University of Liverpool.
- Li, Z., Alma, S., Angeles, E., Sukhwider, S., Jessica, D., Ning, H., and Gurdev, S. K. 2001. Are the dominant and recessive plant disease resistance genes similar? : A case study of rice R genes and *Xanthomonas oryzae* pv. *oryzae* races. *Genetics* 159: 757-765.
- Lukman, R., Ahmad, A., Hoerussalam. 2013. Pemanfaatan Teknologi Molecular Breeding Dalam Pemuliaan Ketahanan Tanaman Terhadap Hama Dan Penyakit. *Jurnal Agroteknos*. Vol. 3. No. 2. Hal. 101-108.
- Makarim, A.K dan Suhartatik. 2010. Morfologi dan Fisiologi Tanaman Padi. *Balai Besar Penelitian Tanaman Padi*.
- Maniatis, T., Fritsch, E.F and Sambrook, J. 1989. Chapter 5, protocol 1. Molecular Cloning – A Laboratory Manual Volume 1 2nd Edition. Cold Spring Harbor laboratory Press. p. 5.2-5.3.
- Mew, T.W. 1992. Bacterial Disease of Rice in Rice Disease Compendium. APS, St. Paul, Minnesota.
- Mishra, D., Manne, R.V., Madhusoodana, G.A., Kotilingam, K., Yog, R., Ramesh, V.S. 2013. Pathotype And Genetic Diversity Amongst Indian Isolates Of *Xanthomonas Oryzae* Pv. *Oryzae*. *Plos ONE*. 8(11): E81996.
- Moldenhauer, K., C.E Wilson.,P. Counce and J. Hardke. 2013. Rice Growth and Development, Chapter 2. *Handbook*. University of Arkansas Division of Agriculture. Arkansas Rice.
- Morillo, S.A and Tax, F.E. 2006. Functional analysis of receptor-like kinases in monocots and dicots. *Curr Opin Plant Biol*. 9:460–469.
- Narsai, R., C. Wang., J. Chen., J. Wu, H. Shou and J. Whelan. 2013. Antagonistic, overlapping and distinct responses to biotic stress in rice (*Oryza sativa*) and interaction with abiotic stress. *BMC Genomics*. 14: 93
- Nino-Liu, D., Pamela, C. Ronald and Adam J. B. 2006. *Xanthomonas Oryzae* Pathovars: Model Pathogens Of A Model Crop. *Molecular Plant Pathology*. 7(5) : 303–324.
- Nowrousian, M. 2004. How to Isolate mRNA. *Article*, pp. 1-3.

- Pieterse, C. M. J., Leon-Reyes, A., Sjoerd, V.E. & Saskia, C. M. V.W. 2009. Networking by small-molecule hormones in plant immunity. *Nature Chemical Biology*. Volume. 5. Number 5 : 308-316.
- Ponciano, G, Masayasu, Y, Jamie L.L, Pamela, C.R, Maureen,C.W. 2006. Pathogenesis-Related Gene Expression In Rice Is Correlated With Developmentally Controlled *Xa21*-Mediated Resistance Against *Xanthomonas oryzae* pv. *oryzae*. *Physiological and Molecular Plant Pathology*. 69 : 131-139.
- Pratiwi. 2011. Ekspresi Gen *Hd3a* (*Heading date 3a*) pada Padi (*Oryza sativa* L.) varietas Cempo Ireng. *Skripsi*. Fakultas Biologi Universitas Gadjah Mada.
- Pratiwi, R. 2001. Mengenal Metode Elektroforesis. *Oseana*. XXVI (1) : 27.
- Pratiwi, R., Y.A. Purwestri., T.R. Nuringtyas., W.A. Sri Tunjung., L.Hidayati. 2015. *Pelatihan Biologi Molekular: Isolasi RNA dan Sintesis cDNA*. Laboratorium Biokimia Fakultas Biologi UGM. 16-17 April 2015.
- Predinger, Ellen. 2015. *Starting with RNA - One Step or Two Step RT-qPCR?* In integrated DNA Technologies. Inc. Accessed at 10 September 2016.
- Peng, H., Z. Chen., Z. Fang., J. Zhou., Z. Xia., L. Gao., L. Chen., L. Li., T. Li., W. Zhai and W. Zhang. 2015. Rice *Xa21* primed genes and pathways that are critical for combating bacterial blight infection. *Nature*. Scientific Reports 5:12165
- Qiagen. 2012. *RNeasy Mini Handbook 4th Edition*. Qiagen Sample and Assay Technologies. Pp. 1.
- Sa'adah, IR, Supriyanta, dan Subejo. 2013. Keragaman Warna Gabah Dan Warna Beras Varietas Lokal Padi Beras Hitam (*Oryza sativa* L.) Yang Dibudidayakan Oleh Petani Kabupaten Sleman, Bantul, Dan Magelang. *Vegetalika*. Vol.2 No.3, 2013 : 13-20.
- Sana, T.R., Steve, F., Gert, W., Anjali, K., Ki-hong, J., Pam, C.R., Oliver F. 2010. Metabolomic and transcriptomic analysis of the rice response to the bacterial blight pathogen *Xanthomonas oryzae* pv. *oryzae*. *Metabolomics*. 6:451-465.

- Schornack, S., Meyer, A., Romer, P., Jordan, T., Lahaye, T. 2006. Gene for gene mediated recognition of nuclear target AvrBs3-like bacterial effector proteins. *J Plant Physiol.* 163:256-272.
- Shinta, Serafinah, I., Endang, A. 2014. Morphological Variation of Six Pigmented Rice Local Varieties Grown in Organic Rice Field in Sengguruh Village, Kepanjen District, Malang Regency. *The Journal of Tropical Life Science.* Vol 4, No 2, pp. 149-150.
- Song, F and Robert, M.G. 2001. Molecular Biology of Disease Resistance in Rice. *Physiological and Molecular Plant Pathology.* Mini-Review. 59.
- Sudarmaji, Rahima, K., Gunawan, Sinung, R, Sri B.L. 2013. *100 Inovasi Teknologi Pertanian Spesifik Lokasi Daerah Istimewa Yogyakarta.* Badan Penelitian dan Pengembangan Pertanian. Jakarta : IAARD Press
- Sudir, Triny S.K., dan Suprihanto. 2009. Identifikasi Patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. *J. Penel. Pert. Tanaman Pangan.* 28(3): 131-138.
- Sudir, Yogi, Y.A, dan Syahri. 2013. Komposisi dan Sebaran Patotipe *Xanthomonas oryzae* pv. *oryzae* di Sentra Produksi Padi di Sumatera Selatan. *Penelitian Pertanian Tanaman Pangan.* Vol. 32. No. 2.
- Sun X, Cao, Y., Yang, Z., Xu, C., Li, X., Wang, S., Zhang, Q. 2004. *Xa26*, a gene conferring resistance to *Xanthomonas oryzae* pv. *oryzae* in rice, encodes an LRR receptor kinase-like protein. *Plant J.* 37:517-527.
- Supardi,. Hardedi,. Ruatman, A. dan Margana, D.M. 2010. *Padi Hitam.* Pengawasan benih tanaman BPSBTPH: Jawa Barat.
- Suparyono, Sudir and Suprihanto. 2004. Pathotype profile of *Xanthomonas oryzae* pv. *oryzae* isolates from the rice ecosystem in Java. *Indonesian Journal of Agriculture Science:* 5(2). 63-69.
- Suryadi dan Kadir. 2008. Kajian Infeksi *Xanthomonas oryzae* pv. *oryzae* Terhadap Beberapa Genotipe Padi : Hubungan Kandungan Hara Dengan Intensitas Penyakit. *Ilmu Pertanian* .Vol. 15 No. 1 : 26 – 36

- Suryadi, Y., I.M. Samudra., T.P. Priyatno., D.N. Susilowati., P. Lestari., Fatimah., and T.S. Kadir. 2016. Determination of Pathotypes from Indonesian *Xanthomonas oryzae* pv. *oryzae* Population causing Bacterial Leaf Blight and their Reactions on Differential Rice. *Makara Journal of Science*. Vol. 20. No.3 : 109-118
- Susanto, U dan Sudir. 2012. Ketahanan Genotipe Padi terhadap *Xanthomonas oryzae* pv. *oryzae* Patotipe III, IV, dan VIII. *Penelitian Pertanian Tanaman Pangan*. Vol. 31. No. 2.
- Tasliah. 2012. Gen Ketahanan Tanaman Padi Terhadap Bakteri Hawar Daun (*Xanthomonas oryzae* pv. *oryzae*). *J. Litbang Pert*. Vol. 31 No. 3 Hal : 103-112.
- Tjitrosoepomo, G. 1994. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press : Yogyakarta.
- Wahyudi, A.T., Siti M., dan Abdjad A.N. 2011. *Xanthomonas oryzae* pv. *oryzae* Bakteri Penyebab Hawar Daun pada Padi : Isolasi, Karakterisasi, Telaah Mutagenesis dengan Transposon. *Makara, Sains*. Vol. 15. No.1 : 89-96.
- Wilson, K, and Walker, J. 2010. *Principles and Techniques of Biochemistry and Molecular Biology 7th Edition*. Cambridge University Press. p. 165-166, 178-181.
- Xu, S., Yinglong, C., Xianghua. L. and Shiping, W. 2007. Expressional and Biochemical Characterization of Rice Disease Resistance Gene *Xa3/Xa26* Family. *Journal of Integrative Plant Biology*. 49 (6): 852-862.
- Yoshimura S., Yamanouchi, U., Katayose Y., Toki S., Wang Z.X., Kono, I., Kurata, N., Yano, M., Iwata, N., Sasaki, T. 1998. Expression of *Xa1*, a bacterial blight-resistance gene in rice, is induced by bacterial inoculation. *Proc Natl Acad Sci USA*. 95:1663–1668.
- Yu, C., Huamin C, Fang, T., Jan, E.L., and Chenyang, H. 2014. Differentially-expressed genes in rice infected by *Xanthomonas oryzae* pv. *oryzae* relative to a flagellin-deficient mutant reveal potential functions of flagellin in host–pathogen interactions. *Rice Journal*. 7:20.
- Yuliani, D., Rina, H.W., and Sudir. 2014. Selection Resistance of Rice Germplasm Accessions to Bacterial Leaf Blight. *Buletin Plasma Nutfah*. Vol. 20. No. 2.

Yuriyah, S, Dwinita, W.U, dan Ida, H. 2013. Uji Ketahanan Galur-Galur Harapan Padi terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) Ras III, IV, dan VIII. *Buletin Plasma Nutfah*. Vol.19 No.2.

Zhang, H and Shiping, W. 2013. Rice versus *Xanthomonas oryzae* pv. *oryzae*: a unique pathosystem. *Current Opinion in Plant Biology*, 16:188–195.