

DAFTAR PUSTAKA

- Abdel-Shafy, H. I. and Mona S. M. Mansour, 2014, Biogas Production as Affected by Heavy Metals in the Anaerobic Digestion of Sludge, Egyptian Journal of Petroleum, 23 : 409-417.
- Aghajani, E. A., Jones K, Holtzman A., Aronson T., Glover N, Boian M., Froman S., Brunk CF, 1996, Molecular Technique for Rapid Identification of Mycobacteria. Journal Clinical Microbial 1996 : 98-102.
- Andriani, D., Arini Wresta, Aep Saepudin, Budi Prawara, 2015, A Review of Recycling of Human Excreta to Energy Through Biogas Generation : Indonesia Case, 2nd International Conference on Sustainable Energy Engineering and Application (ICSEEA 2014), Energy Procedia, 68 : 219-225.
- Al Imam, M. F. I., M. Z. H. Khan, M. A. R. Sarker and S. M. Ali, 2013. Development of Biogas Processing from Cow dung, Poultry waste, and Water Hyacinth, International Journal of Natural and Applied Science, 2(1) : 13-17.
- Avicenna, Maizirwan Mel, Sany Izan Ihsan, Roy Hendroko Setyobudi, 2015, Process Improvement of Bio gas Production from Anaerobic Co-digestion of Cow Dung and Corn Husk, 2nd Humboldt Kolleg in Conjunction with International Conference on Natural Sciences (HK-ICONS 2014), Procedia Chemistry, 14 : 91-100.
- Bareither, C. A., Steven J. Fong, Georgia L. Wolfe and Katherine D. McMahon, 2015. Microbial Population Dynamic and Diversity in Municipal Solid Waste Anaerobic Laboratory Reactors, Student Project Report, University of Wisconsin System Solid Waste Research Program, Madison
- Bergmann, I., 2012. Characterization of Methanogenic Archaea Communities in Biogas Reactor by Quantitative PCR, Doktor der Naturwissenschaften Dissertation, der Technischen Universität, Berlin.
- Black, J. G. 2008. Microbiology: Principles and Explorations. John Wiley and Sons, Inc. USA. 147-170; 341-360.
- Budyono, Iqbal Syaichurrozi and Siswo Sumardiono, 2013, Biogas Production Kinetic from Vinasse Waste in Batch Mode Anaerobic Digestion, World Applied Sciences Journal, 26 (11) : 1464-1472.

- Cappelli A., Emanuele Gigli, Francesco Romagnoli, Silvano Simoni, Dagnija Blumberga, Massimiliano Palerno and Elisa Guerriero, 2015, Co-digestion of Macroalga for Biogas Production : an LCA-based Environment Evaluation, *Energy Procedia*, 72 : 3-10.
- Djajakirana, D., 2003. Metode-metode Penetapan Biomassa Mikroorganisme Tanah Secara Langsung dan Tidak Langsung : Kelemahan dan Keunggulannya, *Jurnal Tanah dan Lingkungan*, Vol. 5 (1) : 29-38.
- Egert, M. and Friedrich, M. W. 2003. Formation of pseudo-terminal restriction fragments, a PCR-related bias affecting terminal restriction fragment length polymorphism analysis of microbial community structure. *Appl Environ Microbiol* 69 : 2555-2562.
- Elaiyaraju, P. and Nagarajan Partha, 2012, Biogas Production from Co-digestion of Orange Peel Waste and Jatropha De-oiled Cake in An Anaerobic Batch Reactor, *African Journal of Biotechnology*, 11 (14) : 3339-3345.
- Elshahed, M. S., 2010, Review : Microbiological Aspect of Biofuel Production : Current Status and Future Direction, *Journal of Advanced Research*, 1 : 103-111.
- El-Sharnouby, G. A., Salah M. Aleid and Mutlag M. Al-Otaibi, 2013. Conversion of Processed Citrus Waste into Nutritional Components, *Journal Food Processing and Technology*, Volume 4, (8) : 1-5.
- Ezejiakor, T. I. N., N. V. Eke, R. I. Okechukwu, R. N. Nwoguikpe and C. M. Duru, 2011, Waste to Wealth : Industrial Raw Material Potential of Peels of Nigerian Sweet Orange (*Citrus sinensis*), *African Journal of Biotechnology*, Vol. 10 (33) : 6257-6264.
- Forgács, G., 2012. Biogas Production from Citrus Wastes and Chicken Feather : Pretreatment and Co-digestion, Ph.D Thesis, Chalmers University of Technology, Boras, Sweden.
- Gallert C. and Josef Winter, 2005. Bacterial Metabolism in Wastewater Treatment Systems, *Environmental Biotechnology* : 1-48.
- Ghatak, M. D. and P Mahanta, 2014, Kinetic Assessment of Biogas Production from Lignocellulosic Biomasses, *International Journal of Engineering and Advanced Technology*, 3 (5) : 244-249.
- Ghimire, A., Luigi Frunzo, Francesco Pirozzi, Eric Trably, Renaud Escudie, Piet N. L. Lens and Giovanni Esposito, 2015. A Review on Dark Fermentative Biohydrogen Production from Organic Biomass : Process Parameters and Use of by-product, *Applied Energy*, 144, 73-95.

- Hadiwiyono, Siti Subandiyah, Jaka Widada, Mark Fegan, Peter Taylor, 2013, Diversity of Entophytic Bacteria in Symptomatic and Asymptomatic Infected Bananas from Endemic Area of Blood Disease Bacterium Based on RISA, *ARNP Journal of Science and Technology*, Vol. 3, No. 4, pp 376-381.
- Harsono, S. S., Philipp Grundmann, Donald Siahaan, 2015, Role of Biogas and Biochar Palm Oil Residues for Reduction of Greenhouse Gas Emissions in the Biodiesel Production, Conference and Exhibition Indonesia-New, Renewable Energy and Energy Conservation (The 3rd Indo-EBTKE ConEx 2014), *Energy Procedia*, 65 : 344-351.
- Kent A. D., Smith D. J., Benson B. J., Triplett E. W., 2003. Web-based phylogenetic assignment tool for analysis of terminal restriction fragment length polymorphism profiles of microbial communities. *Appl Environ Microbiol* 69 : 6768-6776.
- Khamseh, A. A. G. and Michele Miccio, 2012, Comparison of Batch, Fed-Batch and Continuous Well-Mixed Reactor for Enzymatic Hydrolysis of Orange Peels Wastes, *Process Biochemistry*, 47 : 1588-1594.
- Kharisma. A. D., Sarto, M. Nur Cahyanto, 2014. Pengaruh hidrogen peroksida terhadap produksi hydrogen dari limbah buah melon (*Cucumis melo* L.) oleh mikroba digester biogas, Tesis, Program Studi Bioteknologi, Sekolah Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Kitts, C. L., 2001. Terminal restriction fragment pattern : a tool for comparing microbial communities and assessing community dynamic. *Curr Issues Intest Microbiol* 2 : 17-25.
- Kovács, E., Roland Wirth, Gergely Maróti, Zoltán Bagi, Katalin Nagy, János Minárovits, Gábor Rákhely and Kornél L. Kovács, 2015, Augmented Biogas Production from Protein-rich Substrates and Associated Metagenomic Changes, *Bioresource Technology*, 178 : 254-261.
- Krebs, C. J., 1978. *Ecological Methodology*. New York: Harper and Row Publisher.
- Kumalasari, Y. I., Siti Syamsiyah, Jaka Widada, 2014. Pengaruh Perubahan Metode Pengumpulan Sampah Buah pada Produksi Gas Metan Terhadap Struktur Komunitas Bakteri. Tesis, Program Studi Bioteknologi, Sekolah Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Liu W. T., Marsh T. L., Cheng H., Forney L. J., 1997. Characterization of microbial diversity by determining terminal restriction fragment length

polymorphism of genes encoding 16S rRNA. *Appl, Environ. Microbiol* 63 : 320-326.

Lukow, T., Dunfield P. F., Liesack W., 2000. Use of the T-RFLP technique to assess spatial and temporal changes in bacterial community structure within agriculture soil planted with transgenic and non transgenic potato plants. *FEMS Microbiol Ecol* 32 : 241-247.

Maamri, S. and M. Amrani, 2014, Biogas Production from Waste Activated Sludge Using Cattle Dung Inoculums : Effect of Total Solid Content and Kinetics Study, *The International Conference on Technology and Materials for Renewable Energy, Environment and Sustainability (TMREES14)*, *Energy Procedia*, 50 : 352-359.

Mantzouridou, F. T., Adamantini Paraskevopoulou, Sofia Lalou, 2015. Yeast Flavour Production by Solid State Fermentation of Orange Peel Waste, *Biochemical Engineering Journal*, 101 : 1-8.

Margalef, R. 1958. *Information Theory in Ecology*. *General System* 3:36-71.

Marsh T. L., 1999. Terminal restriction fragment length polymorphism (T-RFLP): an emerging method for characterizing diversity among homologous population of amplification product. *Curr Opin Microbiol* 2: 323-327.

Mel, M., Ariff Syamin Hisham Yong, Avicenna, Sany Izan Ihsan, Roy Hendroko Setyobudi, 2015, Simulation Study for Economic Analysis of Biogas Production from Agricultural Biomass, *Conference and Exhibition Indonesia-New, Renewable Energy and Energy Conservation (The 3rd Indo_EBTKE ConEx 2014)*, *Energy Procedia*, 65 : 204-214.

Milono, P., Lindajati T., Aman S. 1981. Biogas Production from agricultural organic residues. *ASEAN seminar-workshop on Biogas Technology*: 52-65.

Moeseneder M. M., Arrieta J. M., Muyzer G., Winter C., Herndl G. J. 1999. Optimization of terminal-restriction fragment length polymorphism analysis for complex marine bacterioplankton communities and comparison with denaturing gradient gel electrophoresis. *Appl Environ Microbiol* 44 : 3518-3525.

Mroske C., Muci J., Wang J., Li K, Song W., Yan J., Feng J., Liu Q., Sommer S. S., 2007. Toward a fluorescent single-strand conformation polymorphism technique that detect all mutation : F-DOVAM-S. *Anal Biochem* 368 : 250-257.

- Nathao, C., Ubonrat Sirisukpoca and Nipon Pisutpaisal, 2014, Production of Hydrogen and Methane from Banana peel by Two Phase Anaerobic Fermentation, The International Conference on Technology and Materials for Renewable Energy, Environment and Sustainability (TMREES14), Energy Procedia, 50 : 702-710.
- Ondreičková, K., Andrej Ficek, Daniel Mihálik, Marcela Gubišova, Martina Hudcovicová, Hana Drahovská, Ján Kraic, 2014, Bacterial Communities in Rhizosphere of Maize Studied by T-RFLP, Agriculture (Poľnohospodárstvo), 60 (3) : 98-104.
- Özmen, P and Solmaz Aslanzadeh, 2009. Biogas Production from Municipal Waste Mixed with Different Portion of Orange Peel, Master Thesis, School of Engineering, University of Borås.
- Pandiyan, I and S. Gudipundi. 2013. Effect of Fruit Flavor Compound on Biogas Production. Thesis. School of Engineering. University College of Boras.
- Pangastuti, A. 2008. Analisis Komunitas Bakteri Selama Tahapan Perkembangan Larva Udang Putih (*Litopenaeus vannamei*). Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Patil, V. S. and H. V. Desmukh, 2015, A Review on Co-digestion of Vegetable Waste with Organic Wastes for Energy Generation, International Research Journal of Biological Sciences, 4 (6) : 83-86.
- Pawar, S. S., Valentine Nkongndem Nkemka, Ahmad A. Zeidan, Marika Murto and Ed W. J. van Niel, 2013, Biohydrogen Production from Wheat Straw Hydrolysate Using *Caldicellulosiruptor saccharolyticus* Followed by Biogas Production in A Two-step Uncoupled Process, International Journal of Hydrogen Energy, 38 : 9121-9130.
- Pourbafrani, M., Gergely Forgas, Ilona Savari Horvath, Claes Niklasson, Mohammad J. Taherzadeh, 2010. Production of Biofuel, Limonene and Pectin from Citrus Wastes, Bioresource Technology 101, 4246-4250.
- Prakash, O., Prashant K. Pandey, Girish J. Kulkarni, Kiran N. Mahale and Yogesh S. Shouche, 2014. Technicalities and Glitches of Terminal Restriction Fragment Length Polymorphism (T-RFLP), Indian J. Microbial, 54 (3) : 255-261.
- Prescott, L. M., J. P. Harley., and D. A. Klein. 2002. Microbiology. McGraw-Hill Inc. USA. 108-164

- Sagagi, B. S., B. Garba and N. S. Usman, 2009, Studies on Biogas Production from Fruits and Vegetable Waste, *Bayero Journal of Pure and Applied Sciences*, 2 (1) : 115-118.
- Setioningsih, E., Suranto dan Artini Pangastuti, 2014. Analisis T-RFLP (Terminal Restriction Fragment Length Polymorphism) Komunitas Metanogen Selama Fermentasi Anaerobik Limbah Cair Tahu, *El Vivo*, 2 (2) : 9-20.
- Setyobudi, R. H., Andi Sasmito, Praptiningsih G. Adinurani, Anggi Nindita, Agus Setyo Yudhanto, Yogo Adhi Nugroho, Tony Liwang and Maizirwan Mel, 2015, The Study of Slurry Recirculation to Increase Biogas Productivity from *Jatropha curcas* Linn. Capsule Husk in Two Phase Digestion, Conference and Exhibition Indonesia-New, Renewable Energy and Energy Conservation (The 3rd Indo_EBTKE ConEx 2014), *Energy Procedia*, 65 : 300-308.
- Shyu, C., T. Soule, S. J. Bent, J. A Foster, L. J Forney. 2007. MiCA: A Web Based Tool for the Analysis of Microbial Communities Based on Terminal-Restriction Fragment Length Polymorphism of 16S and 18S rRNA Genes. *Journal of Microbial Ecology* 53:562-570.
- Stanley, H. O., P. O. Okerentugba and C. B. Ogbonna, 2014, A Comparative Assessment of Biogas Production from Co-digestion of Cow Dung and Selected Wastes, *International Journal of Advanced Biological Research*, 4 (4) : 405-411.
- Sudarma, I. M., Dewa Ngurah Suprpta, I Made Sudana dan I Gede Rai Maya Temaja, 2012, Aplikasi Polymerase Chain Reaction-Ribosomal Intergenic Spacer Analysis (PCR-RISA) untuk Menentukan Keragaman Mikroba Tanah pada Habitat Tanaman Pisang dengan dan Tanpa Gejala Layu Fusarium, *Jurnal Bumi Lestari*, Volume 12, No. 2, halaman 313-320.
- Tiedje, J. M., S. Asuming-Brempong, K. Nusslein, T. L. Marsh and S. J. Flynn, 1999. Opening the black box of soil microbial diversity. *Appl. Soil Ecology* 13:109-122.
- Werena, R. D., Sarto, Imam Prasetyo, 2017. Pemanfaatan sludge sisa produksi biohidrogen yang berasal dari sampah buah jeruk sebagai substrat pembuatan biometana, Tesis, Departemen Teknik Kimia, Universitas Gadjah Mada, Yogyakarta.
- Widmer, W., Weiyang Zhou and Karel Grohmann, 2010, Pretreatment Effect of Orange Processing Waste for Making Ethanol by Simultaneous Saccharification and Fermentation, *Bioresource Technology*, 101 : 5242-5249.

- Wikandari, R., Huong Nguyen and Ria Millati, 2014^a. Improvement of Biogas Production from Orange Peel Waste by Leaching of Limonene, *BioMed Research International*, Volume 2015, 1-6.
- Wikandari, R., Ria Millati, Muhammad Nur Cahyanto and Mohammad J. Taherzadeh, 2014^b, Biogas Production from Citrus Waste by Membrane Bioreactor, *Membranes*, 4 : 596-607.
- Wirth, R., Gergely Lakatos, Tamás Böjti, Gergely Maróti, Zoltán Bagi, Mihály Kis, Attila Kovács, Norbert Acs, Gábor Rákhely and Kornél L. Kovács, 2015. Metagenome Changes in The Mesophilic Biogas-producing Community During Fermentation of the Green Alga *Scenedesmus obliquus*, *Journal of Biotechnology* : 1-10
- Yogiara, 2004. Analisis Komunitas Bakteri Cairan Kantung Semar (*Nepenthes* spp.) Menggunakan Teknik *Terminal Restriction Fragment Length Polimorphism* (T-RFLP) dan *Amplified Ribosomal DNA Restriction Analysis* (ARDRA). Tesis. Bogor : Institut Pertanian Bogor.