

DAFTAR PUSTAKA

- BAPPENAS, BPS, UNFPA. 2013. Proyeksi Penduduk Indonesia 2010 – 2035. Jakarta: Badan Pusat Statistik, p. 40
- Beauchet O. 2012. Geriatric inclusive art and length of stay in acute care unit: a case– control pilot study. JAGS, 60(8), p.1585-1587.
- Busse R, Geissler A, Aaviksoo A, Cots F, Hakkinen U, Kobel C, et al. 2013. Diagnosis related groups in Europe: moving towards transparency, efficiency, and quality in hospitals? BMJ, 346, p.3197
- Covinsky KE, Palmer RM, Fortinsky RH, et al. 2003. Loss of Independence in ADL in Older Adults Hospitalized with Medical Illnesses: Increased Vulnerability with Age. JAGS, 51(4), 451-458.
- Chen L, Lin YH, Yip W. 2007. The Effect of Taiwan’s National Health Insurance on Access and Health Status in Elderly. Health Economics
- Chiu A, Nguyen HV, Reutens S, et al. 2009. Clinical outcomes and length of stay of a co-located psychogeriatric and geriatric unit. Archives of Gerontology and Geriatrics, 49, p.233–236.
- De Witte N, Gobbens R, De Donder L, Dury S, Buffel T, Schols J, et al. 2013. The comprehensive frailty assessment instrument: development, validity and reliability. Geriatr Nurs, 34(4), p.274-81.
- Europe Union Health Statistics 2013. <http://ec.europa.eu/eurostat/statistics>
- Elsawy B, Higgins KE. 2011. The geriatric assessment. Am Fam Physician, 83(1), p.48-56.
- Gavrankapetanovi F. 2014. Aging population – health insurance or challenge of aging for social security. International Conference on Transition to a New Society, Montenegro.
- Hughes RG, Blegen MA. 2008. Patient Safety and Quality: An evidence Based Handbook for Nurses. In: Hughes RG, editor. Medication Administration Safety. Rockville: Agency for Healthcare Research and Quality.
- Hunger M, Thorand B, Schunk M, Doring A, Menn P, Peters A, et al. 2011. Multimorbidity and health-related quality of life in the older population: results from the German KORA-age study. Health Qual Life Outcomes, 9(53).

- Ismail Z, Arenovich T, Grieve C, Willett P, Sajeev G, Mamo DC, et al. 2012. Predicting hospital length of stay for geriatric patients with mood disorders. *Can J Psychiatry*, 57(11), p.696-703.
- Kind AJH, Jensen LJ, Barczi S, Bridges A, Kordah LB, Smith MA, et al. 2012. Low-cost transitional care with nurse managers making mostly phone contact with patients cut rehospitalization at a VA hospital. *Health Aff*, 31(12), p.2659-68.
- Kobayashi Y. 2009. Five Decades of Universal Health Insurance Coverage in Japan: Lessons and Future Challenges. *JMAJ*, 52(4), p.263-268.
- Kroger E, Tourigny A, Morin D, Cote L, Kergoat MJ, Lebel P, et al. 2007. Selecting process quality indicators for the integrated care of vulnerable older adults affected by cognitive impairment or dementia. *BMC Health Serv Res*, 7(1).
- Langdon R, Johnson M, Carroll V, Antonio G. 2013. Assessment of the elderly: it's worth covering the risks. *Journal of nursing management*, 21(1), p.94-105.
- Lin KP, Chen PC, Huang LY, Mao HC, Chan DC. 2016. Predicting Inpatient Readmission and Outpatient Admission in Elderly: A population-Based Cohort Study. *Medicine*, 95(6),1-7.
- Lotter O, Amr A, Chiarello P, Bihler M, Schaller HE, Stahl S. 2012. Diagnosis-Related Groups in Hand Surgery: A Comparison of Six European Countries. *Ger Med Sci*, 10(8).
- Manton KG, Woodbury MA, Vertrees JC, Stallard E. 1993. Use of Medicare services before and after introduction of the prospective payment system. *Health Services Research*, 28(3), p.269-92.
- Morandi A, Bellelli G, Vasilecskis EE, Turco R, et al. 2013. Predictors of Rehospitalization among Elderly Patients admitted to a Rehabilitation Hospital: the Role of Polypharmacy, Functional Status and Length of Stay. *J Am Med Dir Assoc*, 14(10), 761-767.
- Nirantharakumar K, Toulis KA, Wijesinghe H, Mastan MS, Srikantharajah M, Bhatta S, et al. 2013. Impact of diabetes on inpatient mortality and length of stay for elderly patients presenting with fracture of the proximal femur. *J Diabetes Complications*, 27(3), p.208-10.
- Ono T, Tamai A, Takeuchi D, Tamai Y, Iseki H, Fukushima H, et al. 2010. Predictors of length of stay in a ward for demented elderly: gender differences. *Psychogeriatrics : the official journal of the Japanese Psychogeriatric Society*, 10(3), p.153-9.

Peraturan Menteri Kesehatan RI No. 27/ 2014 tentang Petunjuk Teknis Sistem INA-CBGs.

Quentin W, Ratto H, Peltola M, Busse R, Hakkinen U, Euro DRGg. 2013. Acute myocardial infarction and diagnosis-related groups: patient classification and hospital reimbursement in 11 European countries. *Eur Heart J*, 34(26), p.1972-81.

Russo CA, Steiner C, Spector W. 2008. Hospitalizations Related to Pressure Ulcers among Adults 18 Years and Older. Agency for Healthcare Research and Quality.

Sahadevan S, Earnest A, Koh YL, Lee KM, Soh CH, Ding YY. 2004. Improving the diagnosis related grouping model's ability to explain length of stay of elderly medical inpatients by incorporating function-linked variables. *Ann Acad Med Singapore*, 33(5), p.614-22.

Soejono CH. 2008. The Impact of Comprehensive Geriatric Assessment (CGA) Implementation on The Effectiveness and Cost (CEA) of Healthcare in an Acute Geriatric Ward. *Acta Med Indones*, 40(1), p.3-10.

Steel N, Melzer D, Shekelle PG, Wenger NS, Forsyth D, McWilliams BC. 2004. Developing quality indicators for older adults: transfer from the USA to the UK is feasible. *Qual Saf Health Care*, 13(4), p.260-4.

Sternberg SA, Bentur N. 2014. The contribution of comprehensive geriatric assessment to primary care physicians. *Israel journal of health policy research*, 3(1), p.44.

Thabrany H. 2009. Badan Penyelenggara Jaminan Kesehatan Nasional: Sebuah policy paper dalam analisis kesesuaian tujuan dan struktur BPJS.

Wang SY, Shamliyan TA, Talley KM, Ramakrishnan R, Kane RL. 2013. Not just specific diseases: systematic review of the association of geriatric syndromes with hospitalization or nursing home admission. *Arch Gerontol Geriatr*, 57(1), p.16-26.