

DAFTAR PUSTAKA

- Abdehagh N., Namini, M.T., Heydarian S.M., 2011, Performance of a biotrickling filter employing Thiobacillus Thioparus immobilized on polyetherthane foam for hydrogen sulfide removal, Iran. J. Environ. Health. Sci. Eng., Vol. 8, No. 3, pp. 245
- Acuna, M. E., Perez, F., Auria, R., and Revah, S. 1999. Microbiological and kinetic aspects of a biofilter for the removal of toluene from waste gases. Biotechnology and Bioengineering. 63. 175–184.
- Arespacochaga N. D., Valderrama C., Mesa C., Bouchy L., 2014, Biogas biological desulphurisation under extremely acidic conditions for energetic valorisation in Solid Oxide Fuel Cells, , Chemical Engineering Journal 255, 677–685.
- Agarwal, G.K. Ghoshal, A.K., 2008, Packed bed dynamics during microbial treatment of wastewater: Modelling and simulation, Bioresource Technology 99,3765–3773.
- Al Mamun, M.R.A., Torii, S., 2015, Removal of Hydrogen Sulfide (H_2S) from Biogas Using Zero-Valent Iron, Journal of Clean Energy Technologies, 3, 6, 428-432.
- Alley, E. R., and Yang, Y. (2007). Biofiltration control of hydrogen sulfide emissions. Proceedings of the 84th annual meeting and exhibition of the air & waste management association. Canada.
- Andrès, Y., Dumont, E., Le Cloirec, P., and Ramirez-Lopez, E. (2006). Wood bark as packing material in a biofilter used in air treatment. Environ. Technol. 27. 1297–1302.
- Auria, R., Aycaguer, A. C., and Devinny, J. S. (1998). Influence of water concentration on degradation rates for ethanol in biofiltration. J. Air Waste Manage. Assoc. 48. 65–70.
- Abdulkareem, A. S., 2005, Refining Biogas Produced from Biomass: An Alternative to Cooking Gas, Leonardo Journal of Sciences. 7, 1-8.
- Amini, H. R., Reinhart, D. R., 2011, Regional prediction of long-term landfill gas to energy potential, Waste Manage, 31, 2020–2026.
- Benfield, L.D., and Randall, C.W., 1980, Biological Process Design for Wastewater Treatment, United States of America.
- Bihan, Y., Lessard, P., 2000. Monitoring biofilter clogging: biochemical characteristics of the biomass. Water Res. 34 (17), 4284–4294.
- Bougnom, B.P., Niederkofler, C., Knapp, B.A., Stimpfl, E. & Insam, H. (2012). Residues from renewable energy production: Their value for fertilizing pastures. Biomass and Bioenergy, 39, pp. 290-295.
- Boumrijel, I., Amor, H. B., Chekir, H., Hajji, N., 2016, Hydrogen sulphide removal from the effluents of a phosphoric acid production unit by absorption into chlorinated seawater under alkaline conditions, Comptes Rendus Chimie, xxx, 1-8.
- Bird, R. B., Stewart, W. E., dan Lightfoot, E. N, 2007, Transport Phenomena, second ed., John Wiley & Sons, Inc.
- BPS, 2016, “Jumlah Penduduk Indonesia tahun 2014”, dalam web www.bps.co.id
- BPS, 2010, “Proyeksi Penduduk Indonesia_2010-2035”, dalam web www.bps.co.id
- Carlson, D. A., and Leiser, C. P. (1981). Soil beds for control of sewage odors. J. Water Pollut. Control Fed. 38. 829–840.
- Chaiprapat, S., Mardthing, R., Kantachote, D., dan Karnchanawong, S., 2011, Removal of hydrogen sulfide by complete aerobic oxidation in acidic biofiltration, Process Biochemistry, 46, 344-352.
- Chanakya, H.N., S. Borgaonkar, G. Meena dan K.S. Jagadish. 1993, Solid Phase Biogas Production with Garbage or Water Hyacinth, Bioresource Technology, 46, 227–231 Elsevier Ltd.
- Chavez de Paz LE, Bergenholtz G, Dahlen G, Svensater G. Response to alkaline stress by root canal bacteria in biofilms. Int Endod J 2007;40:344–55.



- Chen, Y., J. J. Cheng, dan K. S. Creamer. 2007. Inhibition of Anaerobic Digestion Process: a Review. *Bioresource Technology*, 99, 4044–4064, Elsevier Ltd.
- Cho, K., Lee, N.Y., and Kyu, H.W., 2000, "Biological Deodorization of Hydrogen Sulfide Using Porous Lava as a carrier of Thiobacillus Thiooxidation, *J.Biosci, Bioeng*, 99, 611-615.
- Characklis WG, McFeters GA, Marshall KC Physiological ecology in biofilm systems. In: Characklis WG, Marshall KC, editors. *Biofilms*. New York: John Wiley & Sons; 1990. p. 341–94.
- Chung, Y.C., Huang, C., Tseng, C.P., Pan, J.R., 2000, "Biotreatment of H₂S and NH₃ containing waste gases by co-immobilized cells biofilter", *Chemosphere*, 41, 329–336.
- Chung, Y.C., Huang, C., Tseng, C.P., Pan, Jr., 1996, Microbial Oxidation of *Hydrogen Sulfide* with Biofilter. *J. Environ. Sci. Health Part A-Environ Sci. Eng. Toxic Hazard. Subst. Control*, 31, (6), 1263-1278.
- Cohen, Y., 2001, Biofiltration – the treatment of fluids by microorganisms immobilized into the filter bedding material: a review, *Bioresource technology*, 77, 257-274.
- Cox HHJ, Deshusses MA 1997b. The use of protozoa to control biomass growth in biological trickling filters for waste air treatment, Paper 97–RA71C.05. In: Proceedings of the Annual Meeting and Exhibition of the Air and Waste Management Association, June 9–13, 1997, Nashville.
- Dastous, P. A., Soreanu, G., Nikiema, J., and Heitz, M. (2005). Biofiltration of the alcohols on a mature bed compost. Proceedings of the annual air & waste management association. Ittsburgh.
- Delhomenie, M.C., Heitz, M., 2005, Biofiltration of Air: A Review. *Crit. Rev. Biotechnol.*, 25 (1-2), 53-72.
- Devinny, J. S., M. A. Deshusses, T. S. Webster. 1999. *Biofiltration for Air Pollution Control*. Lewish Publishers. New York.
- Dewan Energi Nasional, 2014, prokum.esdm.go.id/Publikaasi/Outlook/2014.pdf, diakses tanggal 5 Desember 2015.
- Dewan Riset Nasional, 2014, Agenda Riset Nasional 2016-2019, www.drn.go.id., diakses pada tanggal 7 Agustus 2015.
- Duan H., Koe L.C., Yan, R., Chen, X., 2006, Biological treatment of H₂S using pellet activated carbon as a carrier of microorganisms in a biofilter, *Water Res.*, 40 (14) :26, 29-36.
- Dumont, E., Andres, Y., 2010, *Evaluation of innovative packing materials for the biodegradation of Hydrogen Sulfide: a comparative study*, *J Chem.Technol. Biotechnol*, 85, 429–434.
- Edmonds P. 1978, "Microbiology an environmental Perspective", Collier Macmillan Publisher. London-New York.
- Elias, A. Barona, A., Arreguy, A., Rios, J., Aranguiz, I., Penas, J., 2002, *Evaluation of a packing material for the biodegradation of H₂S and product analysis*, *Process Biochemistry* 37, 813–820.
- Fernández, M., Ramírez, M., Pérez, R.M., Gómez, J.,M., Cantero, D., 2013, *Hydrogen Sulfide removal from biogas by an anoxic biotrickling filter packed with Pall rings*, *Chemical Engineering Journal*, 225, 456-463.
- Fischer, M.E., 2010, Biogas Purification: H₂S Removal using Biofiltration. MASc thesis, Grad. Dept. of Chemical Engineering, University of Waterloo, Ontario, Canada.
- Flemming, H.C., 2008, Biofilm, In: *Encyclopedia of life science*, John Wiley, Chichester <http://www.els.net/>
- Frankel, R.J., 1986. Anaerobic digestion/biogas energy recovery of sugar cane molasses distillery slop, Thailand. *Water Sci. Technol.* 18, 159–160.
- Gabriel, D., Maestre, J. P., Martín, L., Gamisans, X., Lafuenta, J. (2007). Characterisation and performance of coconut fibre as packing material in the removal of ammonia in gas-phase biofilters, *Biosystems Engineering*. 97. 481–490.



- Gabriel, D., and Deshusses, M. A. (2003). Performance of a full scale biotrickling filter treating H₂S at a gas contact time of 1.6–2.2 s, *Environ. Prog.* 22. 111– 118.
- Gozana, Misri, 2004, Sequential Anaerobic Activated Carbon Bioreactor for Elimination of Chlorinated Hydrocarbons in Groundwater, Gottingen: CivillernVerlag.
- Harasimowicz, M., P. Orluk , G. Zakrzewska-Trznadel and A.G. Chmielewski, Application of Polyimide Membranes for Biogas Purification and Enrichment, *Journal of Hazardous Materials*, 2007, vol. 144, pp. 698 – 702.
- Hartikainen, T., Ruuskanen, J., Vanhatalo, M., and Martikainen, P. J. (1996). Removal of ammonia from air by a peat biofilter. *Environ. Technol.* 17. 45–53.
- Heijnen, J.J., Kleerebezem, R., 2009, *Bioenergetics of microbial growth*, in: M.C. Flickinger (Ed.), *Encyclopedia of Industrial Biotechnology*, John Wiley & Sons Inc.
- Hirai, M., M. Ohtake, dan M. Shoda 1990, Removal Kinetik of Hidrogen Sulfide, Methanotiol and Dimethyl Sulfide by Pear Biofilter, *Journal of Fermentation and Bioengineering*.
- Holt, J. G., N. R. Krieg., P. H. A. Sneath., J. T. Staley dan S. T. Williams. 1994, "Bergey's Manual of Determinative Bacteriology, 9th Ed. Williams and Wilkins, Baltimore.
- Hong, J. H., and Park, K. J. (2004). Wood chip biofilter performance of ammonia gas from composting manure. *Compost Sci. Util.* 12. 25–30.
- Irvan, Trisakti B, Wongistani V, Tomiuchi Y., 2012, Methane emission from digestion of palm oil mill effluent (POME) in a thermophilic anaerobic reactor. *Int J Sci Eng*, 3(1):32–5.
- Jaber, M.B., Couverta, A. Amrane, A., Rouxel, F., Cloireca, P., Dumontd, L.E., 2016, Biofiltration of H₂S in air—Eksperimental comparisons of original packing
- Jiang, J.H. Tay, 2011, *Removal mechanisms of H₂S using exhausted carbon in biofiltration*, *Journal of Hazardous Materials* 185, 1543–1549.
- Jones, Martinez, K.A., Ridwan, M., Boswell, J., 2005. Sulfur Toxicity and Media Capacity for H₂S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium. *Journal of the Air and Waste Management Association*. Vol 55 (4), 415-420.
- Kaltschmitt, M., and Hartmann, H., 2001, *Energy from Biomass*, Springer, Berlin, Heidelberg. In German.
- Kardono, K., and Allen, E. R. (1995). Elimination of benzene using a compost biofilter. 88th Annual AWMA Meeting & Exhibition.
- Kennes, C., Cox, H. H. J., Doddema, H. J., and Harder, W. (1996). Design and performance of biofilters for the removal of alkylbenzene vapors. *J. Chem. Technol. Biotechnol.* 66. 300–304.
- Kennes, C., and Veiga, M. C. (2001). Bioreactors for waste gas treatment. In: Kennes, C., Veiga, M. C. (Eds.). *Conventional Biofilters*. vol. 3: 47. Kluwer Academic Publishers. Netherlands.
- Kennes, C., and Veiga, M. C. (2004). Fungal biocatalysts in the biofiltration of VOC-polluted air. *Journal of Biotechnology*. 113. 305–319.
- Kim, S., and Deshusses, M.A., 2008, Determination of mass transfer coefficients for packing materials used in biofilters and biotrickling filters for air pollution control, *Chemical Engineering Science* 63, 841 – 855.
- Kim, J.H., Rene, E.R., Park, H.S., 2008, Biological oxidation of hydrogen sulfide under steady and transient state conditions in an immobilized cell biofilter, *Bioresource Technology* 99 (2008) 583-588.
- Kinney, K. A., Chang, D. P. Y., Schroeder, E., and Scow, K. M. (1996). Performance of a directionally-switching biofilter treating toluene contaminated air. Proceeding 89th Annual Meeting Exhibition Air and Waste Management Association. Nashville.
- Kurita, M., and Kamata, O. (1990). Deodorization systems used at sewage treatment plants in nagoya city. *Sewage Works Japan*. 114–119.
- Kusrijadi, A., Triyono, B., dan Riswanda, 2009, Proses Brazing Cu-Ag Berbahan Bakar Biogas Termurnikan, *Jurnal Pengajaran MIPA*, Vol. 14, No.2.
- Lackey, L. W., and Holt, M. T. (1996). Not for the birds. *WEF Industrial Wastewater*. 4. 31–33.



- Lastella, G., Testa, C., Cornacchia, G., Notornicola, M., Voltasio, F., Sharma, V.K., 2002, Anaerobic Digestion of Semi-Solid Organic Waste: Biogas Production and its Purification. *Energy Conversion and Management*, 43 (1), 63-75.
- Lee, X., Chen, C., Lee, D.J., Wang, A., Guo, W., Zhou, X., Guo, H., Yuan, Y., Ren, N., Chang, J.S., 2013, *Sulfate-reduction, sulfide-oxidation and elemental sulfur bioreduction process: Modeling and eksperimental validation*, *Bioresource*
- Lee, E.Y., Cho, K.S., and Ryu, H.W., 2005, "Simultaneous Removal of H₂S and NH₃ in Biofilter Inoculates with Acidithiobacillus Thiooxidans TAS", *J. Biosci, Bioeng.*, 99, 25-31.
- Lee, X., Chen, C., Lee, D.J., Wang, A., Guo, W., Zhou, X., Guo, H., Yuan, Y., Ren, N., Chang, J.S., 2013, *Sulfate-reduction, sulfide-oxidation and elemental sulfur bioreduction process: Modeling and eksperimental validation*, *Bioresource Technology* 147, 202–211.
- Lens P. dan L.H. Pol, 2000, *Environmental Technologies to treat Sulfur Pollution*. IWA Publishing, London
- Lestari, R. A. S., 2011, "Biogas dari Limbah Organik sebagai Energi Alternatif", *Majalah Ilmiah SARGA*, Vol XXI, Edisi 3.
- Lestari, R.A.S., Sediawan, W.B., Syamsiah, S., Sarto, 2014, The exploratory study on sulfide removal ability of sulfur-oxidizing bacteria in biofilm on salak fruit seeds, *International Proceeding of Chemical, Biological & Environmental Engineering, Chemical Engineering and Applications V*, Taipei, Taiwan, 6-19.
- Lestari, R.A.S., Sediawan, W.B., Syamsiah, S., Sarto, 2013, Development of quantitative model for predicting H₂S removal fro biogas using microbial film, *International Proceeding of 20th Regional Symposium on Chemical Engineering*, Bohol, Phillipines, 131-135.
- Lewis W.K., Whitman, W.G., 1924, *Principles of Gas Transfer Absorption*, *Industrial and Engineering Chemistry*, Vol. 16, No. 12, pp. 1215-1237.
- Li, L., Han, Y., Yan, X., Liu, J., 2013, H₂S removal and bacterial structure along a full-scale biofilter bed packed with polyurethane foam in a landfill site, *Bioresource Technology* 147, 52–58.
- Lien C.C., Lin, J.L., Ting, C.H., 2014, *Water Scrubbing for Removal of Hydrogen Sulfide (H₂S) Inbiogas from Hog Farms*, *Journal of Agricultural Chemistry and Environment* 3, 1-6.
- Liu, C., Liu, J., Li, J., He, H., Peng, S., Li, C., Chen, Y., 2013, *Removal of H₂S by co-immobilized bacteria and fungi biocatalysts in a bio-trickling filter*, *Process Safety and Environmental Protection* 91, 145–152.
- Majumder, S., Gangadhar, G., Raghuvanshi, S., Gupta, S., 2015, Biofilter column for removal of divalent copper from aqueous solutions: Performance evaluation and kinetic modeling *Journal of Water Process Engineering* 6 136–143.
- Meena V., Rajendran, L., Kumar, S., Rani, P.G.J., 2016, Mathematical modeling of gas phase and biofilm phase biofilter performance, *egyptian journal of basic and applied sciences* 3, 94–105.
- Marzouk, S.A.M., Al-Marzouqi, M.H., Teramoto, M., Abdullatif, N., Ismail, Z.M., Simultaneous removal of CO₂ and H₂S from pressurized CO₂–H₂S–CH₄ gas mixture using hollow fiber membrane contactors, *Sep. Purif. Technol.* 86 (2012) 88–97.
- Miller, K. W. 1996. Effect of Calcium and Dibasic Acid on Selected Strains of Neutrofilic Sulfur-oxidizing Bacteria. *Journal of Environ. Quality*, 156: 854-857. Illinois State University, USA.
- Monod, J., 1949, The Grow of Bacterial Cultures, *Annual Review of Microbiology*, Vol. 3, 371.
- Mora, M., Lopez, L.R., Lafuente, J., Perez, J., Kleerebezem, R., Loosdrecht, M.C.M., X Gamisans, X., Gabriel, D., 2016, *Respirometric characterization of aerobic sulfide, thiosulfate and elemental sulfur oxidation by S-oxidizing biomass*, *Water Research* 89, 282 – 292.
- Morgenroth, E. et al., (1995), "Nutrient limitation in a compost biofilter degrading hexane", 88th Annual AWMA Meeting & Exhibition, 95-TP9C.05.



- Mulder, M., 1998, Basic Principle of Membrane Technology. Vol. 2nd ed., Netherlands: Kluwer Academic Publisher.
- Namini, M.T., Heydarian, S.M., Bonakdarpour, B., 2007, Removal of H₂S from synthetic waste gas streams using a biotrickling filter, *Iranian Chemical Engineering Journal*, 5 (3), 40-51.
- Nasir, M., 2015, Potret Kinerja Migas Indonesia, dalam web: www.kemenkeu.go.id., diakses tanggal 20 Pebruari 2017.
- Neill, C., Gignoux, J., 2006, Soil organic matter decomposition driven by microbial growth: A simple model for a complex network of interactions, *Soil Biology & Biochemistry* 38, 803–811.
- Oh, K.J., Cho, K.C., Choung, Y.H., Park, S.K., Cho, S.K., and Kim, D. 2006, Removal of hydrogen sulfide, benzene and toluene by a fluidized bed bioreactor, *Korean J. Chem. Eng.*, 23(1), 148-152.
- Omri, I., Bouallagui, H., Aouidi, F., Godon, J.J., Hamdi, M., 2011, H₂S gas biological removal efficiency and bacterial community diversity in biofilter treating wastewater odor, *Bioresource Technology* 102 ,10202–10209.
- Osorio F., Torres J.C., 2009, Biogas purification from anaerobic digestion in a wastewater treatment plant for biofuel production, *Renew. Energy* 34, 2164-2171.
- Ottengraf, S.P.P. dan A.H.C.van den Oever, 1983, "Kinetic of Organic Coumpoundd Removal from Waste Gases with a Biological Filter", *Biotechnology and Bioengineering*.
- Oyarzu'n, P., Arancibia, F., Canales, C., Aroca, G.E., 2003, iofiltration of high concentration of hydrogen sulphide using *Thiobacillus thioparus*, *Process Biochemistry* 39 ,165-170.
- Paepatung N, Nopharatana A, Songkasiri W., 2009, Bio-methane potential of biological solid materials and agricultural wastes. *Asian J Energy Environ*, 10(01):19–27.
- Pipatmanomai, S., Kaewluan, S., Vitidsant, T., 2008, Economic assessment of biogas to electricity generation system with H₂S removal by activated carbon in small pig farm. *Applied Energy*, 86, 669-674.
- Poloncarzova, M., J., Vejrazka, V., Vesely, P., Izak, 2011, Effective purification of biogas by a condensing-liquid membrane, *Angew. Chem. Int. Ed.* 50, 669–671.
- Prado, O' J., Veiga, M. C., and Kennes, C. (2005). Treatment of gas-phase methanol in conventional biofilters packed with lava rock. *Water Res.* 39 2385–2393.
- Price, E.C and Cheremisinoff, P.N.,1981, *Biogas Production and Utilization*.Ann Arbor Science Publishers, Inc .United States of America.
- Proyeksi Penduduk Indonesia dalam web www.bapenas.go.id, diakses tanggal 8 Januari 2015
- Rasi, S., Veijanen, A., Rintala, J., 2007, Trace compounds of biogas from different biogas production plants, *Energy* 32 (2007) 1375–1380.
- Ramirez, A.A., Bénard, S., Fendler, A.G., Jones, J.P., Heitz, M., 2008, Kinetics of microbial growth and biodegradation of methanol and toluene in biofilters and an analysis of the energetic indicators, *Journal of Biotechnology* 138, 88–95.
- Rappert, S., and M'uller, R., 2005, Microbial degradation of selected odorous substances. *Waste Management.* 25. 940–954.
- Rattanapan, C., Boonsawang, P., Kantachote, D., 2009, Removal of H₂S in downflow GAC biofiltration using sulfide oxidizing bacteria from concentrated latex waste water, *Bioresource Technology*, 100 (2009) 125-130.
- Rene, E. R., Murthy, D. V. S., and Swaminathan, T. (2005). Performance evaluation of a compost biofilter treating toluene vapours. *Process Biochem.* 40. 2771–2779.
- Ryiu, H.W., Yoo, S.K., Choi, J.M., Cho, K.S., Cha, D.K., 2009, Thermophilic biofiltration of H₂S, and isolation of a thermophilic and heterotropic H₂S-degrading bacterium, *Bacillus sp. TSO3*, *Journal of Hazardous Materials*, 168, 501-506.
- Salihu A., Alam Z., 2012, Palm oil mill effluent: a waste or a raw material?. *J Appl Sci Res* 2012;8(1):466–73.



- Sari, I.A., 2015, Dinamika awal biofiltrasi untuk pemurnian biogas: perubahan sulfida terlarut dengan bahan isian biji salak (*Salacca Zalacca*), Master Thesis, Chemical Engineering, Gadjah Mada University, Yogyakarta, Indonesia.
- Santos, J.M., Lopes, E.S., Junior, N.C.R., Melo de Sa', L., Horand, N.J., 2009, *Mathematical modelling of hydrogen sulphide emission and removal in aerobic biofilters comprising chemical oxidation*, *Water Research* 43, 3355 – 3364.
- Solcia, R.B., Ramirez, M., Fernandez, M., Cantero, D., Bevilacqua, D., 2014, *Hydrogen sulphide removal from air by biotrickling filter open-pore polyurethane foam as a carrier*, *Biochemical Engineering Journal*, 84, 1-8.
- Spigno, G., Zilli, M., Nicoletta, C., 2004, *Mathematical modelling and simulation of phenol degradation in biofilters*, *Biochemical Engineering Journal* 19, 267–275.
- Syed, M., Soreanu, G., Fletta, P., Beland, M., 2006, *Removal of Hydrogen Sulfide from gas stream using biological process*, *Wastewater Technology Centre Environment Canada*, 867.
- Schlegel, H. G dan K. Schmidt. 1994. "Mikrobiologi Umum" Edisi Keenam. Gajah Mada University Press.
- Sheridan, B.A., Curran, T.P., and Dodd, V.A., 2002, *Assessment of the influence of media particle size on the biofiltration of odorous exhaust ventilation air from a piggery facility*. *Bioresour. Technol.* 84. 129–143.
- Sologar, V.S.Lu-Zijin dan D.G. Allen, 2003" *Biofiltration of Concentrated Mixtures of Hydrogen Sulfide and Methanol*, *Environmental Progress*.
- Shoda M. 1991," *Methods for the Biological Treatment of Exhaust Gases in Biological Degradation of Wastes* "(ed. Martin, A.M), Elsevier Science Pub Ltd.
- Stuedel, K. 2000. "Chemistry Sulfur Cycle di dalam Environmental Technologies to Treat Sulfur Pollution". IWA Publishing, London.
- Sutedjo, M., A.G.Kartosaputro, dan S. Sastroatmodjo, 1991, *Mikrobiologi Tanah*, Rineka Cipta, Jakarta
- Suwa, Y. 1995. *Nitrosomonas sp. and Thiobacillus sp.* <http://biology.kenyon.edu>.
- Suwardin D., Setiadi, T., dan Damanhuri, E., 2007, *Biofiltrasi dalam Penyisihan Limbah Gas H₂S dan NH₃ Aplikasi Teknik*, *Prosiding Seminar Nasional Fundamental dan Aplikasi Teknik Kimia*
- Syed, M., Soreanu, G., Fletta, P., Beland, M., 2006, *Removal of Hydrogen Sulfide from gas stream using biological process*, *Wastewater Technology Centre Environment Canada*, 867.
- Taheri, M., Mohebbi, A., Hashemipour, H., Rashidi, A.M., 2016, *Simultaneous absorption of carbon dioxide (CO₂) and hydrogen sulfide (H₂S) from CO₂-H₂S-CH₄ gas mixture using amine-based nanofluids in a wetted wall column*, *Journal of Natural Gas Science and Engineering*, 28, 410-417.
- Tambone F, Scaglia B, D'Imporzano G, Schievano A, Orzi V, Salati S, et al. *Assessing amendment and fertilizing properties of digestates from anaerobic digestion through a comparative study with digested sludge and compost*. *Chemosphere* 2010;81:577–83.
- Togashi, I., Suzuki, M., and Hirai, M. (1986). *Removal of NH₃ by a peat biofilter without and with nitrifier*. *J. Ferment. Technol.* 64. 425–432.
- Trading Economics, Indonesia-Pertumbuhan PDB (q to q), dalam web: www.tradingeconomics.com/indonesia/gdp-growth*
- Xu, X., Chen, C., Lee, D.J., Wanga, A., Guo, W., Zhou, X., Guo, H., Yuan, Y., Ren, N., Chang, J.S., *Sulfate-reduction, sulfide-oxidation and elemental sulfur bioreduction process: Modeling and eksperimental validation*, *Bioresource Technology* 147 (2013) 202–211.



UNIVERSITAS
GADJAH MADA

PENGHILANGAN ASAM SULFIDA DALAM BIOGAS MENGGUNAKAN BIOFILTER DENGAN BAHAN PENYANGGA BIJI SALAK

RETNO AMBARWATI SIGIT LESTARI, Prof. Ir. Wahyudi Budi Sediawan SU., PhD

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Visscher, A.D., Li, G.Q., 2008, *Toluene removal biofilter modeling: Optimization and case Study, process safety and environment protection* 86, 277–282.
- Waluyo, Lud, 2005, *Mikrobiologi Umum*, Universitas Muhammadiyah Malang Prees, Malang.
- Wani, A.H., Richard, M.R., Branion, Lau, A.K., 1998, *Effects of periods of starvation and fluctuating hydrogen sulfide concentration on biofilter dynamics and performance*, *Journal of Hazardous Materials*, 60 (3), 287–303.
- Wellinger, A. and A. Lindeberg, 2000. *Biogas Upgrading and Utilization – IEA Bioenergy*, Task 24, pp.20. International Energy Association, France.
- Wordbank, 2011, “Kebutuhan Energi Perkapita” dalam web www.worldbank.org
- Wordbank, 2013, “Gross domestic product”, dalam web www.worldbank.org/en/country/indonesia.
- Wordbank, 2015, “Gross domestic product”, dalam web www.worldbank.org/indicator/NY.GDP.PCAP.CD
- Yadvika, Santosh, T.R. Sreerishnan, S. Kohli, V. Rana, 2004, *Enhancement of Biogas Production from Solid Substrates using Different Techniques - a Review*. *Bioresource Technology*, 95, 1-10.
- Yang, C., Suidan, M.T., Zhub, X., Kimc, B.J., Zeng, G., 2008, *Effect of gas empty bed contact time on performances of various types of rotating drum biofilters for removal of VOCs*, *water research* 42,3641–3650.
- Zilli, L., Converti, A., Felipe, M. G. A., and Zilli, M. (2002). *Sugarcane bagasse as alternative packing material for biofiltration of benzene polluted gaseous streams: a preliminary study*. *Bioresour. Technol.* 83. 153–157.