Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmad, J., Sulaiman, T., Abdullah, S. K., & Shamsuddin, J. (2009). Building a customized module for the treatment of drug addiction under the remedial programs to be implemented on inmates at the drug rehabilitation centers in Malaysia. *US-China Education Review, 6*(11), 57-64.

American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders fourth edition text revision, DSM-IV-TR.* Arlington, VA: American Psychiatric Association.

Andreescu, C., & Varon, D. (2015). New research on anxiety disorders in the elderly and an update on evidence-based treatments. *Curent Psychiatry, 17*(53), 1-7.

Ayuni, N. D. (2013). Pemodelan angka harapan hidup di provinsi Jawa Timur tahun 2207 dan 2011 berdasarkan angka melek huruf, rata-rata lama sekolah, dan pengeluaran kapita. *Jurnal Matematika, 3*(1), 12-23.

Azwar, S. (2012). *Penyusunan skala psikologi.* Yogyakarta: Pustaka Pelajar.

Badan Pusat Statistik. (2015). Indeks pembangunan manusia (IPM) menurut komponen dan kabupaten/kota di D.I. Yogyakarta, 2015/ human development index by component and regency/ city in D.I. Yogyakarta, 2015. *Badan Pusat Statistik Provinsi D.I. Yogyakarta*. Diakses dari http://yogyakarta.bps.go.id/linkTabelStatis/view/id/5.

Badan Pusat Statistik. (2016). Grafik angka harapan hidup. *Badan Pusat Statistik Provinsi D.I. Yogyakarta*. Diakses dari http://yogyakarta.bps.go.id/.

Barlow, D. H. (2002). *Anxiety and its disorders: The nature and treatment of anxiety and panic.* New York: The Guilford Press.

Beck, A. T., Brown, G., Epstein, N., & Steer, R. A. (1988). An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology, 56*(6), 893-897.

Beck, A. T., Emery, G., & Greenberg, R. L. (1985). *Anxiety disorders and phobias: A cognitive perspective.* New York: Basic Books Harper Collins.

Bulanda, J. R., Brown, S. J., & Yamashita, T. (2016). Marital quality, marital dissolution, and mortality risk during the later life course. *Journal of Social Science & Medicine, 165*, 119-127.

Cappeliez, P., Rivard, V., & Guindon, S. (2007). Functions of reminiscene in later life: proposition of a model and applications. *Revue europeene de psychologie appliquee, 57*, 151-156.

UNIVERSITAS
GADJAH MADA
**Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II**
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Carr, D., House, J. S., Kessler, R. C., Nesse, R. M., Sonnega, J., & Wortman, C. (2000). Marital quality and psychological adjustment to widowhood among older adults: A longitudinal analysis. *Journal of Gerontology: Social Sciences, 55B*(4), 197-207.

Clark, D. A., & Beck, A. T. (2010). *Cognitive therapy of anxiety disorders: Science and practice.* New York: Guilford Press.

Claude, J. A., Hadjistavropoulos, H. D., & Friesen, L. (2014). Exploration of health anxiety among individuals with diabetes: Prevalence and implications. *Journal of Health Psychology, 19*(2), 312-322.

Corder, G. W., & Foreman, D. I. (2014). *Nonparametric statistics A step-by-step approach.* New Jersey: John Wiley & Sons, Inc.

Cully, J. A., LaVoie, D., & Gfeller, J. D. (2001). Reminiscence, Personality, and Psychological Functioning in Older Adult. *The Gerontologist, 41*(1), 89-95.

Daaleman, T. P., & Dobbs, D. (2010). Religiousity, spirituality, and death attitudes in chronicaly ill older adults. *Research on Aging, 32*(2), 224-243.

Darban, F., Karamzehi, R., Balouchi, A., Safarzai, E., Tahmineh, S., Hoseynzehi, M., et al. (2016). The relationship between social intelligence and death anxiety among elderly people living in Iranshahr, Iran. *International Journal of Mental Health Addiction*, 1-5.

Departemen Kesehatan Republik Indonesia. (2013). *Situasi dan analisis diabetes.* Jakarta: Departemen kesehatan Repbulik Indonesia.

DiSabato, B. A. (1995). Art therapy and reminiscence: A three-dimensional life review totern with an adult female. *Disertasi.* (tidak dipublikasikan). Ursuline College, Ohio.

Durand, M. V., & Barlow, D. H. (2006). *Psikologi abnormal.* (H. P. Soetjipto, & S. M. Soetjipto, Penerj.) Yogyakarta: Pustaka Pelajar.

Falsafi, N., & Leopard, L. (2015). Pilot study: Use of mindfulness, self-compassion, and yoga practice with low-income and/or uninsured patients with depression and/or anxiety. *Journal of Holistic Nurse, 33*(4), 289-297.

Farokhi, M. (2011). Art therapy in humanistic psychiatry. *Journal of Social and Behavioral Sciences, 30*, 2088-2092.

Firdaus, M., & Sheereen, Z. N. (2011). The beck anxiety inventory for Malays (BAI-Malay): A preliminary study on psychometrics properties. *Malaysian Journal of Medicine and Health Sciences, 7*(1), 75-81.

Fleiss, J. L., Levin, B., & Paik, M. C. (2003). *Statistical methods for rates and proportions.* New Jersey: John Wiley & Sons, Inc.

Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Fox, C., & Hanas, R. (2008). *Type 2 diabetes in adults of all ages: How to become an expert on your own diabetes.* London: Class Publishing.

Furer, P., Walker, J. R., & Stein, M. B. (2007). *Treating Health Anxiety and Fear of Death.* New York: Springer Science+Business Media.

Gardener-Nix, J., Barbati, J., Grummitt, J., Pukal, S., & Newton, R. R. (2014). Exploring the effectiveness of a mindfulness-based chronic pain management course delivered stimultaneously to on-site and off-site patients using telemedicine. *Mindfulness, 5*, 223-231.

Gibson, F. (2011). *Reminiscence and life story work.* London: Jessica Kingsley Publishers.

Goldenberg, R., & Punthakee, Z. (2013). Definition, classification, and diagnosis of diabetes, prediabetes, and metabolic syndrome. *Canadian Journal of Diabetes*, 8-11.

Gorenstein, E. E., & Papp, L. A. (2007). Cognitive-behavioral therapy for anxiety in the elderly. *Geriatric Disorders*, (9), 20-25.

Gregg, E. W., & Caspersen, C. J. (2005). Physical disability and the cumulative impact of diabetes in older adults. *The British Journal of Diabetes and Vascular Disease, 5*(1), 13-17.

Grenier, S., Preville, M., Boyer, R., O'connor, K., Beland, S.-G., Potvin, O., et al. (2011). The impact of DSM-IV symptom and clinical significance criteria on the prevalence estimates of subthreshold and threshold anxiety in the older adult population. *American Journal of Geriatric Psychiatry, 19*(4), 316-326.

Haber, D. (2006). Life review: Implementation, theory, research and therapy. *International Journal Aging and Human Development, 63*(2), 153-171.

Hartley, N. (2008). The arts in health and social care- is music therapy fit for purpose? *British Journal of Music Therapy, 22*(2), 88-96.

Haslam, C., Haslam, A., Ysseldyk, R., McCloskey, L.-G., Pfisterer, K., & Brown, S. G. (2014). Social identification moderates cognitive health and well-being following story- and song-based. *Journal of Aging & Mental Health, 18*(4), 425-434.

Jang, S.-N., Kawachi, I., Chang, J., Boo, K., Shin, H.-G., Lee, H., et al. (2009). Marital status, gender, and depression: Analysis of the baseline survey of the Korean longitudinal study of ageing (KLoSA). *Journal of Social Science & Medicine, 69*, 1608-1615.

Jonsdottir, H., Jonsdottir, G., Steingrimsdottir, E., & Tryggvadottir, B. (2001). Group reminisence among people with end-stage chronic lung diseases. *Journal of Advanced Nursing, 35*(1), 79-87.

Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kelly, C. G., Cudney, S., & Weinert, C. (2012). Use of creative arts as a complementary therapy by rural women coping with chronic illness. *Journal of Holistic Nursing, 30*(1), 48-54.

Kementrian Kesehatan RI. (2014). *Infodatin situasi dan analisis diabetes.* Jakarta: Pusat Data dan Informasi Kementrian Kesehatan Republik Indonesia.

Kementrian Kesehatan RI. (2016). *Infodatin situasi lanjut usia (LANSIA) di indonesia.* Jakarta : Pusat Data dan Informasi Kementrian Kesehatan RI.

Kim, S. K. (2013). A randomized, controlled study of the effects of art therapy on older Korean-American's healthy aging. *The arts of psychotherapy, 40*, 158-164.

Koetsenruijter, J., Eikelenboom, N. v., Lieshout, J. v., Vassilev, I., Lionis, C., Todorova, E., et al. (2016). Social support and self-management capabilities in diabetes patients: An international observational study. *Journal of Patient and Counseling, 90*, 636-643.

Kongkasuwan, R., Voraakhom, K., Pisolayabutra, P., Maneechai, P., Boonin, J., & Kuptniratsaiku, V. (2015). Creative art therapy to enhance rehabilitation for stroke patients: A randomized controlled trial. *Clinical Rehabilitation*, 1-8.

Korte, J., Bohlmeijer, E. T., Westerhof, G. J., & Pot, A. M. (2011). Reminiscence and adaptation to critical life events in older adults with mild to. *Journal of Aging & Mental Health, 15*(5), 638-646.

Latha, K., Bhandary, P., & Sahana, M. (2014). Reminiscence therapy: An overview. *Middle East Journal of Age and Ageing, 11*(1), 1-5.

Latorre, J. M., Serrano, J. P., Ricarte, J., Bonete, B., Ros, L., & Sitges, E. (2015). Life review based on remembering specific positive events in active aging. *Journal of Aging and Health, 27*(1), 140-157.

Malchiodi, C. A. (2003). *Handbook of art therapy.* New York: The Guilford Press.

Morgan, J. H. (2012). Geriartric logotherapy: exploring the psychotherapeutics of memory in treating elderly. *Psychological Thought, 5*(2), 99-105.

Mustari, A. S., Rachmawati, Y., & Nugroho, S. W. (2014). *Statistik Penduduk Lanjut Usia 2014: Hasil Survei Sosial Ekonomi Nasional.* Jakarta: Badan Pusat Statistik.

O'Rourke, N., Cappeliez, P., & Claxton, A. (2011). Functions of reminiscence and the psychological well-being of young-old and older. *Journal of Aging & Mental Health, 15*(2), 272-281.

Ostrander, A. (2012). Integrating reminiscence therapy and expressive art therapy as a treatment technique for working with the elderly. *Disertasi*. (tidak dipublikasikan). Saybrook University, California.

Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Piazza, J. R., Charles, S. T., & Almeida, D. M. (2007). Living with chronic health conditions: Age differences in affective well-being. *Journal of Gerontology: Psychological Sciences, 62B*(6), 313-321.

Pishvaei, M., Moghanloo, R. A., & Moghanloo, V. A. (2015). The efficacy of treatment reminders of life with emphasis on integrative reminiscence on self-esteem and anxiety in widowed old men. *Iran Journal of Psychiatry, 10*(1), 19-24.

Poulsen, K. M., Pachana, N. A., & McDermott, B. M. (2014). Health professionals, detection of depression and anxiety n their patients with diabetes: the influence of patient, illness and psychological factors. *Journal of Health Psychology*, 1-10.

Quintao, S., Delgado, A. R., & Priesto, G. (2013). Validity study of beck anxiety inventory (Portuguese version) by the rasch rating scale model. *Psicologia: Reflexao e Critica, 26*(2), 305-310.

Rafikasari, D. (2016, April 18). *Penderita diabetes di Indonesia ketujuh terbesar di dunia.* Dipetik Desember 12, 2016, dari Sindonews.com: http://lifestyle.sindonews.com/read/1101939/155/penderita-diabetes-di-indonesia-ketujuh-terbesar-di-dunia-1460963840

Ravid-Horesh, R. (2004). "A temporary guest": The use of art therapy in life review with an elderly woman. *The Arts in Psychotherapy, 31*, 303-319.

Sanford, S. D., Bush, A. J., Stone, K. C., Lichstein, K. L., & Aguillard, N. (2008). Psychometric evaluation of the beck anxiety inventory: A sample with sleep-disordered breathing. *Behavioral Sleep Medicine, 6*, 193-205.

Sasmitawati, T. A. (2008). Terapi kognitif perilakuan untuk mengurangi kecemasan pada penderita asma. *Tesis*. (tidak dipublikasikan). Universitas Gadjah Mada, Yogyakarta.

Sato, Y. (2011). Musical life review in hospice. *Music Therapy Perspectives, 29*, 31-38.

Stinson, C. K. (2009). Structured group reminiscence: An intervention for older adults. *The Journal of Continuing Education in Nursing, 40*(11), 521-528.

United Nations. (2015). *World population ageing.* New York: United Nations.

Vanin, J. R., & Helsley, J. (2008). *Anxiety disorders: A pocket guide for primary care.* New Jersey: Human Press.

Webster, J. D. (1993). Construction and Validation of the Reminiscence Functions Scale. *Journal of Gerontology: Psychological Sciences, 48*(5), 256-262.

Webster, J. D., Bohlmeijer, E. T., & Westerhof, G. J. (2010). Mapping the future of reminiscence: A conceptual guide for research and practice. *Research on Aging, 32*(4), 527-564.

UNIVERSITAS
GADJAH MADA
Program Lansia Sabar Berbasis Reminiscence Dan Terapi Seni Untuk Menurunkan Kecemasan Pada Lansia
Penyandang Diabetes Melitus Tipe II
ERRINA PUSPITASARI, Prof. Dr. Sofia Retnowati, M.S.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Westerhof, G. J., & Bohlmeijer, E. T. (2014). Celebrating fifty years of research and applications in reminisence and life review: State of the art and new directions. *Journal of Aging Studies, 29*, 107-114.

Westerhof, G. J., Bohlmeijer, E., & Webster, J. D. (2010). Reminiscence and mental health: A review of recent progress in theory, research and interventions. *Aging and Society, 30*, 697-721.

Wetherell, J. L., Afari, N., Ayers, C. R., Stoddard, J. A., Ruberg, J., Sorrell, J. T., et al. (2011). Acceptance and commitment therapy for generalized anxiety disorder in older adults: A preliminary report. *Behavioral Therapy, 42*(1), 127-134.

Wetherell, J. L., Kim, D. S., Lindamer, L. A., Thorp, S. R., Hawthorne, W., Kim, K., et al. (2007). Anxiety disorders in a public mental health system: Clinical characteristics and service use patterns. *Journal of Affective Disorders, 104*, 179-183.

WHO. (2016). *Global report in diabetes.* Geneva: WHO Library Cataloguing-in-Publication Data.

Yalom, I., & Leszcz, M. (2005). *The theory and practice of gorup psychotherapy.* New York: Basic Books.

Yenny, & Herwana, E. (2006). Prevalensi penyakit kronis dan kualitas hidup pada lanjut usia di Jakarta Selatan. *Universa Medicina, 25*(4), 164-171.

Zalik, E., & Zalar, B. (2013). Difference in mood between ederly persons living in different residential environments in Slovenia. *Psychiatria Danubina, 25*(1), 40-48.