

DAFTAR PUSTAKA

- Abdelmohsen, U.R., T. Grkovic, S. Balasubrahmanian, M.S. Kamel, R.J. Quinn, U. Hentschel. 2015. Elicitation of secondary metabolism in actinomycetes. *Biotechnology Advances* 33:798-811.
- Angell S, Bench BJ, Williams H, Watanabe CMH. (2006) Pyocyanin isolated from a marine microbial population: Synergistic production between two distinct bacterial species and mode of action. *Chemistry & Biology* 13:1349-1359.
- Banerjee S, Wang Z, Mohammad M, Sarkar FH, Mohammad RM (2008) Efficacy of selected natural products as therapeutic agents against cancer. *J Nat Prod* 71:492–496
- Bode HB, Bethe B, Höfs R, Zeeck A (2002) Big effects from small changes: possible ways to explore nature's chemical diversity. *ChemBioChem* 3:619–627
- Chater KF. (2006) *Streptomyces* inside-out: a new perspective on the bacteria that provide us with antibiotics. *Philosophical Transactions of the Royal Society B-Biological Sciences* 361(1469):761-768.
- Cueto M, Jensen PR, Kauffman C, Fenical W, Lobkovsky E, Clardy J. (2001) Pestalone, a new antibiotic produced by a marine fungus in response to bacterial challenge. *Journal of Natural Products* 64(11):1444-1446
- Dashti, Y., Grkovic, T., Abdelmohsen, U.R., Hentschel, U., Quinn, R.J., 2014. Production of induced secondary metabolites by a co-culture of sponge-associated actinomycetes, *Actinokineospora* sp. EG49 and *Nocardiopsis* sp. RV163. *Mar. Drugs* 12, 3046–3059.
- Doull, J. L., and L. C. Vining. 1990. Nutritional control of actinorhodin production by *Streptomyces coelicolor* A3(2): suppressive effects of nitrogen and phosphate. *Appl. Microbiol. Biotechnol.* 32:449–454.
- Del Sol R, Armstrong I, Wright C, Dyson P. (2007) Characterization of changes to the cell surface during the life cycle of *Streptomyces coelicolor*: Atomic force microscopy of living cells. *Journal of Bacteriology* 189(6):2219-2225.
- Elsas JD, Jansson JK, Trevors JT. (2007) *Modern soil microbiology*: CRC Press/Taylor & Francis.
- Enticknap JJ, Nonogaki H, Place AR, Hill RT. (2006) Microbial diversity associated with odor modification for production of fertilizers from chicken litter. *Applied and Environmental Microbiology* 72(6):4105-4114.

- Farida, Y., J. Widada, E. Meiyanto. 2007. Combination methods for screening marine actinomycetes producing potential compounds as anticancer. *Indonesian Journal of Biotechnology* 71: 7589-7593.
- Gomes RC, Semedo L, Linhares AA, Guimaraes ACC, Alviano CS, Linhares LF, Coelho RRR. (1999) Efficiency of the dispersion and differential centrifugation technique in the isolation of chitinolytic actinomycetes from soil. *World Journal of Microbiology & Biotechnology* 15(1):53-56
- Hopwood DA. (2007) *Streptomyces* in nature and medicine: the antibiotic makers: Oxford University Press.
- Horinouchi, S. 2007. Mining and polishing of the treasure trove in the bacterial genus streptomyces. *Biosci. Biotechnol. Biochem.* 71:283–299.
- Hosaka, T., et al. 2009. Antibacterial discovery in actinomycetes strains with mutations in RNA polymerase or ribosomal protein S12. *Nat. Biotechnol.* 27:462–464.
- James GA, Beaudette L, Costerton JW. (1995) Interspecies bacterial interactions in biofilms. *Journal of Industrial Microbiology* 15(4):257-262.
- Jung HY, Kang SM, Kang YM, Kang MJ, Yun DJ, Bahk JD, Yang JK, Choi MS. (2003) Enhanced production of scopolamine by bacterial elicitors in adventitious hairy root cultures of *Scopolia parviflora*. *Enzyme and Microbial Technology* 33(7):987-990.
- Kieser T, Foundation JI. (2000) *Practical Streptomyces genetics*: John Innes Foundation.
- Katsifas EA, Koraki TG, Karagouni AD. (2000) Determination of metabolic activity of streptomycetes in soil microcosms. *Journal of Applied Microbiology* 89(1):178-184.
- Knight V, Sanglier JJ, DiTullio D, Braccili S, Bonner P, Waters J, Hughes D, Zhang L (2003) Diversifying microbial natural products for drug discovery. *Appl Microbiol Biotechnol* 62:446–458
- Kumbhar CA, Watve MG. (2008) Widespread Predatory Abilities in Actinomycetes. Abstracts of the General Meeting of the American Society for Microbiology 108:402.
- Kurosawa, K., Ghiviriga, I., Sambandan, T.G., Lessard, P.A., Barbara, J.E., Rha, C., et al., 2008. Rhodostreptomycins, antibiotics biosynthesized following horizontal gene transfer from *Streptomyces padanus* to *Rhodococcus fascians*. *J. Am. Chem. Soc.* 130, 1126–1127.
- Maplestone, R.A., M.J. Stone, D.H. Williams.1992. The evolutionary role of secondary metabolites- A review. . *Gene* 115(1-2):151-157.

- Mearns-Spragg A, Bregu M, Boyd KG, Burgess JG. (1998) Cross-species induction and enhancement of antimicrobial activity produced by epibiotic bacteria from marine algae and invertebrates, after exposure to terrestrial bacteria. *Letters in Applied Microbiology* 7(3):142-146.
- Murphy T, Parra R, Radman R, Roy I, Harrop A, Dixon K, Keshavarz T. (2007) Novel application of oligosaccharides as elicitors for the enhancement of bacitracin A production in cultures of *Bacillus licheniformis*. *Enzyme and Microbial Technology* 40(6):1518-1523.
- Newman DJ, Cragg GM (2007) Natural products as sources of new drugs over the last 25 years. *J Nat Prod* 70:461–477
- Nonci, N. 2004. Biologi dan musuh alami penggerek batang *Ostrinia furnacalis* Guenee (Lepidoptera: Pyralidae) pada tanaman jagung. *Jurnal Litbang Pertanian*, 23(1).
- Ochi, K., Hosaka, T., 2013. New strategies for drug discovery: activation of silent or weakly expressed microbial gene clusters. *Appl. Microbiol. Biotechnol.* 97, 87–98.
- Oh DC, Jensen PR, Kauffman CA, Fenical W. (2005) Libertellenones A-D: Induction of cytotoxic diterpenoid biosynthesis by marine microbial competition. *Bioorganic & Medicinal Chemistry* 13(17):5267-5273
- Omura S, Ikeda H, Ishikawa J, Hanamoto A, Takahashi C, Shinose M, Takahashi Y, Horikawa H, Nakazawa H, Osonoe T and others. (2001) Genome sequence of an industrial microorganism *Streptomyces avermitilis*: Deducing the ability of producing secondary metabolites. *Proceedings of the National Academy of Sciences of the United States of America* 98(21):12215-12220.
- Onaka, H., H. Tabata, Y. Igarashi, Y. Sato, and T. Furumai. 2001. Goadsporin, a chemical substance which promotes secondary metabolism and morphogenesis in streptomycetes. I. Purification and characterization. *J. Antibiot. (Tokyo)*. 54:1036–1044.
- Onaka H, Mori Y, Igarashi Y, Furumai T (2011) Mycolic acid-containing bacteria induce natural-product biosynthesis in *Streptomyces* species. *Appl Environ Microbiol* 77:400-406
- Onaka, H., S. Taniguchi, H. Ikeda, Y. Igarashi, and T. Furumai. 2003. pTOYAMAcos, pTYM18, and pTYM19, actinomycete-*Escherichia coli* integrating vectors for heterologous gene expression. *J. Antibiot. (Tokyo)*. 56:950–956.
- Patterson GML, Bolis CM. (1997) Fungal cell-wall polysaccharides elicit an antifungal secondary metabolite (phytoalexin) in the cyanobacterium *Scytonema ocellatum*. *Journal of Phycology* 33(1):54-60.

- Pettit RK. (2009) Mixed fermentation for natural product drug discovery. *Applied Microbiology and Biotechnology* 83(1):19-25.
- Radman R, Saez T, Bucke C, Keshavarz T. (2003) Elicitation of plants and microbial cell systems. *Biotechnology and Applied Biochemistry* 37:91-102.
- Ramos-Solano B, Algar E, Garcia-Villaraco A, Garcia-Cristobal J, Garcia JAL, Gutierrez-Manero FJ. (2010) Biotic Elicitation of Isoflavone Metabolism with Plant Growth Promoting Rhizobacteria in Early Stages of Development in *Glycine max* var. Osumi. *Journal of Agricultural and Food Chemistry* 58(3):1484-1492.
- Rao PVS, Wadia KDR, Strange RN. (1996) Biotic and abiotic elicitation of phytoalexins in leaves of groundnut (*Arachis hypogaea* L). *Physiological and Molecular Plant Pathology* 49(5):343-357.
- Redenbach M, Kieser HM, Denapaite D, Eichner A, Cullum J, Kinashi H, Hopwood DA. (1996) A set of ordered cosmids and a detailed genetic and physical map for the 8 Mb *Streptomyces coelicolor* A3(2) chromosome. *Molecular Microbiology* 21(1):77-96.
- Sakr, H., Sobhy E., Hassab El-Nabi. 2007. Histological and nucleic acid alterations in *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae) induced by *Streptomyces lavendulae* (Streptomycetaceae) culture filtrate. *Egyptian Journal of Biology* 9: 32 -41.
- Sanchez S, Chavez A, Forero A, Garcia-Huante Y, Romero A, Sanchez M, Rocha D, Sanchez B, Avalos M, Guzman-Trampe S and others (2010) Carbon source regulation of antibiotic production. *Journal of Antibiotics* 63(8):442-459.
- Scherlach, K., and C. Hertweck. 2009. Triggering cryptic natural product biosynthesis in microorganisms. *Org. Biomol. Chem.* 7:1753–1760.
- Schroeckh V, Scherlach K, Nuttmann HW, Shelest E, Schmidt-Heck W, Schuermann J, Martin K, Hertweck C, Brakhage AA. (2009) Intimate bacterial-fungal interaction triggers biosynthesis of archetypal polyketides in *Aspergillus nidulans*. *Proceedings of the National Academy of Sciences of the United States of America* 106(34):14558-14563.
- Schneider P, Misiek M, Hoffmeister D (2008) In vivo and in vitro production options for fungal secondary metabolites. *Mol Pharmacol* 5:234–242.
- Shank EA, Kolter R. (2009) New developments in microbial interspecies signaling. *Current Opinion in Microbiology* 12(2):205-214.

- Slattery, M., Rajbhandari, I., Wesson, K., 2001. Competition-mediated antibiotic induction in the marine bacterium *Streptomyces tenjimariensis*. *Microb. Ecol.* 41, 90–96.
- Sonnenbichler J, Dietrich J, Peipp H. (1994) Secondary fungal metabolites and their biological activities, 5. Investigations concerning the induction of the biosynthesis of toxic secondary metabolites in basidiomycetes. *Biological Chemistry Hoppe-Seyler* 375(1):71-79.
- Tarkka M, Hampp R. (2008) Secondary metabolites of soil streptomycetes in biotic interactions. *Soil Biology*: 107-126.
- Tilman, D. 1999. The ecological consequences of changes in biodiversity: a search for general principles. *Ecology* 80: 1455 – 1474.
- Udomsuk L, Jarukamjorn K, Tanaka H, Putalun W. (2011) Improved isoflavonoid production in *Pueraria candollei* hairy root cultures using elicitation. *Biotechnology Letters* 33(2):369-374.
- Uduary DW, Zeigler L, Asolkar RN, Singan V, Lapidus A, Fenical W, Jensen PR, Moore BS (2007) Genome sequencing reveals complex secondary metabolome in the marine actinomycete *Salinispora tropica*. *Proc Natl Acad Sci U S A* 104:10376– 10381
- van Keulen G, Alderson J, White J, Sawers RG. (2005) Nitrate respiration in the actinomycete *Streptomyces coelicolor*. *Biochemical Society Transactions* 33:210-212.
- Wiener, P. (2000) Antibiotic production in a spatially structured environment. *Ecology Letters* 3(2):122-130.
- Xiong, L., Li, J., Kong, F., 2004. *Streptomyces* sp. 173, an Insecticidal Microorganism from Marine. 2004. *The Society for Applied Microbiology* 38, 32-37
- Yamanaka, K., Oikawa, H., Ogawa, H.O., Hosono, K., Shinmachi, F., Takano, H., et al., 2005. Desferrioxamine E produced by *Streptomyces griseus* stimulates growth and development of *Streptomyces tanashiensis*. *Microbiology* 151, 2899–2905.
- Zhang XJ, Clark CA, Pettis GS. (2003) Interstrain inhibition in the sweet potato pathogen *Streptomyces ipomoeae*: Purification and characterization of a highly specific bacteriocin and cloning of its structural gene. *Applied and Environmental Microbiology* 69(4):2201-2208.