

DAFTAR PUSTAKA

- Astuti, P.E, Prasetyowati, H, Ginanjar, A., 2016. Risiko Penularan Demam Berdarah Dengue berdasarkan Maya Indeks dan Indeks Entomologi di Kota Tangerang Selatan, Banten. *Loka Litbang P2B2*. Ciamis, Jawa Barat.
- Beaty, B.J., Marquardt, W.C., 1996. The Biology of Disease Vectors. Colorado: *the University Press of Colorado*. p 85-93.
- Blondine, Ch P. Umi Widyastuti dan Widiarti., 1992. “*Bacillus thuriensis* dari Larva dan Pengujian Patogenesitasnya Terhadap Larva Nyamuk Vektor”. *Buletin Penelitian Kesehatan*. No.20 (30): 20-24.
- Badan Metereologi Klimatologi dan Geofisika Kota Kendari, 2016. Data Klimatologi Kota Kendari Periode Januari-Agustus.
- Boesri, H., 2000. Penelitian untuk menentukan indikator entomologi penyakit Demam Berdarah Dengue (DBD) di daerah endemis. *Jurnal Kedokteran*. Jakarta.
- Braks, M.A., Honorio, N.A., de Oliveira, L., Juliano, S.A., Lounibos, L.P., 2003 Nov; Convergent Habitat Segregation of *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae) in Southeastern Brazil and Florida. *J. Med. Entomol.* 40 (6): 785-94.
- Chester, J.S., Harold, G., 1996. Illustrated Key to Mosquitos of Vietnam. *Public Health Service*, Atlanta.
- Chin J., 2006. Manual Pemberantasan Penyakit Menular. Editor penterjemah: I Nyoman Kandun. Jakarta: *Infomediaka*. hal.166 – 171.
- Christophers Sir SR., 1960. *Aedes aegypti (L) The Yellow Fever Mosquito*. Cambridge University Press. Cambridge.
- Chadee DD, Shivnauth B, Rawlins SC, Chen AA., 2007: Climate, mosquito indices and the epidemiology of dengue fever in Trinidad (2002-2004). *Ann Trop Med Parasitol*, 101(1):69-77.
- Chwatt, L.J.B., 1980. *Essential Malariologi*. William Heinemaa Medical Books, London.
- Clements A. N., 1999. *The Biology of Mosquitoes Volume 2 Sensory Reception and Behaviour*. USA: CABI Publishing
- Depradine C, Lovell E., 2004: Climatological variables and the incidence of Dengue fever in Barbados. *Int J Environ Health Res*, 14(6):429-441.

- Depkes RI., 2010. Pencegahan Dan Pemberantasan Demam Berdarah Dengue Di Indonesia. Jakarta: Ditjen P2PL
- Devi, N.P., Jauhari, R.K., 2007. *Mosquito species associated within some western Himalayas phytogeographic zones in the Garhwal region of India*. Jour. of Insect Sci. Vol. 7 Article 32.
- Dewantara PW, Dinata A. Analisis risiko dengue berbasis maya index pada rumah penderita DBD di Kota Banjar Tahun 2012. Balaba 2015;11(1):18.
- Dinas kesehatan Kota Kendari., 2015. *Data Kasus penyakit Demam Berdarah Dengue*.
- Dinas kesehatan Prov. Sulawesi Tenggara, 2015. *Data Kasus penyakit Demam Berdarah Dengue*.
- Erlanger T, Keiser J, Utzinger J, Effect of dengue vector control interventions on entomological parameters in developing countries: A systematic review and meta-analysis. *Med Vet Ento.* 2008;22:203-221.
- Ester, M., 1999. Demam Berdarah Dengue: diagnosis, pengobatan, pencegahan dan pengendalian, *WHO, EGC*. Jakarta.
- Fachmi, A., 2009. *Peranan Air Dalam Peningkatan Kesehatan Masyarakat*. Jakarta
- Focks, D.A., 2003. A Review Of Entomological Sampling Methods And Indicators For Dengue Vectors. *Infectious Disease Analysis Gainesville, Florida, USA* p. 10s.
- Fock. D.A dan D.D. Cladee. 2000. Pupal Survei An Epidemiologically Significant Surveillance Method For *Ae. aegypti*: an example using data from Trinidad. *Am. J. Trop. Med. Hyg.*
- Foster, W.A., Walker, E.D., 2002. Medical and Veterinary Entomology. Edited by Gary Mullen and Lance Durden. London: *Academic Press*. p 203-233.
- Gratz, N.G., 2004. *Critical review of the vector status of Aedes albopictus*. Medical and Veterinary Entomol. 18, 215–22.
- Gultom, B.P.P., 1989. *The aspects of Dengue Haemorrhagic Fever and Its Control*. The Ford Foundation & Lembaga Penelitian. Universitas Indonesia. Jakarta.

- Gurtler RE, Garelli FM, Coto HD., 2009: Effects of a five-year citywide intervention program to control *Aedes aegypti* and prevent dengue outbreaks in northern Argentina. *PLoS Negl Trop Dis*, 3(4):e427.
- Halstead S., 2008. Dengue virus-mosquito interactions. *Annu Rev Entomol*, 53:273-291.
- Hasyimi, M., dan Soekirno, M., 2004. *Pengamatan Tempat Perindukan Aedes aegypti pada Tempat Penampungan Air Rumah Tangga pada Masyarakat Pengguna Air Olahan*. *Jurnal Ekologi Kesehatan*. 3(1): 37-42.
- Hau V Pham., Huong TM Doan., Thao TT Phan., Nguyen N Tran Minh., 2011. Ecological factors associated with dengue fever in a central highlands Province, Vietnam. *BMC Infectious Diseases*, 11:172.
- Hopp MJ, Foley JA., 2003: Worldwide fluctuations in dengue fever cases related to climate variability. *Climate Research*, 25:85-94.
- Hu W, Clements A, Williams G, Tong S., 2010: Dengue fever and El Nino/Southern Oscillation in Queensland, Australia: a time series predictive model. *Occup Environ Med*, 67(5):307-311.
- Johansson MA, Cummings DA, Glass GE., 2009: Multiyear climate variability and dengue–El Nino southern oscillation, weather, and dengue incidence in Puerto Rico, Mexico, and Thailand: a longitudinal data analysis. *PLoS Med*, 6(11):e1000168.
- Kantachuesiri, A., 2002. *Dengue Haemorrhagic Fever in Thai society, The South East* *Journal of Tropical Medicine and Public Health*. 33 (1): 4-10.
- KCDA Kec. Puuwatu., 2014. Data Penduduk Kec. Puuwatu.
- Kusumawathie R.R, dan Siyambalagoda M.L.K., 2005. Distribution and breeding sites of potential dengue vectors in Kandy and Nuwara Eliya districts of Sri Lanka. *The Ceylon Jou.off Med. Sci.*; 48: 43-52.
- Kristanto, P., 2002. *Ekologi Industri*. Yogyakarta : Penerbit Andi Offset
- Maciel-de-Freitas, R. dan R. Lourence, o-de-Oliveira., 2011. Does targeting key-containers effectively reduce *Aedes aegypti* population density? *Tropical Medicine and International Health*, 6(8).
- Mardihusodo SJ, Satoto TBT, Garcia A, Focks D, Pupal/demographic and adult aspiration surveys of residential and public sites in Yogyakarta, Indonesia, to inform development of a targeted source control strategy for dengue. *Dengue Bull*. 2011;35:141-152.

- Marjuki., 2005. Studi Populasi dan Kapasitas Vektor Demam Berdarah Dengue (DBD) di Daerah Dengan Tingkat Endemisitas Berbeda. *Universitas Diponegoro*, Semarang.
- Meilson H.E. Sallata, Erniwati Ibrahim, Makmur Selomo., 2014. Relation of Physical and Chemical Environmental Characteristics with Existence of *Aedes aegypti* Larvae in DHF Endemic Areas in the City of Makassar. *University of Hasanuddin*, Sulawesi Selatan.
- Miller J, Martinez-Balanzar A, Gazga-Salinas D. Where *Aedes aegypti* live in Guerrero; using the maya index to measure breeding risk. In: Halstead S, Gomez-Dantes H., eds. Dengue: A worldwide problem, a common strategy. Mexico, DF: *Ministry of Health, Mexico, and Rockefeller Foundation*;1992:311-17.
- Nalim S., 1989. “Pendekatan Secara Terpadu untuk Pemberantasan Vektor”. *Makalah Diskusi Ilmiah Balitbang Kes*. Jakarta : 14 Maret.
- Novianto I.W., 2007. Kemampuan Hidup Larva *Culex quinquefasciatus* Say. Pada Habitat Limbah Cair Rumah Tangga, *Universitas Sebelas Maret*. Surakarta.
- Pascawati NA. Survei entomologi dan penentuan maya index di daerah endemis demam berdarah dengue di Dusun Krapyak Kulon, Desa Panggunharjo Kecamatan Sewon, Kabupaten Bantul DIY. *Jurnal Medika Respati* 2015;X(3).
- Patz JA, Martens WJM, Focks AA, Jetten TH., 1998: Dengue Fever Epidemic Potential as Projected by General Circulation Models of Global Climate Change. *Environmental Health Perspectives*, 6(3):147-153.
- Permono I.N., 1985. “Pengaruh Temperatur, Kekeuhan Air dan pH terhadap Perkembangan Larva *Culex quinquefasciatus* Say.”. *Makalah Seminar Entomology Kesehatan. Perhimpunan Entomologi Indonesia*. Jakarta : 28 Agustus.
- Polson, K.A., Curtis, C., Seng, C.M., Olson, J.G., Chanta, N., Rawlins, S.C., 2002. The Use of Ovitrap Baited with Hay Infusion as a Surveillance Tool for *Aedes aegypti* Mosquitoes in Cambodia. *Dengue Bulletin* Vol 26: 178 – 184.
- Pratt, H.D., dan Jhonson, W.H., 1975. Sanitation in the control of Insect and Rodent of Public Health Impotence Education and Useful. *Public Health Service Sentre for Desease Control*, Atlanta.

- Promprou S, Jaroensutasinee M, Jaroensutasinee K., 2005: Climatic factors affecting dengue haemorrhagic fever incidence in Southern Thailand. *Dengue Bulletin*, 29:41-48.
- Purnama SG, Baskoro T. Maya index dan kepadatan larva *Aedes aegypti* terhadap infeksi dengue. *Makara Kesehatan Desember 2012*;16(2):57-64.
- Puskesmas Puuwatu., 2016. *Data Kasus penyakit Demam Berdarah Dengue*.
- Respati, 2007. *Penginderaan Jauh dan Sistem Informasi geografis untuk menentukan tingkat Kerentanan Wilayah Terhadap Perkembangan Nyamuk*. Yogyakarta.
- Rios-Velasquez, C.M., Codego, C.T., Hanorio, N.A., Sabroza, P.S., Moresco, M., Cuncha, I.C.L., 2007. Distribution of Dengue Vectors in Neighborhoods with Different Urbanization Types of Manaus, Brazil. *Mem Inst Oswaldo Cruz*. Vol 102 (5):617-623.
- Rozendaal JA., 1997. Vector Control. Methods for Use by Individual and Communities. Geneva: *World Health Organization*.p 7 – 177.
- Rueda, L. M., 2004. *Pictorial Keys for the Identification of Mosquitoes (Diptera : Culicidae) Associated With Dengue Virus Transmission*. Magnolia Press Auckland. New Zealand. 60 hal.
- Sambuaga J.V.I., 2011. Status Entomologi Vektor Demam Berdarah Dengue di Kelurahan Perkamil Kecamatan Tikala Kota Manado, *Jurusan Kesehatan Lingkungan Kemenkes Manado*. Manado.
- Sanchez, L., Vanlerberhe, V., Alfonso, L., Marqetti, M.C., Guzman, M.G., Bisset J., 2006. *Aedes aegypti* Larval Indices and Risk for Dengue Epidemics. *Emerging Infectious Diseases*. Vol 12 No. 5: 800-806.
- Santos, S.R.A., Melo-Santos, M.A.V., Regis, L., Albuquerque, C.M.R., 2003. Field Evaluation of Ovitrap with Grass Infusion and *Bacillus thuringiensis var israelensis* to Determine Oviposition Rate of *Aedes aegypti*. *Dengue Bulletin* Vol 27: 156 – 162.
- Sant'ana, A.L., Roque, R.A., Eiras, A.E., 2006. Characteristics of Grass Infusion as Oviposition Attractants to *Aedes (Stegomyia) (Diptera: Culicidae)*. *J Med Entomol* Vol 43: 214 – 220.
- Saragih S.H., 2013. Pengaruh Keadaan Iklim Terhadap Kejadian Demam Berdarah *Dengue* (DBD) di Kota Medan, *Universitas Sumatera Utara*. Sumatera Utara.

- Scott, T.W., dan Morrison, A.C., 2002. *Aedes aegypti* Density and The Risk of *Denvir*. Departement of Entomology, University of California.
- Scott, T.W., dan Morrison, A.C., 2003. *Aedes aegypti* Density and the Risk of Dengue Virus Transmission. Chapter 14 p.187-206. http://library.wur.nl/frontis/malaria/14_scott.pdf. diakses 20 November 2007.
- Service M.W., 1996. Medical Entomology for Students. London: *Chapman & Hall*. p 54-78.
- Silva, I.G., Silva, H.H.G., Lima, C.G., 2003. Ovipotitional Behavior of *Aedes aegypti* (Diptera, Culicidae) in different Strata and Biological Cycle. *Acta Biol Par, Curitiba*. 32:1-8.
- Sivanathan M.M., 2006. The Ecology and Biology of *Aedes aegypti* and *Aedes albopictus* (Skuse) (Diptera : Culicidae) and The Resistance Status of *Aedes albopictus* (Filed Strain) againts Organophosphates in Penang, Malaysia.
- Soedarmo S.S.P., 1998. *Demam Berdarah (Dengue) Pada Anak*. UI Press. Jakarta.
- Soeroso, T. dan Umar, I.A., 2002. Epidemiologi dan Penanggulangan Penyakit Demam Berdarah Dengue (DBD) di Indonesia Saat Ini. Dikutip dari Demam Berdarah Dengue. Naskah Lengkap Pelatihan bagi Dokter Spesialis Anak dan Dokter Spesialis Penyakit Dalam, dalam Tatalaksana Kasus DBD. Penyunting: Sri Rejeki H Hadinegoro dan Hindra Irawan Satari. Jakarta: *Balai Penerbit FKUI*. hal 1 – 32.
- Supartha I.W., 2008. *Pengendalian Terpadu Vektor Virus Demam Berdarah Dengue, Aedes aegypti (Linn) dan Aedes albopictus (Skuse) Diptera : Culicidae*. Senior Entomologist. Guru Besar Fakultas Pertanian Universitas Udayana. Denpasar.
- Suwarja, 2007. *Kondisi Sanitasi Lingkungan Dan Vektor Dengue Demam Berdarah Pada Kasus Penyakit DBD Di Kecamatan Tikala Kota Manado*. Tesis. Ilmu Kesehatan Masyarakat UGM Yogyakarta.
- Suwasono, H., dan Yuniarti, R.A., 2004. Pengamatan entomologi daerah endemis dan non endemis DBD di Kabupaten Grobongan Jawa Tengah. *Jurnal Kedokteran Yarsi*, Jakarta.
- Tabachnick WJ., 2010: Challenges in predicting climate and environmental effects on vector-borne disease epistystems in a changing world. *J Exp Biol*, 213(6):946-954.

- Teng, T.B., 2001. New Initiatives in Dengue Control in Singapore. *Dengue Bulletin* Vol 25:1–6.
- Thavara, U., Tawatsin, A., Chomposri, J., 2004. Evaluation of Attractants and Egg-lying Substrate Preference for Oviposition by *Aedes albopictus* (Diptera: Culicidae). *Journal of Vector Ecology* 29 (1): 66 – 72). Dengue. Panduan Lengkap. Alih bahasa: Palupi Widyastuti. Editor Bahasa Indonesia: Salmiyatun. Cetakan I. Jakarta: Penerbit Buku Kedokteran EGC. hal 58 – 77.
- Thammapalo S, Chongsuwiatwong V, McNeil D, Geater A., 2005: The climatic factors influencing the occurrence of dengue hemorrhagic fever in Thailand. *Southeast Asian J Trop Med Public Health*, 36(1):191-196.
- Vezzanni, D., & Carbajo, A.E., 2008. *Aedes aegypti, Aedes albopictus and dengue in Argentina* : Current Knowledge and Future Directions. Mem Inst Oswaldo Cruz, Rio de Janeiro.103 (1): 66-74.
- WHO, 2001. *Prevention and Control Of Dengue and Dengue Hemorrhagic Fever, Comprehensif Guidelines*, diterjemhkan oleh Palupi W, Penerbit EGC, Jakarta.
- Wongkoon, M., Jaroensutasinee, K., Jaroensutasinee, W., Preechaporn, dan Chumkiew S., 2007. *Larval Occurrence and Climatic Factors Affecting DHF Incidence in Samui Islands, Thailand*. World Acad. of Sci., Eng. and Tech. 33.