



## DAFTAR PUSTAKA

- AACI Dietary Fiber Definition Committee. (2001). The Definition of Dietary Fiber. *Cereal Food World*, 46(3), halaman 112-126.
- Aardal, E. dan Holm, A-C. (1995). Cortisol in Saliva — Reference Ranges and Relation to Cortisol in Serum. *Eur J Clin Chem Clin Biochem*, 33, 927-932.
- Al-Asmakh, M., Anuar, F., Zadjali, F., Rafter, J., dan Petterson, S. (2012). Gut Microbial Communities Modulating Brain Development and Function. *Gut Microbes*, 3(4), 366-373.
- Al-Kholy, E. A., Mahmoud, M. A., EL Nomany, F. A., dan EL Zamarany, E. A. (2014). The Relationship between Salivary Levels of Cortisol, Chromogranin A (CgA) and Xerostomia in Post-menopausal Women. *Tanta Dent J*, 11, 161-168.
- Amirkhan, J. H. (2012). Stress Overload: A New Approach to the Assessment of Stress. *Am J Community Psychol*, 49, 55-71.
- Anderson, D. A., Shapiro, J. R., Lundgren, J. D., Spataro, L. E., dan Frye, C. A. (2002). Self-Reported Dietary Restraint Is Associated with Elevated Levels of Salivary Cortisol. *Appetite*, 38, 13-17.
- Andrew, R., Phillips, D. I. W., dan Walker, B. R. (1998). Obesity and Gender Influence Cortisol Secretion and Metabolism in Man. *J Clin Endocrinol Metab*, 83(5), 1806-1809.
- Australian Psychological Society. (2012). *Understanding and Managing Stress*. Diunduh dari: <http://www.psychology.org.au/> (Diakses: 13 Maret 2017).
- Bae, Y-J., Gaudi, A., Jaeger, S., Stadelmann, S., Hiemisch, A., Kiess, W., Willenberg, A., Schaab, M., von Klitzing, K., Thiery, J., Ceglarek, U., Dönhert, M., dan Kratzsch, J. (2015). Immunoassay or LC-MS/MS for the Measurement of Salivary Cortisol in Children? *Clin Chem Lab Med*, 54(5), 811-822.
- Bastard, J., Maachi, M., Lagathu, C., Kim, M.-J, Caron, M., Vidal, H., Capeau, J., dan Feve, B. (2006). Recent Advances in the Relationship Between Obesity, Inflammation, and Insulin Resistance. *Eur Cytokine Netw*, 17(1), 4-12.
- Bernhardt, A. A. (2007). *Saliva Cortisol Profiles in Field Research: Internal Structure, Confounding Factors, Quantification, and Stability*. Desertasi, Universität Mannheim.
- Bienenstock, J., Kunze, W., dan Forsythe, P. (2015). Microbiota and the Gut–Brain Axis. *Nutr Rev*, 73(S1), 28–31.
- Birkett, A. M. dan Cho, S. S. (2013). Cereal Fiber and Health: Current Knowledge. *Cereal Food World*, 58(6), 309-313.



- Blaut, M. dan Klaus, S. (2012). Intestinal Microbiota and Obesity. Dalam Joost, H.-G. editor. *Handbook of Experimental Pharmacology: Appetite Control*, 209. Heidelberg: Springer.
- Bornstein, S. R., Uhlmann, K., Haidan, A., Ehrhart-Bornstein, M., dan Scherbaum, W. A. (1997). Evidence for a Novel Peripheral Action of Leptin as a Metabolic Signal to the Adrenal Gland: Leptin Inhibits Cortisol Release Directly. *Diabetes*, 46, 1235-1238.
- Bose, M., Oliván, B., dan Laferrère, B. (2009). Stress and Obesity: the Role of the Hypothalamic–Pituitary–Adrenal Axis in Metabolic Disease. *Curr Opin Endocrinol Diabetes Obes*, 16(5), 340-346.
- Bourassa, M. W., Alim, I., Bultman, S. J., dan Ratan R. R. (2016). Butyrate, Neuroepigenetics and the Gut Microbiome: Can a High Fiber Diet Improve Brain Health? *Neurosci Lett*, 625, 56-63.
- Browning, L. M., Hsieh, S. D., dan Ashwell, M. (2010). A Systematic Review of Waist-To-Height Ratio as A Screening Tool for the Prediction of Cardiovascular Disease and Diabetes: 0,5 Could be A Suitable Global Boundary Value. *Nutr Res Rev*, 23, 247-269.
- Carskadon, M. A., Wolfson, A. R., Acebo, C., Tzischinsky, O., dan Seifer, R. (1998). Adolescent Sleep Patterns, Circadian Timing, and Sleepiness at a Transition to Early School Days. *Sleep*, 21(8), 871-881.
- CDC. (2000). 2000 CDC Growth Charts for the United States: Methods and Development. *Vital Health Stat*, 11(246).
- Chakraborti, C. K. (2015). New-found Link Between Microbiota and Obesity. *World J Gastrointest Pathophysiol*, 6(4), 110-119.
- Cole, T. J., Bellizzi, M. C., Flegal, K. M. dan Dietz, W. H. (2000). Establishing A Standard Definition for Child Overweight and Obesity Worldwide: International Survey. *BMJ*, 320, 1-6.
- Dabelea, D. (2007). The Predisposition to Obesity and Diabetes in Offspring of Diabetic Mothers. *Diabetes Care*, 30(Suppl2), 169-174.
- Departemen Kesehatan, R. I. (2010). *Laporan Riset Kesehatan Dasar (Riskesdas) Nasional tahun 2010*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Depkes RI.
- \_\_\_\_\_. (2013). *Angka Kecukupan Gizi*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Depkes RI.
- \_\_\_\_\_. (2014). *Laporan Riset Kesehatan Dasar (Riskesdas) Nasional tahun 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Depkes RI.



- \_\_\_\_\_. (2015). *Studi Diet Total : Potret Pola Makan Penduduk Indonesia Saat Ini*. Diunduh dari: <http://www.depkes.go.id/> (Diakses: 5 Oktober 2015).
- DiBaise, J. K., Frank, D. N., dan Mathur, R. (2012). Impact of the Gut Microbiota on the Development of Obesity: Current Concepts. *Am J Gastroenterol*, 1, 22-27.
- Dockray, S., Susman, E. J., dan Dorn, L. D. (2009). Depression, Cortisol Reactivity and Obesity in Childhood and Adolescence. *J Adolescent Health*, 45(4), 344-350.
- Ebbeling, C. B., Sinclair, K. B., Pereira, M. A., Garcia-Lago, E., Feldman, H. A., dan Ludwig, D. S. (2004). Compensation for energy intake from fast food among overweight and lean adolescents. *JAMA*, 291(23), 2828–2833.
- El Aidy, S., Dinan, T. G., dan Cryan, J. F. (2015). Gut Microbiota: The Conductor in the Orchestra of Immune–Neuroendocrine Communication. *Clin Ther*, 37(5), 954-967.
- El-morsi Hassan, N., Zaki, S. T., Gabr, A., dan El gindi, H. (2010). Diet Quality in Egyptian Obese Children and Adolescents. *J Am Sci*, 6(11), 552-558.
- Faresjö, Å., Jullander, M., Götmalm, S., dan Theodorsson, E. (2014). Higher Perceived Stress and Poorer Health Reflected in Elevated Cortisol Concentrations Measured in Extracts of Hair from Middle-Aged Healthy Women. *BMC Psychol*, 2(30).
- Fernandes, J., Su, W., Rahat-Rozenbloom, S., Wolever, T. M. S., dan Cornelli, E. M. (2014). Adiposity, Gut Microbiota and Faecal Short Chain Fatty Acids Are Linked in Adult Humans. *Nutr Diabetes*, 4. Diunduh dari: <http://dx.doi/10.1038/nutd.2014.23> (Diakses : 27 Desember 2016).
- Freedman, D. S., Khan, L. K., Serdula, M. K., Ogden, C. L., dan Dietz, W. H. (2006). Racial and ethnic differences in secular trends for childhood BMI, weight, and height. *Obesity (Silver Spring)*, 14, 301-308.
- Fries, E., Hesse, J., Hellhammer, J., dan Hellhammer, D. H. (2005). A New View on Hypocortisolism. *Psychoneuroendocrinology*, 30(10), 1010-1016.
- Ghaisas, S., Maher, J., dan Kanthasamy, A. (2016). Gut Microbiome in Health and Disease: Linking The Microbiome–Gut–Brain Axis and Environmental Factors in the Pathogenesis of Systemic and Neurodegenerative Diseases. *Pharmacol Therapeut*, 158, 52-62.
- Gibson, G. R. (2004). Fibre and Effects on Probiotics (the Prebiotic Concept). *Clin Nutr, Supplement*, 1, 25–31.



- Güngör, N. K. (2014). Overweight and Obesity in Children and Adolescents. *J Clin Res Pediatr Endocrinol*, 6(3), 129-143.
- Gunnar, M.R. dan Vazquez, D.M. (2001). Low Cortisol and A Flattening of Expected Daytime Rhythm: Potential Indices of Risk in Human Development. *Dev Psychopathol*, 13(3), 515-538.
- Hardy, H., Harris, J., Lyon, E., Beal, J., dan Foey, A. D. (2013). Probiotics, Prebiotics and Immunomodulation of Gut Mucosal Defences: Homeostasis and Immunopathology. *Nutrients*, 5, 1869-1912.
- Hassan-Wassef, H. (2004). Food Habits of the Egyptians: Newly Emerging Trends. *Eastern Mediterr Health J*, 10(6), 898-915.
- Hedley, A. A., Ogden, C. L., Johnson, C.L., Carroll, M. D., Curtin, L. R., dan Flegal, K. M. (2004). Prevalence of Overweight and Obesity Among US Children, Adolescents, and Adults, 1999-2002. *JAMA*, 291, 2847-2850.
- Hucklebridge, F., Clow, A., Rahman, H., dan Evans, P. (2000). The Cortisol Response to Normal and Nocturnal Awakening, *J Psychophysiol*, 14, 24-28.
- Husniati, F. (2016). *Hubungan Pengetahuan Serat dan Asupan Serat dengan Status Obesitas pada Remaja di SMA Nasima Semarang*. Skripsi, Universitas Muhammadiyah Surakarta.
- Inder, W. J., Dimeski, G., dan Russell, A. (2012). Measurement of Salivary Cortisol in 2012 – Laboratory Techniques and Clinical Indications. *Clin Endocrinol*, 77, 645-651.
- Indraswari, N. (2012). *Hubungan Asupan Serat dan Antioksidan Dengan Kejadian Sindrom Metabolik*. Skripsi, Universitas Gadjah Mada.
- Institute of Medicine. (2005). *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients)*. United States of America: National Academy of Sciences.
- Jefferies, W. M., Turner, J. C., Lobo M., dan Gwaltney J. M. (1998). Low Plasma Levels of Adrenocorticotrophic Hormone in Patients with Acute Influenza. *CID*, 26, 708-710.
- Jessop, D. S., Dallman, M. F., Fleming, D., dan Lightman, S. L. (2001). Resistance to Glucocorticoid Feedback in Obesity. *J Clin Endocrinol Metab*, 86(9), 4109–4114.
- Juster, R. P., McEwen, B. S., dan Lupien, S. J. (2010). Allostatic Load Biomarkers of Chronic Stress and Impact on Health and Cognition. *Neurosci Biobehav Rev*, 35(1), 2-16.
- Kalra, G., De Sousa, A., Sonavane, S., dan Shah, N. (2012). Psychological Issues in Pediatric Obesity. *Ind Psychiatry J*, 21(1), 11-17.



- Khan, N. A., Raine, L. B., Drollette, E. S., Scudder, M. S., Kramer, A. F., dan Hillman, C. H. (2015). Dietary Fiber Is Positively Associated with Cognitive Control among Prepubertal Children. *J Nutr*, 145, 143-149.
- Kirschbaum, C., Bono, E. G., Rohleder, N., Gessner, C., Pirke, K. M., Salvador, A., dan Hellhammer. D. H. (1997). Effects of Fasting and Glucose Load on Free Cortisol Responses to Stress and Nicotine. *J Clin Endocrinol Metab*, 82(4), 1101–1105.
- Kjölhede, E. A., Gustafsson, P. E., Gustafsson, P. A., dan Nelson, N. (2014). Overweight and Obese Children Have Lower Cortisol Levels Than Normal Weight Children. *Acta Paediatr*, 103(3), 295-299.
- Knutsson, U., Dahlgren, J., Marcus, C., Rosberg, S., Brönnegård, M., Stierna, P., dan Albertsson-Wikland, K. (1997). Circadian Cortisol Rhythms in Healthy Boys and Girls: Relationship with Age, Growth, Body Composition, and Pubertal Development. *J Clin Endocrinol Metab*, 82(2), 536-540.
- Koester-Weber, T., Valtueña, J., Breidenassel, C., Beghin, L., Plada, M., Moreno, S., Huybrechts, I., Palacios, G., Gómez-Martínez, S., Albers, U., de Henauw, S., Maiani, G., Kafatos, A., Molnar, D., Sjöstrom, M., Widhalm, K., Manios, Y., Moreno, L. A., Marcos, A., Castillo, M. J., Stehle, P., dan Gonzalez-Gross, M. (2014). Reference Values for Leptin, Cortisol, Insulin and Glucose, among European Adolescents and Their Association with Adiposity: The HELENA Study. *Nutrición Hospitalaria*, 30(5), 1181-1190.
- Konduru, L. (2011). *Biomarkers of Chronic Stress*. Tesis, University of Pittsburgh.
- Kudielka, B. M., Hellhammer, D. H., dan Wüst, S. (2009). Why Do We Respond So Differently? Reviewing Determinants of Human Salivary Cortisol Responses to Challenge. *Psychoneuroendocrinology*, 34, 2-18.
- Kusharto, C. M. (2006). Serat Makanan dan Peranannya Bagi Kesehatan. *Jurnal Gizi dan Pangan*, 1(2), 45-54.
- Lattimer, J. M. dan Haub, M. D. (2010). Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*, 2, 1266-1289.
- Lovallo, W. R., Farag, N. H., Vincent, A. S., Thomas, T. L., dan Wilson, M. F. (2006). Cortisol Responses to Mental Stress, Exercise, and Meals Following Caffeine Intake in Men and Women. *Pharmacol Biochem Behav*, 83(3), 441-447.
- Lu, Xin-Yun. (2007). The Leptin Hypothesis of Depression: A Potential Link between Mood Disorders and Obesity? *Curr Opin Pharmacol*, 7(6), 648-652.
- Lucassen, E. A. dan Cizza, G. (2012). The Hypothalamic-Pituitary-Adrenal Axis, Obesity, and Chronic Stress Exposure: Sleep and the HPA Axis in Obesity. *Curr Obes Rep*, 1(4), 208-215.



- Lupien, S. J. (2013). *How To Measure Stress In Humans*. Quebec: Centre for Studies on Human Stress Fernand Seguin Research Centre of Louis-H. Lafontaine Hospital. Diunduh dari : <http://www.stresshuman.ca/> (Diakses : 1 November 2015).
- Luppino, F. S., de Wit, L. M., Bouvy, P. F., Stijnen, T., Cuijper, P., Penninx, B. W. J. H., dan Zitman, F. G. (2010). Overweight, Obesity, and Depression: A Systematic Review and Meta-analysis of Longitudinal Studies. *Arch Gen Psychiatry*, 67(3), 220-229.
- MacFabe, D. F. (2012). Short-Chain Fatty Acid Fermentation Products of The Gut Microbiome: Implications in Autism Spectrum Disorders. *Microb Ecol Health Dis*, 23. Diunduh dari: <http://dx.doi.org/10.3402/mehd.v23i0.19260> (Diakses: 20 Juni 2016).
- Madiyono, B., Sastroasmoro, S., Budiman, I, dan Purwanto, S. H. (2014). Perkiraan Besar Sampel. Dalam Sastroasmoro, S. dan Ismael, S., editor. *Dasar-Dasar Metodologi Penelitian Klinis*, edisi ke-5. Jakarta: Sagung Seto.
- McEwen, B. S. (2004). Protection and Damage from Acute and Chronic Stress: Allostasis and Allostatic Overload and Relevance to the Pathophysiology of Psychiatric Disorders. *Ann N Y Acad Sci*, 1032, 1–7.
- McOrist, A. L., Miller, R. B., Bird, A. R., Keogh, J. B., Noakes, M., Topping, D. L., dan Conlon, M. A. (2011). Fecal Butyrate Levels Vary Widely among Individuals but Are Usually Increased by a Diet High in Resistant Starch. *J Nutr*, 141, 883-889.
- Messaoudi, M., Lalonde, R., Violle, N., Javelot, H., Desor, D., Nejdj, A., Bisson, J-F., Rougeot, C., Pichelin, M., Cazaubiel, M., dan Cazaubiel, J-M. (2011). Assessment of Psychotropic-Like Properties of A Probiotic Formulation (*Lactobacillus helveticus* R0052 and *Bifidobacterium longum* R0175) in Rats and Human Subjects. *Br J Nutr*, 105, 755-764.
- Mitchell, R. W., On, N. H., Del Bigio, M. R., Miller, D. W., dan Hatch, G. M. (2011). Fatty Acid Transport Protein Expression in Human Brain and Potential Role in Fatty Acid Transport Across Human Brain Microvessel Endothelial Cells. *J Neurochem*, 117, 735–746.
- Miller, G. E., Chen, E., dan Zhou, E. S. (2007). If It Goes Up, Must It Come Down? Chronic Stress and the Hypothalamic-Pituitary-Adrenocortical Axis in Humans. *Psychol Bull*, 133(1), 25-45.
- Molyneaux, J. W. dan Rosner, L., P. (2004). *Changing Patterns of Indonesian Food Consumption and their Welfare Implications*. Jakarta: U.S. Agency for International Development.



- Moran, O. dan Phillip, M. (2003). Leptin: Obesity, Diabetes and Other Peripheral Effects: A Review. *Pediatr Diabetes*, 4(2), 101–109.
- Moreno, L. A. dan Rodriguez, G. (2007). Dietary Risk Factors for Development of Childhood Obesity. *Curr Opin Clin Nutr Metab Care*, 10, 336-341.
- Münzberg, H. Dan Myers, M. G. (2005). Molecular and Anatomical Determinants of Central Leptin Resistance. *Nature Neurosci*, 8(5), 566-570.
- Nanus, D. E., Filer, A. D., Hughes, B., Fisher, B. A., Taylor, P. C., Stewart, P. M., Buckley, C. D., McInnes, I., Cooper, M. S., dan Raza, K. (2014). TNF $\alpha$  Regulates Cortisol Metabolism In Vivo in Patients with Inflammatory Arthritis. *Ann Rheum Dis*, 74(2), 464-469.
- Neumark-Sztainer, D., Falkner, N., Story, M., Perry C., Hannan, P. J., dan Mulert, S. (2002). Weight-Teasing among Adolescents: Correlations with Weight Status and Disordered Eating Behaviors. *Int J Obes (Lond)*, 26, 123 – 131.
- Ong, K. K. dan Loos, R. J. (2006). Rapid Infancy Weight Gain and Subsequent Obesity: Systematic Reviews and Hopeful Suggestions. *Acta Paediatr*, 95, 904-908.
- Ötles, S. dan Ozgoz, S. (2014). Health Effects of Dietary Fiber. *Acta Sci Pol Technol Aliment*, 13(2), 191-202.
- Pagotto, U., Gambineri, A., Vicennati, V., Heiman, M. L., Tschöp, M., dan Pasquali, R. (2002). Plasma Ghrelin, Obesity, and the Polycystic Ovary Syndrome: Correlation with Insulin Resistance and Androgen Levels. *J Clin Endocrinol Metab*, 87(12), 5625–5629.
- Papathanasopoulos, A. dan Camilleri, M. (2010). Dietary Fiber Supplements: Effects in Obesity and Metabolic Syndrome and Relationship to Gastrointestinal Functions. *Gastroenterology*, 138(1), 65–72.e1-2.
- Parikh, S., Pollock, N. K., Bhagatwala, J., Guo, D.-H., Gutin, B., Zhu, H., dan Dong, Y. (2012). Adolescent Fiber Consumption Is Associated with Visceral Fat and Inflammatory Markers. *J Clin Endocrinol Metab*, 97(8), E1451–E1457.
- Pearce, M. J., Boergers, J., dan Prinstein, M. J. (2002). Adolescent Obesity, Overt and Relational Peer Victimization, and Romantic Relationships. *Obes Res*, 10(5), 386-393.
- Peebles, R. (2008). Adolescent Obesity: Etiology, Office Evaluation, and Treatment. *Adolesc Med*, 19.
- Perogamvros, I., Ray, D. W., dan Trainer, P. J. (2012). Regulation of Cortisol Bioavailability—Effects on Hormone Measurement and Action. *Nat Rev Endocrinol*, 8, 717-727.



- Pervanidou, P., Bastaki, D., Chouliaras, G., Papanikolaou, K., Laios, E., Kanaka-Gantenbein, C., dan Chrousos, G. P. (2013). Circadian Cortisol Profiles, Anxiety and Depressive Symptomatology, and Body Mass Index in a Clinical Population of Obese Children. *Stress*, 16(1), 34-43.
- Powell, N. D., Sloan, E. K., Bailey, M. T., Arevalo, J. M. G., Miller, G. E., Chen, E., Kobor, M. S., Reader, B. F., Sheridan, J. F., dan Cole, S. W. (2013). Social Stress Up-regulates Inflammatory Gene Expression in The Leukocyte Transcriptome via  $\beta$ -adrenergic Induction of Myelopoiesis. *PNAS*, 110(41), 16574-16579.
- Praveen, E. P., Sahoo, J. P., Kulshreshtha, B., Khurana, M. L., Gupta, N., Dwivedi, S. N., Kumar, G., dan Ammini, A. C. (2011). Morning Cortisol is Lower in Obese Individuals with Normal Glucose Tolerance. *Diabetes Metab Syndr Obes*, 4, 347-352.
- Putignano, P., Dubini, A., Toja, P., Invitti, C., Bonfanti, S., Redaelli, G., Zappulli, D., dan Cavagnini, F. (2001). Salivary Cortisol Measurement in Normal-Weight, Obese and Anorexic Women: Comparison with Plasma Cortisol. *Eur J Endocrinol*, 145, 165-171.
- Raff, H., Homar, P. J., dan Burns, E. A. (2002). Comparison of Two Methods for Measuring Salivary Cortisol. *Clin Chem*, 48(1), 207-208.
- Rahayuningtiyas, F. (2012). *Hubungan Antara Asupan Serat dan Faktor Lainnya dengan Status Gizi Lebih pada Siswa SMPN 115 Jakarta Selatan Tahun 2012*. Skripsi, Universitas Indonesia.
- Raj, M. dan Kumar, R. K. (2010). Obesity in Children & Adolescents. *Indian J Med Res*, 132, 598-607.
- Randall, M. (2010). The Physiology of Stress: Cortisol and the Hypothalamic-Pituitary-Adrenal Axis. *Dartmouth Undergrad J Sci, fall 2010*. Diunduh dari: <http://dujs.dartmouth.edu/fall-2010/> (Diakses pada : 1 November 2015).
- Rask, E., Olsson, T., Söderberg, S., Andrew, R., Livingstone, D. E., Johnson, O., dan Walker B. R. (2001). Tissue-Specific Dysregulation of Cortisol Metabolism in Human Obesity. *J Clin Endocrinol Metab*, 86(3), 1418-1421.
- Ritchie, J. (2009). *Combating Stress with a Balanced Nutritional Diet*. United Kingdom: Stress Management Society and Bodychef. Diunduh dari : <http://www.stress.org.uk/> (Diakses : 4 Oktober 2015).
- Russell-Mayhew, S., McVey, G., Bardick, A., dan Ireland, A. (2012). Mental Health, Wellness, and Childhood Overweight/Obesity. *J Obes*. Diunduh dari : <http://dx.doi.org/10.1155/2012/281801> (Diakses : 30 Juni 2016).
- Rutishauser, I. H. E. (2005). Dietary Intake Measurements. *Public Health Nutr*, 8(7A), 1100–1107.



- Sampson, T. R., dan Mazmanian, S. K. (2015). Control of Brain Development, Function, and Behavior by the Microbiome. *Cell Host Microbe*, 17(5), 565-576.
- Sapolsky, R.M. dan Plotsky, P. M. (1990). Hypercortisolism and Its Possible Neural Bases. *Biol Psychiatry*, 27(9), 937-52.
- Savignac, H. M., Corona, G., Mills, H., Chen, L., Spencer, J. P. E., Tzortzis, G., dan Burnet, P. W. J. (2013). Prebiotic Feeding Elevates Central Brain Derived Neurotrophic Factor, N-Methyl-D-Aspartate Receptor Subunits and D-Serine. *Neurochem Int*, 63(8), 756-764.
- Schmidt, K., Cowen, P. J., Harmer, C. J., Tzortzis, G., Errington, S., & Burnet, P. W. J. (2015). Prebiotic Intake Reduces The Waking Cortisol Response and Alters Emotional Bias in Healthy Volunteers. *Psychopharmacology*, 232, 1793–1801.
- Schwartz, A., Taras, D., Schäfer, K., Beijer, S., Bos, N. A., Donus, C., dan Hardt, P. D. (2009). Microbiota and SCFA in Lean and Overweight Healthy Subjects. *Obesity*, 18(1), 190–195.
- Sheline, Y. I. (2003). Neuroimaging Studies of Mood Disorder Effects on the Brain. *Biol Psychiatry*, 54, 338–352.
- Shelton, R. C. dan Miller, A. H. (2010). Eating Ourselves to Death and Despair: The Contribution of Adiposity and Inflammation to Depression. *Prog. Neurobiol*, 91(4), 275-299.
- Silverman, M. N. dan Sternberg, E. M. (2012). Glucocorticoid Regulation of Inflammation and Its Behavioral and Metabolic Correlates: from HPA Axis to Glucocorticoid Receptor Dysfunction. *Ann N Y Acad Sci*, 1261, 55–63.
- Slavin, J. L. (1987). Dietary Fiber: Classification, Chemical, Analyses, and Food Sources. *J Am Diet Assoc*, 87(9), 1164-1171.
- \_\_\_\_\_. (2013). Fiber and Prebiotics: Mechanisms and Health Benefits. *Nutrients*, 5, 1417-1435.
- Stilling, R. M., Bordenstein, S. R., Dinan, T. G., dan Cryan, J. F. (2014). Friends with Social Benefits: Host-Microbe Interactions as A Driver of Brain Evolution and Development? *Front Cell Infect Microbiol*, 4. Diunduh dari : <http://dx.doi/10.3389/fcimb.2014.00147> (Diakses : 20 Juni 2016).
- Sperlich, B., Achtzehn, S., Buhr, M., Zinner, C., Zelle, S., dan Holmberg, H-C. (2011). Salivary Cortisol, Heart Rate, and Blood Lactate Responses During Elite Downhill Mountain Bike Racing. *Int J Sports Physiol Perform*, 7, 47-52.
- Stomby, A., Andrew, R., Walker, B. R., dan Olsson, T. (2014). Tissue-specific Dysregulation of Cortisol Regeneration by 11 $\beta$ HSD1 in Obesity: Has It Promised Too Much? *Diabetologia*, 57, 1100-1110.



- Strain, G. W., Zumoff, B., Stain, J. J., Levin, J., dan Fukushima, D. K. (1980). Cortisol Production in Obesity. *Metabolism*, 29, 980.
- Sudo, N., Chida, Y., Aiba, Y., Sonoda, J., Oyama, N., Yu, X. N., Kubo, C., & Koga, Y. (2004). Postnatal Microbial Colonization Programs The Hypothalamic-Pituitary-Adrenal System for Stress Response in Mice. *J Physiol*, 558(1), 263-275.
- Sutriani, A. dan Ngadiarti, I. (2013). Hubungan Antara Asupan Energi, Protein, Lemak, Karbohidrat, Serat dengan Kejadian Gizi Lebih Pada Anak Remaja Usia 13-18 Tahun di Pulau Jawa (Analisis Data Sekunder Riskesdas 2010). *Nutrive Diaita*, 5(2), 68-80.
- Sweeting, H., Wright, C., dan Minnis, H. (2005). Psychosocial Correlates of Adolescent Obesity, 'Slimming Down' and 'Becoming Obese'. *J Adolesc Health*, 37, 409.e9–409.e17.
- Tang, Y., Liu, Y., Xu, L., Jia, Y., Shan, D., Li, W., Pan, X., Kang, D., Huang, C., Li, X., Zhang, J., Hu, Y., Konglin, L., dan Zhuang, J. (2015). Validity and Reproducibility of a Revised Semiquantitative Food Frequency Questionnaire (SQFFQ) for Women of Age-group 12-44 Years in Chengdu. *J Health Popul Nutr*, 33(1), 50-59.
- Visser, M., Bouter, L. M., McQuillan, M., Wener, M. H., dan Harris, T. B. (2001). Low-Grade Systemic Inflammation in Overweight Children. *Pediatrics*, 107(1).
- Vukelic, S., Stojadinovic, O., Pastar, I., Rabach, M., Krzyzanowska, A., Lebrun, E., Davis, S. C., Resnik, S., Brem, H., dan Tomic-Canic, M. (2011). Cortisol Synthesis in Epidermis is Induced by IL-1 and Tissue Injury. *J Biol Chem*, 286(12), 10265–10275.
- Wahbeh, H., Kishiyama, S. S., Zajdel, D., dan Oken, B. S. (2008). Salivary Cortisol Awakening Response in Mild Alzheimer Disease, Caregivers, and Noncaregivers. *Alzheimer Dis Assoc Disord*, 22(2), 181-183.
- Walker, B. R. (2006). Cortisol—Cause and Cure for Metabolic Syndrome? *Diabet Med*, 23, 1281–1288.
- Walker, B. R. dan Seckl, J. R. (2001). Cortisol Metabolism. Dalam Björntorp, P., editor. *International Textbook of Obesity*. Chichester: John Wiley & Sons, Ltd.
- Wärnberg, J., Moreno, L. A., Mesana, M. I., Marcor, A., dan AVENA group. (2004). Inflammatory Mediators in Overweight and Obese Spanish Adolescents: The AVENA Study. *Int J Obes*, 28, 559-563.
- WHO. (1995). Physical Status: the Use and Interpretation of Anthropometry: Report of a WHO Expert Committee. *Geneva WHO Technical Report Series*, 854.



- \_\_\_\_\_. (2007). WHO Reference: BMI-for-Age (5-19 Years). Dikutip dari : [http://www.who.int/growthref/who2007\\_bmi\\_for\\_age/en/](http://www.who.int/growthref/who2007_bmi_for_age/en/) (Diakses : 27 Agustus 2016)
- WHO/IOTF. (2000). The Asia Pasific Perspective Redefining Obesity and Its Treatment. *Melbourne Helath Communication Australia*.
- Willis, H. J. & Slavin, J. L. (2014). Dietary Fiber. Dalam Ross, A. C., Caballero, B., Cousins, R. J., Tucker, K. L., dan Ziegler, T. R., editor. *Modern Nutrition in Health and Disease*, edisi ke-11. Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer business.
- Wood, P. (2009). Salivary Steroid Assays – Research or Routine? *Ann Clin Biochem*, 46, 183–196.
- Wrieden, W., Peace, H., Armstrong, J., dan Barton, K. (2003). A Short Review of Dietary Assessment Methods Used in National and Scottish Research Studies. *Briefing Paper Prepared for: Working Group on Monitoring Scottish Dietary Targets Workshop*, Edinburg, Skotlandia.
- Wu, D-M., Chu, N-F., Shen, M-H., dan Chang J-B. (2003). Plasma C - reactive protein Levels and Their Relationship to Anthropometric and Lipid Characteristics among Children. *J Clin Epidemiol*, 56, 94-100.
- Wüst, S., van Rossum, E. F. C., Federenko, I. S., Koper, J. W., Kumsta, R., dan Hellhammer, D. H. (2004). Common Polymorphisms in the Glucocorticoid Receptor Gene Are Associated with Adrenocortical Responses to Psychosocial Stress. *J Clin Endocrinol Metab*, 89(2), 565–573.
- Yonekura, T., Takeda, K., Shetty, V., dan Yamaguchi, M. (2014). Relationship Between Salivary Cortisol and Depression in Adolescent Survivors of A Major Natural Disaster. *J Physiol Sci*, 64, 261–267.
- Young-Hyman, D., Tanofsky-Kraff, M., Yanovski, S. Z., Keil, M., Cohen, M. L., Peyrot, M., dan Yanovski, J. A. (2006). Psychological Status and Weight-Related Distress in Overweight or At-Risk-for-Overweight Children. *Obesity (Silver Spring)*, 14(12), 2249–2258.
- Yang, J., Keshavarzian, A., dan Rose, D. J. (2013). Impact of Dietary Fiber Fermentation from Cereal Grains on Metabolite Production by the Fecal Microbiota from Normal Weight and Obese Individuals. *J Med Food*, 16(9), 862–867.