UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA DERAJAT KEPARAHAN BROMHIDROSIS DENGAN KUALITAS HIDUP PENDERITA MENURUT STANDAR DLQI
YASMINA NEERA ANNISA, dr. Devi Artami Susetiati, M.Sc, Sp.KK; Dr. dr. Denny Agustiningsih, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akhtar-Danesh, N., Landeen, J., 2007. Relation between Depression and Sociodemographic Factors. *International Journal of Mental Health Systems*; 1(1): 4.

Barzantny, H., Brune, I., Tauch, A., 2012. Molecular Basis of Human Body Odour Formation: Insights Deduced from Corynebcaterial Genome Sequences. *International Journal of Cosmetic Science*; 34(1): 2-11.

Benjamin, B., 2013. *Development of The Skin Community Interaction (SCIN) Simulation to Examine Skin Odour Formation*. Faculteit Bio-ingenieurswetenschappen. Universiteit Gent, Ghent.

Benson, R.A., Palin, R., Holt, P.J.E., Loftus, I.M., 2013. Diagnosis and Management of Hyperhidrosis. *British Medical Journal*; 347: 28-31.

Brown, I., Friefeld, S., Schiller, C., 1993. *QOL Concept The Quality of Life Model*. Centre For Health Promotion, University of Toronto, Toronto.

Callewaert, C., Kerckhof, F.M., Granitsiotis, M.S., Van Gele, M., Wiele, T.V., Boon, N., 2013. Characterization of Staphylococcus and Corynebacterium Cluster in the Human Axillary Region. *Plos One*; 8: 1-8.

Center for Disease Control and Prevention, 2000. *Measuring Healthy Days*. CDC, Atlanta.

Chen, Y.E., Tsao, H., 2013. The Skin Microbiome: Current Perspectives and Future Challenges. *Journal of American Academy Dermatology*; 69: 143.

Coulson, I., 2010. Disorders of Sweat Glands. Dalam : Burns, T., Breathnach, S., Cox, N., Griffiths, C., *Rook's Textbook of Dermatology. 8th edition;* 44:1-22. Chichester, West Sussex, UK: Hoboken, NJ: Wiley-Blackwell.

Danukusumo, I.J.,2015. Bromhidrosis: Biological Pathogenesis and Management. Dalam: *Bromhidrosis*; 41-53. Bagian/KSM IK Kulit dan Kelamin FK UNS/ RSUD dr. Moewardi, Surakarta.

Egbuobi, R.C., Ojiegbe, G.C., Dike-ndudim, J.N., Enwuru, P.C., 2013. Antibacterial Activities of Different Brands of Deodorants Marketed in Owerri, Imo State Nigeria. *African Journal of Clinical Experimental Microbiology*; 14: 14-18.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA DERAJAT KEPARAHAN BROMHIDROSIS DENGAN KUALITAS HIDUP PENDERITA MENURUT STANDAR DLQI
YASMINA NEERA ANNISA, dr. Devi Artami Susetiati, M.Sc, Sp.KK; Dr. dr. Denny Agustiningsih, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Finlay, A.Y., Basra, M.K.A., Piguet, V., Salek, M.S.,2012. The DLQI: A Paradigm Shift to Patient-Centered Outcomes. *Journal of Investigative Dermatology*; 132: 2464-5.

Finlay, A.Y., Khan, G.K., 1994. Dermatology Life Quality Index (DLQI) – A Simple Practical Measure for Routine Clinical Use. *Clinical Experimental Dermatology*; 19: 210-6.

Grice, E.A., Kong, H.H., Conlan, S., Deming, C.B., Davis, J., Young, A.C., Bouffard, G.G., Blakesley, R.W., Murray, P.R., Green, E.D., Turner, M.L., Segre, J.A., Progra, N.C.S., 2009. Topographical and Temporal Diversity of the Human Skin Microbiome. *Science*; 324: 1190-1192.

Havlicek, J., Lenochova, P., 2006. The effect of meat consumption on body odor attractiveness. *Chemical of Senses*; 31:747-52.

He, J., Wang, T., Dong, J., 2012. A Close Positive Correlation between Malodor and Sweating as A Marker for the Treatment of Axillary Bromhidrosis with Botulinum Toxin A. *Journal of Dermatological Treatment*; 23: 461-464.

Harlow, D., Poyner, T., Finlay, A.Y., Dykes, P.J., 2000. Impaired Quality of Life of Adults with Skin Disease in Primary Care. *British Journal of Dermatology*; 143: 979-982.

Hurley, H., 1989. Axillary Hyperhidrosis, Apocrine Bromhidrosis, Hidradenitis Suppurativa, and Familial Benign Pemphigus: A Surgical Approach. In: Roenigk, R.K., Roenigk, H.H., *eds. Dermatology Surgery: Principles and Practice;* 717-43. New York: Dekker.

Joseph, G.A., Rao, P.S., 1999. Impact of Leprosy on The Quality of Life. *Bulletin of The World Health Organization*; 77(6): 515-7.

Kaplan, H.I., Sadock, B.J., Grebb, J.A., 2010. *Sinopsis Psikiatri: Ilmu Pengetahuan Perilaku Psikiatri Klinis 7th edition,* pp:17-27, 791-203. Binarupa Aksara: Tangerang.

Leyden, J.J., McGinley, K.J., Holzle, E., Labows, J.N., Kligman, A.M., 1981. The Microbiology of Human Axilla and Its Relationship to Axillary Odor. *Journal of Investigative Dermatology;* 77: 413-416.

Lin, T.S., Fang, H.Y., 1999. Transthoracic Endoscopic Sympathectomy in the Treatment of Palmar Hyperhidrosis – with Emphasis on Perioperative Management. *Surgical Neurology;* 52: 453-457.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA DERAJAT KEPARAHAN BROMHIDROSIS DENGAN KUALITAS HIDUP PENDERITA MENURUT STANDAR DLQI
YASMINA NEERA ANNISA, dr. Devi Artami Susetiati, M.Sc, Sp.KK; Dr. dr. Denny Agustiningsih, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Lonsdale-Eccles, A., Leonard, N., Lawrence, C., 2003. Axillary Hyperhydrosis: Eccrine or apocrine?. *Clinical Experimental Dermatology*; 28: 2-7.

Mao, G.Y., Yang, S.L., Zheng, J.H., 2008. Etiology and Management of Axillary Bromhidrosis. *International Journal Dermatology*; 47:1063-8.

Mochtar, M., 2013. Pengobatan Bromhidrosis Aksilaris dengan Sedot Lemak Tumescent. *Cermin Dunia Kedokteran*; 40(6):464-6.

Murti, B., 1997. Kualitas Hidup, Isu Konseptual dan Pengukuran. *Medika*; XXIII: 473-476.

Myriam, T., 2009. The Biosynthetic Pathway of Sulfur-Containing Molecules in Human Axillary Malodor: from Precursors to Odorous Volatiles. University of Geneva, Geneva.

Natsch, A., Gfeller, H., Gygax, P., 2003. A Spesific Bacterial Aminoacylase Cleaves Odorant Precursors Secreted in the Human Axilla. *Journal of Biological Chemistry*; 278:5718-27.

Noel, F., Franchimont, C.P., Pierard, G.E., Quatresooz, P., 2012. Sweaty Skin, Background and Assessments. *International Journal of Dermatology*; 51: 647-655.

Park, Y.J., Shin, M.S., 2001. What is The Best Method for Treating Osmidrosis? *Annals of Plastic Surgery*, 26:392-6.

Perera, E., Sinclair, R., 2013. Hyperhidrosis and Bromhidrosis. *Australian Family Physician;* 42: 266-269.

Pinto,M., Hundi, G.K., Bhat, R.M., Bala, N.K., Dandekeri, S., Martis, J., Kambil, S.M., 2016. Clinical and Epidemiological Features of Coryneform Skin Infections at A Tertiary Hospital. *Indian Dermatology Online Journal;* 7:168-173.

Rehmus, W., 2015. Bromhidrosis. Diakses dari http://emedicine.medscape.com/article/1072342 pada 19 Agustus 2016.

Renwick, R., Brown, I., Negler, M., 1996. Quality of Life in Health Promotion and Rehabilitation. *Health Promotion International,* vol. 14 (3): 197-210.

Revicki, D.A., 1989. Health-related Quality of Life in the Evaluation of Medical Therapy for Chronic Illness. *Journal of Family Practice*; 29: 377-392.

Schipper, H., 1999. Quality of Life: Principles of The Clinical Paradigm. *Journal of Psychology and Oncology*; 23, 8: 171-185.

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA DERAJAT KEPARAHAN BROMHIDROSIS DENGAN KUALITAS HIDUP PENDERITA MENURUT STANDAR DLQI
YASMINA NEERA ANNISA, dr. Devi Artami Susetiati, M.Sc, Sp.KK; Dr. dr. Denny Agustiningsih, M.Kes
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Semkova, K., Gergovska, M., Kazandjieva, J., Tsankov, N., 2015. Hyperhidrosis, Bromhidrosis, and Chromhidrosis: Fold (Intertriginous) Dermatoses. *Clinics in Dermatology;* 33: 483-491.

Siegrist, J., Junge, A., 1989. Coceptual and Methodological Problems in Quality of Life in Clinical Medicine. *Social Science and Medicine*; 29, 3: 463-473.

Smits, J., Senti, B., Herbst, N., 2012. usNeo^{TM}: A Naturally Effective Deodorant and Antibacterial Active. *Cosmetic Science Technology:* 1-8.

Strutton, D.R., Kowalski, J.W., Glaser, D.A., Stang, P.E.,2004. US Prevalence of Hyperhidrosis and Impact on Individuals with Axillary Hyperhidrosis: Result from National Survey. *Journal of the American Academy of Dermatology;* 51: 241-248.

Taylor, D., Daulby, A., Grimshaw, G., Mercer, J., Yaziri, S., 2003. Characterization of The Microflora of The Human Axilla. *International Journal of Cosmetic Science*; 25: 137-145.

Testa, M.A., Simonson, D.C., 1996. Assessment of Quality of Life Outcomes. *New England Journal of Medicine*; 334(13): 835.

Theodora, M.M., Lowel, A.G., 2008. Biology of Eccrine, Apocrine and Apoeccrine Sweat Glands. Dalam: Wolff, K., Goldsmith, L.A., Katz, S.I., Gilchrest, B.A., Paller, A.S., Leffel, D.J., *Fitzpatrick's Dermatology in General Medicine*, 8th edition; 713-20. Mc Graw Hill, New York.

Wen, H.W., 2009. Ablation of Apocrine Glands with the Use of Suction-Assisted Cartilage Shaver for Treatment of Axillary Bromhidrosis. *Archive of Dermatological Research*; 272: 321-329.

Wike, K., Martin, A., Terstegen, L., Biel, S.S., 2009. Neurobiology of Skin Appendages: Eccrine, Apocrine, and Apoeccrine Sweat Glands. Dalam: Granstein, R.D., Luger, T., *Neuroimmunology of The Skin: Basic Science to Clinical Practice, 1st edition*, pp: 167-175. Springer, New York.

WHOQOL Group, 1994. Development of The WHOQOL: Rationale and Current Status. *International Journal of Mental Health*; 23: 24-56.

Wiseman, C.M., 2012. Disorder of the apocrine sweat glands. Dalam: Wolff, K., Goldsmith, L.A., Katz, S.I., Gilchrest, B.A., Paller, A.S., Leffel, D.J., *Fitzpatrick's Dermatology in General Medicine*, *8th edition*, pp: 731-2. Mc Graw Hill, New York.