UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alabsi, A. M., Lim, K. L., Paterson, I. C., Ali-Saeed, R., & A.Muharram, B. (2016). Cell Cycle Arrest and Apoptosis Induction via Modulation of Mitochondrial Integrity by Bcl-2 Family Members and Caspase Dependence in Dracaena cinnabari-Treated H400 Human Oral Squamous Cell Carcinoma. *BioMed Research International*. doi:10.1155/2016/4904016

Association, American Diabetes. (2014, January). Standards of Medical Care in Diabetes-2014. *Diabetes Care, 37*. doi:10.2337/dc14-S014

Ayaz, M., Junaid, M., Farhat, U., Abdul, S., Fazal, S., Khan, M. A., . . . Ahmad, S. (2016, March). Molecularly Characterized Solvent Extracts and Saponins from Polygonum hydropiper L. Show High Anti-Angiogenic, Anti-Tumor, Brine Shrimp, and Fibroblast NIH/3T3 Cell Line Cytotoxicity. *Frontiers in Pharmacology*.

Azizah, N. (2016). *Pengaruh Isolat 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan dari Biji Mahoni (Swietenia macrophylla King) terhadap Viabilitas Sel Fibroblas.* Yogyakarta: Universitas Gadjah Mada.

Balijepalli, M. K., Suppaiah, V., Chin, A.-m., Buru, A. S., Sagineedu, S. R., & Pichika, M. R. (2015). Acute Oral Toxicity Studies of Swietenia Macrophylla Seeds In Sprague Dawley Rats. *Pharmacognosy Research, 7*(1), 38-44. doi:10.4103/0974-8490.147197

Barile, F. (2007). *Principles of Toxicology Testing.* (1st ed.). Boca Raton: CRC Press.

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Chang, C. L., Lin, Y., Bartolome, A. P., Chen, Y.-C., Chiu, S.-C., & Yang, W.-C. (2013, March). Herbal Therapies for Type 2 Diabetes Mellitus: Chemistry, Biology, and Potential Application of Selected Plants and Compounds. (W. C. Cho, Ed.) *Evidence-Based Complementary and Alternative Medicine, 2013*. doi:10.1155/2013/378657

Chen, X., & Thibeault, S. (2013). Effect of DMSO Concentration, Cell Density and Needle Gauge on the Viability of Cryopreserved Cells in Three Dimensional Hyaluronan Hydrogel. *Conf Proc IEEE Eng Med Biol Soc*, 6228-6231.

Codario, R. A. (2005). *The Primary Care Guide to the Diagnosis and Management of Type 2 and Pre-Diabetes.* (1st ed.). Totowa, New Jersey: Humana Press Inc.

Ebbert, J. O., & Jensen, M. D. (2013). Fat Depots, Free Fatty Acids, and Dyslipidemia. *Nutrients*, 498-508. doi:10.3390/nu5020498

Ekwall, B., Silano, V., Zucco, F., & Paganuzzi-Stammati, A. (1990). Toxicity Tests with Mammalian Cell Cultures. In *Short-Term Toxicity Tests For Non-Genotoxic Effects* (pp. 75-98). Chichester: John Wiley & Sons Ltd.

Goh, B. H., & Kadir, A. H. (2011, February). In Vitro Cytotoxic Potential of Swietenia macrophylla King Seeds Against Human Carcinoma Cell Lines. *Journal of Medicinal Plants Research, 5*(8), 1395-1404.

Goh, B. H., Habsah, A. K., Malek, S. N., & Ng, S. W. (2010, May 14). Swietenolide diacetate from the seeds of Swieteneia macrophylla. *Acta Crystallographica Section E, 66*. doi:10.1107/S1600536810017733

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Hashim, M. A., Yam, M. F., Hor, S. Y., Lim, C. P., Asmawi, M. Z., & Sadikun, A. (2013, May 17). Anti-hyperglycaemic Activity of Swietenia macrophylla King (meliaceae) Seed Extracts in Normoglycaemic Rats Undergoing Glucose Tolerance Tests. *Chinese Medicine, 8*(11). doi:10.1186/1749-8546-8-11

Hilmarni, A, A., & Arifin, H. (2015). Kajian Toksisitas Serbuk Biji Mahoni terhadap Perkembangan Tingkah Laku, Histologi Hati serta Hematologi Anak Mencit. *Jurnal Sains Farmasi & Klinis*, 15-21.

Ifeoma, O., & Oluwaknyinsola, S. (2013). Screening of Herbal Medicines for Potential Toxicities. In S. Gowder (Ed.), *New Insights into Toxicity and Drug Testing.* InTech.

Ioset, J.-R., Brun, R., Wenzler, T., Kaiser, M., & Yardley, V. (2009). Drug Screening for Kinetoplastids Diseases A Training Manual for Screening in Neglected Diseases. *Pan-Asian Network for Drugs for Neglected Diseases from Natural Substances.* Drugs for Neglected Diseases Institute.

Jainchill, J. L., Aaronson, S. A., & Todaro, G. J. (1969, November). Murine Sarcoma and Leukemia Viruses: Assay Using Clonal Lines of Contact-Inhibited Mouse Cells. *Journal of Virology, IV*(5), 549-553.

Kadota, S., Marpaung, L., Kikuchi, T., & Ekimoto, H. (1990). Constituents of The Seed of Swietenia mahogani JACQ I. Isolations, Structures and 1H and 13C Nuclear Magnetic Resonance Signal Assigment of New Tetranortritrepenoids Related to Swietenine and Swietenolide. *Chemical and Pharmaceutical Bulletin, 38*(4), 894-901.

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementrian Kesehatan Republik Indonesia. (2009). *TAHUN 2030 PREVALENSI DIABETES MELITUS DI INDONESIA MENCAPAI 21,3 JUTA ORANG*. Retrieved September 9, 2016, from http://www.depkes.go.id/article/print/414/tahun-2030-prevalensi-diabetes-melitus-di-indonesia-mencapai-213-juta-orang.html

Krisnawati, H., Kallio, M., & Kanninen, M. (2011). *Swietenia macrophylla King Ecology Silvyculture And Productivity.* Bogor: CIFOR.

Lovshin, J. A., & Drucker, D. J. (2009, May). Incretin-Based Therapies for Type 2 Diabetes Mellitus. *Nature Reviews Endocrinology, 5*, 263-269. doi:10.1308/nrendo.2009.48

Luna, B., & Feinglos, M. (2001). Oral Agents in the Management of Type 2 Diabetes Melitus. *American Family Physician, 63*, 1747-1756.

Maiti, A., Dewanjee, S., Jana, G., & Mandal, S. C. (2008). Hypoglycemic Effect of Swietenia Macrophylla Seeds Against Type II Diabetes. *Internation Journal of Green Pharmacy*, 224-227. doi: 10.4103/0973-8258.44738

Malek, S. N., Phang, C. W., Ibrahim, H., Norhanom, A. W., & Sim, K. S. (2011). Phytochemical and Cytotoxic Investigations of Alpinia mutica Rhizomes. *Molecules* , 583-589.

McKim Jr., J. M. (2010). Building A Tiered Approach to In Vitro Predictive Toxicity Screening: A Focus on Assays with In Vivo Relevance. *Combinatorial Chemistry & High Throughput Screening*, 188-206.

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Moghadamtousi, S. Z., Goh, B. H., Chan, C. K., Shabab, T., & Kadir, H. A. (2013, August 2013). Biological Activities and Phytochemicals of Swietenia Macrophylla King. *Molecules*, 10465-10483. doi:10.3390/molecules180910465

Mursiti, S. (2004). Identifikasi Senyawa Alkaloid Dalam Biji Mahoni Bebas Minyak (Swietenia macrophylla King) dan Efek Biji Mahoni Terhadap Penurunan Kadar Glukosa Darah Tikus Putih (Rattus novergicus). Yogyakarta: Universitas Gadjah Mada.

Ngamwongsatit, P., Banada, P. P., Panbangred, W., & Bhunia, A. K. (2008). WST-1-Based Cell Cytotoxicity Assay As A Substitute for MTT-Based Assay for Rapid Detection of Toxigenic Bacillus Species Using CHO Cell Line. *Journal of Microbiology Methods* , 211-215.

Nisal, K., Kela, R., Khunti, K., & Davies, M. J. (2010). Comparison of Efficacy Between Incretin-Based Therapies for Type 2 Diabetes Mellitus. *BMC Medicine*.

Nugraha, A. (2012). *Docking Molekuler dan Aktivitas Antihiperglikemik Senyawa Aktif Hasil Isolasi dari Ekstrak Metanol Biji Mahoni (Swietenia Macrophylla King) pada Tikus Diabetes Setelah Induksi Streptozotosin.* Yogyakarta: Universitas Gadjah Mada.

Olokoba, A. B., Obateru, O. A., & Olokoba, L. B. (2012). Type 2 Diabetes Mellitus: A Review of Current Trends. *Oman Medical Journal, 27*(4), 269-273. doi:10. 5001/omj.2012.68

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Parasuraman, S. (2011). Toxicological Screening. *Journal of Pharmacology & Pharmacotherapeutics*, 74-79.

Sayyad, M., Tiang, N., Kumari, Y., Goh, B. H., Jaiswal, Y., Rosli, R., . . . Shaikh, M. F. (2016). Acute Toxicity Profiling of The Ethyl Acetate Fraction of Swietenia Macrophylla Seeds and In-Vitro Neuroprotection Studies. *Saudi Pharmaceutical Journal*.

Syaiful, R. H. (2016). *Pengaruh Isolat 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan dari Biji Mahoni (Swietenia macrophylla King) terhadap Viabilitas Sel: Kajian terhadap DNA Sel Vero.* Yogyakarta: Universitas Gadjah Mada.

Tanigawa, T., Kazawa, S., Ichibori, R., Fujiwara, T., Magome, T., Shingaki, K., . . . Hosokawa, K. (2014). Catechin Protects Dermal Fibroblasts Against Oxidative Stress-Induced Apoptosis. *BMC Complementary and Alternative Medicine* .

Todaro, G. J., & Green, H. (1963). Quantitative Studies Of The Growth Of Mouse Embryo Cells In Culture And Their Development Into Established Lines. *The Journal Of Cell Biology, 17*, 299-313.

Triplitt, C. L., Isley, W. L., & Reasner, C. A. (2005). Diabetes Melitus. In *Pharmacotherapy A Pathophysiologic Approach* (6th ed., pp. 1333-1369). The McGraw-Hill Companies.

UNIVERSITAS GADJAH MADA
PENGARUH ISOLAT 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidrofuro (3,4c)furan DARI BIJI MAHONI (Swietenia macrophylla King) TERHADAP VIABILITAS SEL 3T3 KAJIAN DENGAN METODE MTT ASSAY
LILY CHANDRA, Prof. dr. Ngatidjan, M.Sc., SpFK(K); dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D; Dr. dr. Eti Nur
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Meerlo, J., Kaspers, G. J., & Cloos, J. (2011). Cell Sensitivity Assays: The MTT Assay. *Cancer Cell Culture: Methods and Protocols, Second Edition, Methods in Molecular Biology*(731). doi:10.1007/978-1-61779-080-5_20

Wang, Z., Wang, J., & Chan, P. (2013, April 1). Treating Type 2 Diabetes Mellitus with Traditional Chinese and Indian Medicinal Herbs. (W. Jiratchariyakul, Ed.) *Evidence-Based Complementary and Alternative Medicine, 2013*. doi:10.1155

Watkins, P. J. (2003). *ABC Of Diabetes* (5th ed.). London: BMJ Publishing Group Ltd.