



REFERENCES

- ACOG & AAP, 2016. Committee Opinion Number 644: The Apgar Score. *American Academy of Pediatrics—Committee on Fetus and Newborn*, (654), pp.1–4. Available at: <https://www.acog.org/-/media/Committee-Opinions/Committee-on-Obstetric-Practice/co644.pdf?dmc=1&ts=20160607T2012098613>.
- Aparecida, M. et al., 2016. Fatores De Risco Maternos E Infantis Associados À Mortalidade Neonatal Maternal and Child Risk Factors Associated With Neonatal Mortality. *Artigo Original Texto Contexto Enferm*, 25(4), pp.1–9.
- Backes, C.H. et al., 2011. Maternal preeclampsia and neonatal outcomes. *Journal of pregnancy*, 2011, p.214365.
- Connealy, B.D. et al., 2014. A History of Prior Preeclampsia As a Risk Factor for Preterm Birth. , 1(212), pp.483–488.
- Erika F. Werner, D.A.S., 2012. Mode of Delivery and Neonatal Outcomes in Preterm, Small-for- Gestational-Age Newborns. *Obstet Gynecol*, 120(3), pp.560–564.
- Haram, K., Svendsen, E. & Abildgaard, U., 2009. The HELLP syndrome: clinical issues and management. A Review. *BMC pregnancy and childbirth*, 9(1), p.8. Available at: <http://www.biomedcentral.com/1471-2393/9/8>.
- Laughon, S.K. et al., 2011. Using a simplified Bishop score to predict vaginal delivery. *Obstetrics and gynecology*, 117(4), pp.805–11. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3177470/>
- Lee, A.C.C. et al., 2008. Risk factors for neonatal mortality due to birth asphyxia in Southern Nepal: a prospective, community-based cohort study. *Pediatrics*, 121(5), pp.e1381–e1390. Available at: <http://pediatrics.aappublications.org/cgi/content/full/121/5/e1381>.



- Lyall, F. et al., 2001. Human trophoblast invasion and spiral artery transformation: the role of PECAM-1 in normal pregnancy, preeclampsia, and fetal growth restriction. *The American journal of pathology*, 158(5), pp.1713–21. Available at:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC12521452/>
- Mashiloane, C.D. & Moodley, J., 2002. Induction or caesarean section for preterm pre-eclampsia? *Journal of obstetrics and gynaecology : the journal of the Institute of Obstetrics and Gynaecology*, 22(4), pp.353–356. Available at:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC12521452/>.
- Mazaki-Tovi, S. et al., 2007. Recurrent Preterm Birth. *Seminars in Perinatology*, 31(3), pp.142–158.
- Mwansa-Kambafwile, J. et al., 2010. Antenatal steroids in preterm labour for the prevention of neonatal deaths due to complications of preterm birth. *International Journal of Epidemiology*, 39(SUPPL. 1), pp.122–133.
- Nassar, a H. et al., 1998. Severe preeclampsia remote from term: labor induction or elective cesarean delivery? *American journal of obstetrics and gynecology*, 179, pp.1210–1213.
- Pacher, J., Brix, E. & Lehner, R., 2014. The mode of delivery in patients with preeclampsia at term subject to elective or emergency Cesarean section. *Archives of Gynecology and Obstetrics*, 289(2), pp.263–267.
- Publikasi, N., 2003. DI RUMAH SAKIT SANGLAH DENPASAR PERIODE TAHUN 2000-2002 Ni Luh Putu Sri Erawati DI RUMAH SAKIT SANGLAH DENPASAR PERIODE TAHUN 2000-2002. , pp.1–12.
- Ramachandrappa, A. & Jain, L., 2008. Elective Cesarean Section: Its Impact on



Neonatal Respiratory Outcome. *Clinics in Perinatology*, 35(2), pp.373–393.

Review, I., 2007. Pathophysiology of the Clinical Manifestations of. , pp.543–549.

Sibai, B.M., 2006. Preeclampsia as a cause of preterm and late preterm (near-term) births. *Seminars in Perinatology*, 30(1), pp.16–19.

Szysmonowicz, W. & Yu, V.Y., 1987. Severe pre-eclampsia and infants of very low birth weight. *Arch Dis Child*, 62(7), pp.712–716.

Uzan, J. et al., 2011. Pre-eclampsia: Pathophysiology, diagnosis, and management. *Vascular Health and Risk Management*, 7(1), pp.467–474.