

DAFTAR PUSTAKA

- Aldana, G. S.(2007) *The Stop and Go Fast Food Nutrition Guide*. Mapleton : Maple Mountain Press.
- Al-Faris, N.A., Al-Tamimi, J.Z., Al-Jobair, M.O. & Al-Shwaiyat, N.M. (2014) Trends of fast food consumption among adolescent and young adult Saudi girls living in Riyadh. *Food & Nutrition Research*, 59: 26488.
- Al-Mahmood, A.K., Afrin, S.F. & Hoque, N. (2013) Metabolic syndrome and insulin resistance: Etiopathogenesis and influencing factors. *Bangladesh Journal of Medical Biochemistry*, 4(2): 26-31.
- Allioua, M., Djaziri, R., Mahdad, M.Y., Gaouar, S.B.S., Derradji, H., Baoudjemaa, B.M. & Belbraouet, S. (2015) Dietary fat intake, micronutrient and obesity among adolescent in Tlemcen (Western Algeria). *Food and Nutrition Sciences*, 6:860-868.
- Almatsier, S. (2009) *Prinsip Dasar Ilmu Gizi*. Jakarta : Gramedia Pustaka Utama.
- Andrade, M.I.S., Oliveira, J.S., Leal, V.S., Lima, N.M.S., Costa, E.C., Aquino, N.B. & Lira, P.I.C. (2016) Identification of cutoff points for Homeostatic Model Assessment for Insulin Resistance index in adolescents: systematic review. *Pediatrics*, 34(2):234-242.
- Arisman. (2009) *Gizi Dalam Daur Kehidupan*. Edisi 2. Jakarta : EGC.
- Ashgari, G., Yuzbashian, E., Mirmiran, P., Mahmoodi, B. & Azizi, F. (2015) Fast food intake increases the incidence of metabolic syndrome in children and adolescents: Tehran lipid and glucose study. *PLoS ONE*, 10(10):e0139641.
- Bakker, L.E.H., van Schinkel, L.D., Guigas, B. Streefland, T.C.M., Jonker, J.T., van Klinken, J.B., van der Zon, G.C.M., Lamb, H.J., Smit, J.W.A., Pijl, H., Meinders, A.E., Jazet, I.M. (2014) A 5-day high-fat, high-calorie diet impairs insulin sensitivity in healthy, young South Asian men but not in Caucasian men. *Diabetes*, 63:p.248-258.
- Barseem, N.F. & Helwa, M.A. (2015) Homeostatic model assessment of insulin resistance as a predictor of metabolic syndrome: Consequences of obesity in children and adolescents. *Egyptian Pediatric Association Gazette*, 63:19-24.
- Baudrand, B., Campino, S., Carvajal, C.A., Olivieri, O., Guidi, G., Faccini, G., Vohringer, P.A., Cerda, J. Owen, G. Kalergis, A.M. & Fardella, C.E. (2014)

- High sodium intake is associated with increased glucocorticoid production, insulin resistance and metabolic syndrome. *Clinical Endocrinology*, 80(5):677-684.
- Bays, H., Mandarino, L. & DeFronzo, R.A. (2004) Role of adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator-activated receptor agonists provide a rational therapeutic approach. *The Journal of Clinical Endocrinology & Metabolism*, 89(2): 463-478.
- Bayuningsih, S.N. (2015) Hubungan antara frekuensi konsumsi fast food dan aktivitas fisik dengan tebal lemak bawah kulit siswi SMA N 6 Yogyakarta. *Skripsi*, Universitas Muhammadiyah Surakarta.
- Bibiloni, M.M., Pich, J., Pons, A. & Tur, J.A. (2013) Body image and eating patterns among adolescents. *BMC Public Health*, 13:1104.
- Bowman, S.A., Gortmaker, S.L., Ebbeling, C.B., Pereira, M.A. & Ludwig, D.S. (2004) Effects of fast food consumption on energy intake and diet quality among children in a national household survey. *Pediatrics*, 113:112-118.
- Castro, A.V.B., Kolka, C.M., Kim, S. P. & Bergman, R.N. (2014) Obesity, insulin resistance and comorbidities – Mechanisms of association. *Arquivos Brasileiros de Endocrinologia & Metabologia*, 58(6):600-609.
- Cole, T.J., Bellizzi, M.C., Flegal, K.M. & Dietz, W.H. (2000) Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ*, 320(7244): 1240.
- de Onis, M., Onyango, A.W., Borghi, E., Siyam, A., Nishida, C. & Siekmann, J. (2007) Development of a WHO growth reference for school-aged children and adolescents. *Bulletin of the World Health Organization*, 85(9):660-667.
- Dinsdale, H., Ridler, C. & Ells, L. (2011) *A Simple Guide to Classifying Body Mass Index in Children*. Oxford : National Obesity Observatory.
- Donin, A.S., Nighttingale, C.M., Owen, C.G., Rudnicka, A.R., Jebb, S.A., Ambrosini, G.L., Stephen, A.M., Cook, D.G., Whincup, P.H. (2014) Dietary energy intake is associated with type 2 diabetes risk markers in children. *Diabetes care*, 37(1): 116-123.
- Draznin, B. (2006) Molecular mechanisms of insulin resistance: serine phosphorylation of insulin receptor substrate-1 and increased expression of p85 α . *Diabetes*, 55:2392-2397.

- Dube, J.J., Amati, F., Toledo, F.G.S, Stefanovic-Racic, M., Rossi, A., Coen, P. & Goodpaster, B.H. (2011) Effects of weight loss and exercise on insulin resistance, and intramyocellular triacylglycerol, diacylglycerol and ceramide. *Diabetologia*, 54(5): 1147-1156.
- Duffey, K.J., Gordon-Larsen, P., Steffen, L.M., Jacobs, D.R. & Popkin, B.M. (2009) Regular consumption from fast food establishments relative to other restaurants is differentially associated with metabolic outcomes in young adults. *The Journal of Nutrition Nutritional Epidemiology*, 139:2113-2118.
- Dunkin Donuts. (2016) *Dunkin Donuts Nutrition Guide*. Tersedia dari : <https://www.dunkindonuts.com> [Diakses 29 Maret 2016].
- Eckardt, K., Taube, A. & Eckel, J. (2011) Obesity-associated insulin resistance in skeletal muscle: Role of lipid accumulation and physical inactivity. *Reviews in Endocrine and Metabolic Disorders*, 12: 163-172.
- Fadhila, F.M. (2015) Konsumsi fast food sebagai faktor risiko tingginya tekanan darah pada remaja sekolah menengah atas di Yogyakarta. *Skripsi*, Universitas Gadjah Mada.
- Faridha, U.N. (2006) Hubungan konsumsi fast food dan konsumsi sayuran dengan status gizi pada siswa SMA Negeri di Kota Yogyakarta. *Skripsi*, Universitas Gadjah Mada.
- Field, A.E., Willett, W.C., Lissner, L. & Colditz, G.A. (2007) Dietary fat and weight gain among women in the nurses health study. *Obesity*, 15(4):967-976.
- Fryar, C.D., Carroll, M.D. & Ogden, C.L. (2012) Prevalence of obesity among children and adolescents: United States, Trends 1963-1965 through 2009-2010. *NCHS Health E-Stats*.
- Ford, C.A., Nonnemaker, J.M. & Wirth, K.E. (2008) The influence of adolescent body mass index, physical activity, and tobacco use on blood pressure and cholesterol in young adulthood. *Journal of Adolescent Health*, 43(6):576-583.
- Funaki, M. (2009) Saturated fatty acids and insulin resistance. *Journal of Medical Investigation*, 56:88-92.
- Geer, E.B. & Shen, W. (2009) Gender differences in insulin resistance, body composition and energy balance. *Gender Medicine*, 6: 60-75.
- Guyton, A.C. dan Hall, J.E. (2011) *Textbook of Medical Physiology*. Edisi 11. Philadelphia : Elsevier Saunders.

- Harding, S., Teyhan, A., Maynard, M.J. & Cruickshank, J.K. (2008) Ethnic differences in overweight and obesity in early adolescence in the MRC DASH study: the role of adolescent and parental lifestyle. *International Journal of Epidemiology*, 37:162-172.
- Herrmann, B.L., B., Saller, B., Janssen, O.E., Gocke, P., Bockisch, A., Sperling, H., Mann, K. & Broecker, M. (2002) Impact of estrogen replacement therapy in a male with congenital aromatase deficiency caused by a novel mutation in the CYP19 gene. *Journal of Clinical Endocrinology & Metabolism*, 87:5476–5484.
- Hidayah, I.M. (2016) Hubungan antara status vitamin D dengan kadar gula darah pada remaja laki-laki dengan obesitas. *Skripsi*, Universitas Gadjah Mada.
- Ikatan Dokter Anak Indonesia. (2014) *Diagnosis dan Tata Laksana Sindrom Metabolik pada Anak dan Remaja*. Jakarta : Ikatan Dokter Anak Indonesia.
- Isganaitis, E. & Lustig, R.H. (2005) Fast food, central nervous system insulin resistance, and obesity. *Arteriosclerosis Thrombosis, and Vascular Biology*, 25:2451-2462.
- Jeffery, A.N., Metcalf, B.S., Hosking, J., Streeter, A.J., Voss, L.D. & Wilkin, T.J. (2012) Age before stage: Insulin resistance rises before the onset of puberty. *Diabetes Care*, 35(3): 536-541.
- Kahn, C.R. (2000) Glucose homeostasis and insulin action. *Principle and Practice of Endocrinology and Metabolism*. Edisi 3. Philadelphia : J. B. Lippincott Company.
- Kasuga, M. (2006) Insulin resistance and pancreatic β cell failure. *The Journal of Clinical Investigation*, 116(7): 1756-1760.
- Katzmarzyk, P.T., Perusse, L., Malina, R.M., Bergeron, J., Despres, J.P. & Bouchard, C. (2001) Stability to indicators of the metabolic syndrome from childhood and adolescence to young adulthood: the Quebec Family Study. *Journal of Clinical Epidemiology*, 54(2):190-195.
- Kaushik, J. S., Narang, M. & Parakh, A. (2011) Fast food consumption in children. *Indian Pediatrics*, 48:97-101.
- Kementerian Kesehatan RI. (2011) *Strategi Nasional Penerapan Pola Konsumsi Makanan dan Aktivitas Fisik Untuk Mencegah Penyakit Tidak Menular*. Jakarta : Kementerian Kesehatan RI.

- Kementerian Kesehatan RI. (2013) *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) 2013*. Jakarta : Kementerian Kesehatan RI.
- Keskin, M., Kurtoglu, S., Kendirci, M., Atabek, M.E. & Yazici, C. (2005). Homeostasis model assessment is more reliable than the fasting glucose/insulin ratio and quantitative insulin sensitivity check index for assessing insulin resistance among obese children and adolescents. *Pediatrics*, 115(4):e501-503.
- KFC. (2016) Nutrition Facts. Tersedia dari : <<https://kfcku.com>> [Diakses 29 Maret 2016].
- Kuczmarski, R.J., Ogden, C.L., Guo, S.S. (2002) 2002 CDC growth charts for the United States: Methods and development. *Vital Health Stat*, 11(246).
- Kurtoglu, S., Hatipoglu, N., Mazicioglu, M., Kendirci, M., Keskin, M. & Kondolot, M. (2010) Insulin resistance in obese children and adolescents: HOMA-IR cut-off levels in the prepubertal and pubertal periods. *Journal of Clinical Research in Pediatric Endocrinology*, 2(3):100-106.
- Kodama, K. Tojjar, D., Yamada, S., Toda, K., Patel, C.J. & Butte, A.J. (2013) Ethnic differences in the relationship between insulin sensitivity and insulin response. *Diabetes Care*, 36(6):1789-1796.
- Lavrador, M.S., Abbes, P.T., Escrivao, M.A. & Taddei, J.A. (2011) Cardiovascular risks in adolescents with different degrees of obesity. *Arquivos Brasileiros de Cardiologia*, 96:205-211.
- Lee, J.M., Okumura, M.J., Davis, M.M.D., Herman, W.H. & Gurney, J.G. (2006) Prevalence and determinants of insulin resistance among U.S. adolescents. *Diabetes Care*, 29(11):2427-2432.
- Lipshultz, S.E., Messiah, S.E., Miller, T.L. eds. (2012) *Pediatric Metabolic Syndrome*. London : Springer.
- Mahan, L.K. dan Raymond, J.L. (2016) *Krause's Food & The Nutrition Care Process*. Edisi 14. St. Louis : Elsevier.
- Mahmud, M.K., Hermana, Zulfianto, N.A., APriyantono, R.R., NGadiarti, I., Hartati, B., Bernadus & Tinexcellly. (2009) *Tabel Komposisi Pangan Indonesia (TKPI)*. Jakarta : Elex Media Komputindo.
- Majabadi, H.A., Solhi, M., Montazeri, A., Shojaeizadeh, D., Nejat, S., Farahani, F.K. & Djazayeri, A. (2016) Factors influencing fast-food consumption

- among adolescents in tehran: a qualitative study. *Iran Red Crescent Medical Journal*, 18(3): e23890.
- Marlatt, K.L., Farbakhsh, K., Dengel, D.R. & Lytle, L.A. (2016) Breakfast and fast food consumption are associated with selected biomarkers in adolescents. *Preventive Medicine Reports*, 3:49-52.
- Marshall, J.A., Bessesen, D.H. & Hamman, R.F. (1997) High saturated fat and low starch and fibre are associated with hyperinsulinaemia in a non-diabetic population: The San Luis Valley Diabetes Study. *Diabetologia*, 40:430-438.
- Matthews, D., Hosker, J.P., Rudenski, A.S., Naylor, B.A., Trecher, D.F. & Turner, R.C. Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentration in man. *Diabetologia*, 28:412-419.
- McDonalds. (2014) *McDonald's USA Nutrition Facts for Popular Menu Items*. Tersedia dari : <<https://mcdonalds.com>> [Diakses 29 Maret 2016].
- Moran, A., Jacobs, D.R., Steinberger, J., Steffen, L.M., Pankow, J.S., Hong, C. & Sinaiko, A.R. (2008) Changes in Insulin Resistance and Cardiovascular Risk During Adolescence. *Circulation*, 117:2361-2368.
- National Diabetes Information Clearinghouse. (2014) *Insulin Resistance and Prediabetes*. Bethesda : National Institutes of Health of the U.S. Department of Health and Human Services.
- Nelson, R.K., Horowitz, J.F., Holleman, R.G, Swartz, A.M., Strath, S.J., Kriska, A.M. & Richardson, C.R. (2013) Daily physical activity predicts degree of insulin resistance: a cross-sectional observational study using the 2003–2004 National Health and Nutrition Examination Survey. *International Journal of Behavioral Nutrition and Physical Activity*, 10:10.
- Noh, J.W., Kim, Y.E., Park, J., Oh, I.H. & Kwon, Y.D. (2014) Impact of parental socioeconomic status on childhood and adolescent overweight and underweight in Korea. *Journal of Epidemiology*, 24(3):221-9.
- Ogden, C.L., Carroll, M.D., Kit, B.K. & Flegal, K.M. (2012) Prevalence of obesity and trends in body mass index among US children and adolescents, 1999-2010. *JAMA*, 207(5): 483-490.
- Oh, H., Lee, H.Y., Jun, D.W. & Lee, S.M. (2016) Low salt diet and insulin resistance. *Clinical Nutrition Research*, 5:1-6.

- Pereira, M.A., Kartashov, A.I., Ebbeling, C.B., Horn, L.V., Slattery, M.L., Jacobs, D.R. & Ludwig, D.S. (2005). Fast-food habits, weight gain and insulin resistance (the CARDIA study): 15-year prospective analysis. *Lancet*, 365:36-42.
- Pizza Hut. (2016) Pizza Hut - Full Menu Nutrition. Tersedia dari : <https://nutritionix.com/pizza-hut/menu/premium> [Diakses 29 Maret 2016].
- Powell, L.M. & Nguyen, B.T. (2013) Fast-food and full-service restaurant consumption among children and adolescents: impact on energy, beverage and nutrient intake. *JAMA Pediatrics*, 167(1):14-20.
- Qatanani, M. dan Lazar, M.A. (2007). Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes & Development*, 21:1443-1455.
- Realita, R.D. (2014) Penganekaragaman olahan kue gorengan berbasis adonan cireng. *E-journal Boga*, 3(3):68-75.
- Reilly, J.J., Methven, E., McDowell, Z.C., Hacking, B., Alexander, D., Stewart, L. & Kelnar, C.J. (2003) Health consequences of obesity. *Archives of Disease in Childhood*, 88(9): 748-752.
- Riccardi, G. Giacco, R & Rivellese, A.A. (2004) Dietary fat, insulin sensitivity and the metabolic syndrome. *Clinical Nutrition*, 23:447-456.
- Rouhani, M.H., Mirseifinezhad, M., Omrani, N., Esmailzadeh, A. & Azabakht, L. (2012). Fast food consumption, quality of diet, and obesity among Isfahanian adolescent girls. *Journal of Obesity*, 2012, Article ID 597924, 8 pages.
- Salmeron, J. Acherio, A., Rimm, E.B., Colditz, G.A., Spiegelman, D., Jenkins, D.J., Stampfer, M.J., Wing, A.L. & Willer, W.C. (1997) Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care*, 20(4):545-550.
- Saltiel, A.R. & Kahn, C.R. (2001) Insulin signalling and the regulation of glucose and lipid metabolism. *Nature*, 414:799-806.
- Santos, L.C.D., Pascoal, M.N., Fisberg, M., Cintra, I.d.P. & Martini, L.A. (2010) Misreporting of dietary energy intake in adolescent. *Journal de Pediatria*, 86(5):400-404.
- Sargowo, D. & Andarini, S. (2011) Pengaruh komposisi asupan makan terhadap komponen sindrom metabolik pada remaja. *Jurnal Kardiologi Indonesia*, 32:14-23.

- Sartika, R.A.D. (2011) Faktor risiko obesitas pada anak 5-15 tahun di Indonesia. *Makara Kesehatan*, 15(1): 37-48.
- Sastroasmoro, S. dan Ismael, S. (2011) *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta : Sagung Seto.
- Schneider, D. (2000) International trends in adolescent nutrition. *Social Science & Medicine*, 51:955-967.
- Seo, S. 2002. A review and comparison of methods for detecting outliers in univariate data sets. *Thesis*, Kyunghee University.
- Stang, J. & Story, M. eds. (2005) *Guidelines for Adolescent Nutrition Services*. Minneapolis : Center for Leadership, Education and Training in Maternal and Child Nutrition, Division of Epidemiology and Community Health, School of Public Health, University of Minnesota.
- Sunarya, S.A.R.T.R. (2015). Hhubungan kebiasaan konsumsi makanan tinggi natrium, fast food dan soft drink dengan tekanan darah pada remaja di Kota Yogyakarta. *Skripsi*, Universitas Gadjah Mada.
- Supariasa, I.D.N., Bakri, B. & Fajar, I. (2001) *Penilaian Status Gizi*. Jakarta : Penerbit Buku Kedokteran EGC.
- Suryanti, Rut. (2013) *Gambaran Jenis dan Jumlah Konsumsi Fast Food dan Soft Drink Pada Mahasiswa Obesias di Universitas Hasanuddin Tahun 2013*. (Skripsi). Makassar : Fakultas Kesehatan Masyarakat Universitas Hasanuddin.
- Taheri, S. Lin, L. Austin, D., Young, T. & Mignot, E. (2004) Short sleep duration is associated with reduced leptin, elevated ghrelin and increased body mass index. *PLoS Med*, 1(3): e62.
- University of Virginia Health System. (2014) *Low Fiber Diet*. Tersedia dari <http://www.Glnutrition.virginia.edu> > [Diakses pada 2 Oktober 2016]
- Vogli, R.D., Kouvonen, A. & Gimeno, D. (2014) The influence of market deregulation on fast food consumption and body mass index: a cross-national time series analysis. *Bull World Health Organ*, 92:99-107.
- Wada, M., Yano, S., Hamano, T., Nabika, T. & Kumakura, S. (2016) Effect of serum cholesterol on insulin secretory capacity: Shimane CoHRE Study. *PLoS ONE*, 11(2): e0149452.
- Waspadji, S., Suyono, S., Sukardji, K., Suharyati, Kresnawan, T., Hartati, D. & Lilik, F.A. (2013) *Menyusun Diet Berbagai Penyakit Berdasarkan Daftar*

Bahan Makanan Penukar. Jakarta : Badan Penerbit Fakultas Kedokteran Universitas Indonesia.

Weight-control Information Network. (2012) *Overweight and Obesity Statistics*. Bethesda : National Institutes of Health of the U.S. Department of Health and Human Services.

Weickert, M.O., Mohlig, M., Schofl, C., Arafat, A.M., Otto, B., Viehoff, H., Koebnick, C., Kohl, A., Spranger, J. & Pfeiffer, A.F.H. (2006). Cereal fiber improves whole-body insulin sensitivity in overweight and obese women. *Diabetes Care*, 29:775-780.

Witari, N.P.D. (2015) Kadar interleukin 17 (IL-17) pada remaja yang mengalami obesitas dengan resistensi insulin. *Tesis*, Universitas Gadjah Mada.

World Health Organization, International Association for the Study of Obesity & International Obesity Task Force. (2000) *The Asia-Pacific Perspective: Redefining Obesity and Its Treatment*. Sydney: Health Communications Australia Pty Limited.

Wrieden, W., Peace, H., Armstrong, J. & Barton, K. (2003) A short review of dietary assessment methods used in national and Scottish research studies. Dalam *Briefing Paper Prepared for Working Group on Monitoring Scottish Dietary Targets Workshop*. Edinburgh : Scottish Government.

Xu, H., Barnes, G.T., Yang, Q. Tan, G., Yang, D., Chou, C.J., Sole, J., Nichols, A., Ross, J.S., Tartaglia, L.A. & Chen, H. (2003) Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance. *The Journal of Clinical Investigation*, 112:1821-1830.

Yin, J., Li, M., Xu, L., Wang, Y., Cheng, H., Zhao, X. & Mi, J. (2013) Insulin resistance determined by Homeostasis Model Assessment (HOMA) and associations with metabolic syndrome among Chinese children and teenagers. *Diabetology & Metabolic Syndrome*, 5:71.

You, J. & Choo J. (2016) Adolescent overweight and obesity: links to socioeconomic status and fruit and vegetable intakes. *International Journal of Environment Research and Public Health*, 13(3).