

DAFTAR PUSTAKA

- Afifah, Yosi, M. (2014). *Konsumsi Minuman Berkalori Tinggi Sebagai Faktor Terjadinya Obesitas pada Remaja Sekolah Menengah Atas (SMA) di Kota Yogyakarta*. Skripsi, Universitas Gadjah Mada
- American Diabetes Association. (2012). All About Prediabetes [Internet], All About Prediabetes. Available from :< <http://www.diabetes.org/> > [Accessed 13 Oktober 2016].
- American Diabetes Association. (2015). Classification and Diagnosis of Diabetes. *Diabetes Care*; Vol 38(Suppl. 1): S8-16.
- American Diabetes Association. (2016). Standar of Medical Care in Diabetes-2016. *Diabetes Care*: Volume 39 Suppl.1.
- Anjangsari, Ken Nira. (2015). *Hubungan Konsumsi Softdrink, Lingkar Pinggang dan Aktivitas Fisik dengan Kadar Gula darah Puasa pada Wanita Dewasa*. Skripsi, Universitas Diponegoro.
- Ann L. Albright. (2009). Preventing Type 2 Diabetes in Communities Across the U.S : The National Diabetes Prevention Program. *Am J Prev Med*. 2013 April ; 44(4 0 4): S346–S351. doi:10.1016/j.amepre.2012.12.009.
- Ansokowati, Astari P. (2014). *Asupan Energi, Persentase Energi dari Karbohidrat-Lemak dan Status Overweight/Obesitas Remaja SMA Negeri Kota Yogyakarta*. Tesis, Universitas Gadjah Mada.
- Arslanian SA. (2000). Type 2 diabetes mellitus in children: pathophysiology and risk factors. *J Pediatr Endocrinol Metab* 2000;13:1385–94.
- Aru W, Sudoyo. (2009). *Buku Ajar Ilmu Penyakit Dalam, jilid II, edisi V*. Jakarta : Interna Publishing.
- Aryandono, Rastro. (2014). *Hemoglobin A1C untuk Diagnosis Prediabetes pada Individu dengan Faktor Risiko*. Tesis, Universitas Gadjah Mada.
- Australian Bureau of Statistics. *Australian Health Survey: Nutrition First Results – Foods and Nutrients, 2011-12. Consumption of Sweetened Beverages*. Canberra: ABS; 2015. Report No.: 4364.0.55.00.
- Bremer, A. A., Auinger, P., & Byrd, R. S. (2009). Relationship Between Insulin Resistance–Associated Metabolic Parameters and Anthropometric Measurements With Sugar-Sweetened Beverage Intake and Physical Activity Levels in US Adolescents: Findings From the 1999-2004 National Health and Nutrition Examination Survey. *Archives of pediatrics & adolescent medicine*, 163(4), 328-335.
- Brown, James, E., Mosley M., Aldred, S. (2013). Intermittent fasting: a dietary intervention for prevention of diabetes and cardiovascular disease?. *The British Journal of Diabetes & Vascular Disease*. DOI: 10.1177/1474651413486496

- Cara B. Ebbeling, Ph.D., Henry A. Feldman, Ph.D., Virginia R. Chomitz, Ph.D., Tracy A. Antonelli, M.P.H., Steven L. Gortmaker, Ph.D., Stavroula K. Osganian, M.D., Sc.D., and David S. Ludwig, M.D., Ph.D. (2012). A Randomized Trial of Sugar-Sweetened Beverages and Adolescent Body Weight. *N Engl J Med* 2012; 367:1407-1416 October 11, 2012. DOI: 10.1056/NEJMoa1203388
- CDC. (2002). CDC Growth Chart for The United States : Methods and Development. National Center for Health Statistics. *Vital Health Stat* 11(246), 2002.
- CDC. (2013). *National Health and Nutrition Examination Survey : Analytic Guidelines*, 2011-2012.
- CDC. (2014). Data Sources, Methods, and References for Estimates of Diabetes and Its Burden in the United States. *National Diabetes Statistics Report, 2014*, United States.
- CDC. (2016). Prevalence of Sugar Sweetened Beverage Intake Among Adults-23 States and the District of Columbia 2013. [http ://www.cdc.gov/](http://www.cdc.gov/)
- CDC. (2017). Get the Facts : Sugar Weetened Beverages and Consumption. *CDC Nutrition Data & Statistics*. [http ://www.cdc.gov/](http://www.cdc.gov/)
- Cole, Tim J., Lobsterin T. (2012). Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity. *Pediatr Obes Aug;7(4):284-94. doi: 10.1111/j.2047-6310.2012.00064.x. Epub 2012 Jun 19.*
- Delpier, T., et al. (2013). Decreasing sugar-sweetened beverage consumption in the rural adolescent population. *J Pediatr Health Care. 2013 Nov-Dec*
- Denney-Wilson E, Crawford D, Dobbins T, Hardy L, Okely AD. Influences on consumption of soft drinks and fast foods in adolescents. *Asia Pac J Clin Nutr* 2009;18(3):447-52 [Abstract available at [http:/ / www. ncbi. nlm. nih. gov/ pubmed/ 19786394](http://www.ncbi.nlm.nih.gov/pubmed/19786394)].
- Dennis, E.A., Flack, K.D., Davy, B.M. (2009). Beverage consumption and adult weight management : A review. *Eating behaviors*, 10(4), 237-246
- Dewi, Rasmika. (2008). Pemeriksaan Kadar Gula Darah Sewaktu Pada Masyarakat Dusun Samu Mambal Kabupaten Badung. Denpasar.
- Dilapanga, Alfira. (2008). *Faktor-Faktor yang berhubungan dengan Perilaku Konsumsi Soft Drinks pada Siswa SMP Negeri 1 Ciputat Tahun 2008*. Skripsi, Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Eklioglu, Beray Selver. (2016). Prediabetes and Cardiovascular Parameters in Obese Children and Adolescents. *J Clin Res Pediatr Endocrinol* 2016;8(1):80-85.

- Erlanawati. (2014). *Pengaruh Minuman Berkarbonasi terhadap Kadar Glukosa Darah Mencit (Mus musculus)*. Skripsi, Universitas Muhammadiyah Surakarta.
- Ernalina, Y. (2007). *Faktor-faktor yang Mempengaruhi Konsumsi Softdrink dan Massa Tulang Siswa SLTP Stella Duce 2 Yogyakarta*. Skripsi, Universitas Gadjah Mada
- G. O'Malley. High normal fasting glucose level in obese youth: a marker for insulin resistance and beta cell dysregulation. *Diabetologia* 2010;53:1199–1209.
- Gulati, Seema and Anoop Misra. (2014). Sugar Intake, Obesity, and Diabetes in India. *Nutrients* 2014, 6, 5955-5974; doi:10.3390/nu6125955.
- Guyton, A. (2011). *Guyton and Hall Textbook of Medical Physiology 12th edition*. Philadelphia : Saunders Elsevier.
- H. Kyungho, Chung S., L. Haeng-Shin, K. Cho-il, J. Hyojee, P. Hee-Young, dan S. Yoonju. (2016). Association of Dietary Sugars and Sugar-Sweetened Beverage Intake with Obesity in Korean Children and Adolescents. *Nutrients* 2016, 8, 31; doi:10.3390/nu8010031
- Harbuwono, D.S. (2010). Pre Diabetes. In : Sudoyo A.W., Setiyohadi, B., Alwi, dkk. *Buku Ajar Ilmu Penyakit Dalam Jilid III ed V*. Jakarta : Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp. 2089-2086
- Hidayah, Ifalibranita M. (2016). Hubungan antara Status Vitamin D dengan Kadar Gula Darah pada Remaja Laki-laki dengan Obesitas. Skripsi, Universitas Gadjah Mada Yogyakarta.
- Hutabarat, Yoan Hotnida N. (2012). *Obesitas Sentral sebagai Faktor Risiko terjadinya Prediabetes di Kota Cimahi*. Tesis, Universitas Gadjah Mada.
- Imamura, F., O'Connor, L., Ye, Z., Mursu, J., Hayashino, Y., Bhupathiraju, S. N., & Forouhi, N. G. (2015). Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction.
- International Diabetes Federation (IDF). (2013). *IDF Diabetes Atlas Sixth Edition*. Amerika
- J. W. Wang, S. Mark, M. Henderson, J. O'Loughlin, A. Tremblay, J. Wortman, G. Paradis, K. Gray-Donald. (2013). Adiposity and glucose intolerance exacerbate components of metabolic syndrome in children consuming sugar-sweetened beverages: QUALITY cohort study. *Pediatr Obes*. 2013 Aug; 8(4): 284–293. Published online 2012 Nov 21. doi: 10.1111/j.2047-6310.2012.00108.x
- Jean, W., William, D. (2005). Sugar-sweetend beverage consumption is associated with weight gain and incidence of type 2 diabetes. *Clinical Diabetes*. 23(4)

- Kasiman, Sutomo. (2011). Pengaruh Makanan pada Sindrom Metabolik. Jurnal Kardiologi Indonesia. *Jurnal Kardiologi Indonesia* , Vol. 32, No. 1 Januari - Maret 2011.
- Kemkes RI. (2012). *Pedoman Pencegahan dan Penanggulangan Kegemukan dan Obesitas pada Anak Sekolah*. Jakarta : Kementerian Kesehatan RI
- Kemkes RI. (2013). Diabetes mellitus penyebab kematian nomor 6 di dunia : Kemkes tawarkan solusi cerdas melalui posbindu [Internet], Pusat Komunikasi Publik Sekretariat Jenderal Kementerian Kesehatan RI. Tersedia dalam : <<http://www.depkes.go.id/article/print/2838/diabetes-mellitus-penyebab-kematian-nomor-6-di-dunia//> > [Diakses pada tanggal 8 Maret 2016]
- Khiqmah, Atika N. (2014). *Asupan Gula Sederhana Dan Serat Serta Kadar Gula darah Puasa (Gdp) Sebagai Faktor Risiko Peningkatan Kadar C-Reactive Protein (CRP) Pada Remaja Obesitas dengan Sindrom Metabolik*. Skripsi, Universitas Diponegoro Semarang
- Kyungho Ha, Chung, S., Sangwon Chung, Haeng-Shin Lee, Cho-il Kim, Hyojee Joung, Hee-Young Paik, and YoonJu Song. (2016). Association of Dietary Sugars and Sugar-Sweetened Beverage Intake with Obesity in Korean Children and Adolescents. *Nutrients* 2016, 8, 31; doi:10.3390/nu8010031
- Konsensus Ikatan Dokter Anak Indonesia. (2014). *Diagnosis dan Tata Laksana Sindrom Metabolik pada Anak dan Remaja*.
- Liu S, Manson JE, Buring JE, Stampfer MJ, Willett WC, Ridker PM. (2002). Relation between a diet with a high glycemic load and plasma concentrations of high-sensitivity C-reactive protein in middle-aged women. *Am J Clin Nutr* 2002; 75(3):492-498
- Loghmani, Emily. (2005). Diabetes Mellitus : Type 1 and Type 2. Stang J, Story M (eds) *Guidelines for Adolescent Nutrition Services* (2005)
- Lozano, Iona, Remmelt Van der Werf, William Bietiger, Elodie Seyfritz, Claude Peronet, Michel Pinget, Nathalie Jeandidier, Elisa Maillard, Eric Marchioni, Séverine Sigrist and Stéphanie Dal. (2016). High-fructose and high-fat diet-induced disorders in rats: impact on diabetes risk, hepatic and vascular complications. *Nutrition & Metabolism* (2016) 13:15
- Mahadibya, Aqmarina. (2015). *Perbedaan Asupan Energi, Konsumsi Minuman Manis, Aktivitas Fisik dan Tingkat Pendidikan pada Kejadian Obesitas Wanita Warga Binaan Lembaga Pemasyarakatan Anak Wanita Kelas II B Tangerang Tahun 2015*. Skripsi, Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Malik, V. S., Popkin, B. M., Bray, G. A., Després, J. P., Willett, W. C., & Hu, F. B. (2010). Sugar-Sweetened Beverages, Obesity, Type 2 Diabetes Mellitus, and Cardiovascular Disease Risk. Available from : <<http://circ.ahajournals.org/>> [Accessed at March 27, 2016]

- Malik, V. S., Popkin, B. M., Bray, G. A., Després, J. P., Willett, W. C., & Hu, F. B. (2010). Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes a meta-analysis. *Diabetes care*, 33(11), 2477-2483.
- Mamtani, R., Lowenfels, Albert B., Sheikh, J., Cheema, S., *et al.* (2014). Adolescent prediabetes in a high-risk Middle East country: a cross-sectional study. *Journal of the Royal Society of Medicine Open*. DOI: 10.1177/2054270414536550
- Maryastuti, Guntari. (2013). *Hubungan Asupan Sayuran, Buah dan Aktivitas Fisik dengan Kejadian Obesitas Abdominal pada Remaja*. Skripsi, Universitas Gadjah Mada Yogyakarta.
- Murray, R.K., Granner, D.K., Mayes, P.A., & Rodwell, V.W. (2003). *Biokimia Harper Edisi 27*. Jakarta : EGC Medical Publisher
- Nadeak, Tienne A.U. (2013). *Hubungan Status Stres Psikososial Dengan Konsumsi Makanan dan Status Gizi Siswa SMU Methodist-8 Medan*. Skripsi, Universitas Sumatera Utara
- National Institute of Diabetes and Digestive and Kidney Diseases (NIH). (2014). *Insulin Resistance and Prediabetes*
- Nicklas, B.J., Ambrosius, W. Messie, S.P., Miller, G.D., Pennix, B.W., Loeser, R.F., Palla, S, Bleecker, E, Pahor, M. (2004). Diet-induced weight loss, exercise, and chronic inflammation in older, obese adults: a randomized controlled clinical trial. *Am J Clin Nutr*. 2004 Apr;79(4):544-51.
- Nurjannah. (2013) *Korelasi Kadar Trigliserida Serum dengan Indeks HOMA-IR dan HOMA-B pada Populasi Obesitas Sentral*. Tesis, Universitas Gadjah Mada
- O'Connor, L., Imamura, F., Lentjes, M. A., Khaw, K. T., Wareham, N. J., & Forouhi, N. G. (2015). Prospective associations and population impact of sweet beverage intake and type 2 diabetes, and effects of substitutions with alternative beverages. *Diabetologia*, 58(7), 1474-1483.
- Pangestu, Yose M., Antolis, Vivekenanda Pateda, Kristellina T, Sarah M. Salendu Warouw. (2013). Perbandingan Kadar Gula Darah Puasa pada Anak Obes dengan Resisten Insulin dan Tanpa Resisten Insulin. *Sari Pediatri* vol 15 no 3, Oktober 2013.
- Pengurus Besar Perkumpulan Endokrinologi Indonesia (Perkenni). (2011). *Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2011*. Jakarta, Indonesia
- Perkumpulan Endokrinologi Indonesia. *Konsesus pengelolaan dan pencegahan diabetes mellitus tipe 2 di Indonesia*. Jakarta.
- Pratiwi, Dita R. (2012). *Hubungan antara Obesitas, Aktifitas fisik, merokok dan riwayat keluarga dengan kejadian Prediabetes pada Laki-laki Usia ≥45 tahun di kota Yogyakarta*. Tesis, Universitas Gadjah Mada Yogyakarta

- Prihatini, Rofi NH. (2008). *Hubungan Antara Konsumsi Soft Drink Dengan Resistensi Insulin Pada Remaja Putri Smp Obes*. Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Rachmawati, Eka R. 2014. *Pengaruh Pemberian Susu Kedelai dan Jahe terhadap Gula darah Puasa pada Wanita Prediabetes*. Skripsi, Universitas Diponegoro Semarang.
- Rafiony, Ayu. (2013). *Konsumsi Fast Food dan Soft Drink sebagai Faktor Risiko Obesitas pada Remaja Sekolah Menengah Atas di Kota Pontianak*. Tesis, Universitas Gadjah Mada
- Riset Kesehatan Dasar. 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan,
- Rodrigues, Regina Anggraini. (2014). *Kadar Pro-Inflamator Sitokin Interleukin (IL)-18 pada Remaja Obesitas Dengan Sindrom Metabolik*. Skripsi, Universitas Diponegoro, Semarang
- Saputri, Rahmadya. (2013). *Hubungan Antara Pengetahuan Soft Drink dan Konsumsi Soft Drink dengan Kejadian Obesitas Pada Anak Usia Remaja Di SMP Budi Mulia Dua Yogyakarta*. Skripsi, Universitas Muhammadiyah Surakarta.
- Sartika, Arindah N. (2015). *Preferensi Makanan Manis dan Berlemak terhadap Kejadian Gizi Lebih pada Remaja SMP di Kota Yogyakarta*. Skripsi, Universitas Gadjah Mada.
- Sastroasmoro, Sudigdo., Sofyan Ismael. (2011). *Dasar-Dasar Metodologi Penelitian Klinis Edisi ke-4*. Jakarta : Sagung Seto
- Sege, M.F., Mayulu, N., Masi, G. (2013). Perbedaan Kadar Gula Darah antara Anak SD dengan Obesitas dan Tidak Obesitas pada Siswa SD di Kota Manado. *ejournal keperawatan (e-Kp)* Volume 1. Nomor 1. Agustus 2013
- Sjarif, D.R. (2002). Obesity in childhood, pathogenesis and management. In : A, Tjokroprawiro, Hendromartono, A. Sutjahjo. H Tandra, A, Pranoto, S, Murtiwi, S, Adi, eds, *Prosiding National Obesity symposium – I 2002*, Surabaya, PERKENI : 155-70.
- Skriptiana, Noor R. (2009). *Hubungan Antara Pengetahuan Gizi, Temaan Sebaya, Media Massa dan Faktor Lain dengan Konsumsi Minuman Ringan Berkarbonasi pada Siswa-Siswi SMP IT Nurul Fikri Depok*. Skripsi, Universitas Indonesia Jakarta
- Soewondo, P., Pramono, A.L. (2011). Prevalence, Characteristics, and Predictors of Prediabetes in Indonesia. *Med j Indonesia*; 20:283-94
- Stevens, A., Candy Hamel, Kavita Singh, Mohammed T Ansari, Esther Myers, Paula Ziegler, Brian Hutton, Arya Sharma, Lise M Bjerre, Shannon Fenton, Robert Gow, Stasia Hadjiyannakis, Kathryn O'Hara, Catherine Pound, Erinn Salewski, Ian Shrier, Noreen Willows, David Moher and Mark Tremblay. (2014). Do sugar-sweetened beverages cause adverse health

outcomes in children? A systematic review protocol. *Systematic Reviews* 2014, 3:96.

Sulistyaning, Afina Rachma. (2013). *Pengaruh Pemberian Angkak (Red Yeast Rice) Terhadap Kadar Gula darah Puasa Pada Wanita Prediabetes*. Skripsi, Universitas Diponegoro, Semarang

The British Soft Drink Association. (2016). About Soft Drink [Internet]. Available from : <http://www.britishsoftdrinks.com/> [Accessed 7 November 2016].

The InterAct consortium. (2013). Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. *Diabetologia* (2013) 56:1520–1530.

Theresia, Lydia. (2012). *Hubungan Overweight dengan Peningkatan Kadar Gula Darah pada Pedagang Pusat Pasar Medan*. Skripsi, Universitas Sumatera Utara.

Troiano, R.P., Briefel, R.R., Carrol, M.D., Bialostosky K. (2000). Energy and fat intakes of children and adolescents in the united states: data from the national health and nutrition examination surveys. *Am J Clin Nutr.* 2000 Nov;72(5 Suppl):1343S-1353S.

Wang, Monica L., Stephenie C., *et al.* (2013). Beverage Consumption Patterns and Associations with Metabolic Risk Factors Among Low-Income Latinos with Uncontrolled Type 2 Diabetes. *J Acad Nutr Diet.* 2013 December ; 113(12). DOI10.1016/j.jand.2013.06.351.

Wang, Y., Hsin-Jen Chen. (2012). *Handbook of Anthropometry Chapter 2 : Use of Percentiles and Z-Scores in Anthropometry*. DOI 10.1007/978-1-4419-1788-1_2, Springer Science Business Media, LLC 2012

Welsh JA, Sharma A, Cunningham SA, Vos MB. (2011). Consumption of added sugars and indicators of cardiovascular disease risk among US adolescents.. *Circulation* 2011 Jan 25;123(3):249-57 [Abstract available at <http://www.ncbi.nlm.nih.gov/pubmed/21220734>].

WHO. (2016). Obesity and overweight. Available from : <http://www.who.int/mediacentre/factsheets/fs311/en/> [Accessed October 10, 2016].

Yuliyanti, Ratna. (2015). *Korelasi Kadar Leptin dengan Asupan Energi pada Remaja Laki-Laki dengan Obesitas di kota Yogyakarta*. Skripsi, Universtas Gadjah Mada.

Zhang,Yi., Ju Liu, Jianliang Yao, Gang Ji, Long Qian, Jing Wang, Guansheng Zhang, Jie Tian, Yongzhen Nie, Yi Edi Zhang, Mark S Gold, Yijun Liu. (2014). Obesity : Pathophysiology and Intervention. *Nutrients*, 2014. ISSN 2072-6643.