

DAFTAR PUSTAKA

- Adler, T.A, dkk., 2003, *Corrosion: Fundamentals, Testing and Protection*, Vol 13A, ASM Internationals, Ohio, hal. 591
- Afandi, Y.K, Arief, I.S., danamiadji, 2015, Analisa Laju Korosi pada Pelat Baja Karbon dengan Variasi Ketebalan Coating, *JurTek ITS*, Vol 4(1): 1-5
- Anusavice, K.J., 2004, *Philips Buku Ajar Ilmu Bahan Kedokteran Gigi*, edisi 10, EGC, Jakarta, hal. 290, 292
- Ametrano, G, dkk., 2010, Effects of sodium hypochlorite and ethylene diaminetetraacetic acid on rotary nickel-titanium instruments evaluated using atomic force microscopy, *Int End J*, Vol. 44:203-209
- Bakhai, D dan Hedge, V., 2016, Comparison of Surface Characteristics of Apical Third of Rotary Nickel titanium File Manufactured From Different Phases of Nickel titanium Before and After Use : An SEM Analysis, *DJAS*, Vol. 4(1): 18-22
- Basrani, B., 2015, *Endodontic Irrigation: Chemical Disinfection of The Root Canal System*, Springer, Switzerland, hal. 101-102
- Baumann, M.A., 2004, Nickel–titanium: options and challenges, *Dent Clin N Am*, Vol. 48: 55–67
- Bergmans, L, dkk., 2001, Mechanical root canal preparation with Nickel titanium rotary instruments: Rationale, performance and safety, *Am J Dent*, Vol. 14(5): 324-334
- Dahlan, M.S., 2011, *Statistik untuk Kedokteran dan Kesehatan*, Salemba Medika, Jakarta, hal. 71
- Fatimatuzzahro, N dan Apriyono, D.K., 2012, Perkembangan Alat-alat Endodontik, *CDK-190* Vol. 39 (2):136-139
- Ferreira, M.D.A., Luersen, M.A., dan Borges, P.C., 2012, Nickel-titanium alloys: A systematic review, *Dental Press J Orthod*, Vol. 17(3): 71-82
- Frankel, G.S., 2003, *Pitting Corrosion, Corrosion: Fundamentals, Testing, and Protection*, Vol 13A, ASM International, Ohio, hal. 236–241
- Garg, N dan Garg, A., 2010, *Textbook of Endodontic*, Jaypee, New Delhi, hal. 140, 144-146, 149, 164-167

- Iqbal, A., 2012, Antimicrobial Irrigants in Endodontic Therapy, *IJHS*, Vol. 6(2): 153-158
- Irianty, R.S., dan Khairat., 2013, Ekstrak Daun Pepaya Sebagai Inhibitor Korosi pada Baja AISI 4140 dalam Medium Air Laut, *J. Teknologi*, 4(2): 77-82
- Ishii, M., Oda, T., dan Kaneko, M., 2003, Titanium and Its Alloys As Key Materials for Corrosion Protection Engineering, *NSTR*, Vol. 87: 49-56
- Jessen, C.Q., 2011, *Stainless Steel and Corrosion*, Damstahl, Denmark, hal. 74, 77, 83-85
- Jodi, H., 2010, Karakterisasi Korosi Baja SS-430 pada Lingkungan NaCl, *Widyariset*, Vol. 13(3): 149-155
- Kenneth M, Hargreaves, Cohen S, 2011, *Cohen's pathway of the pulp*, 10th ed. Elsevier, Missouri, hal. 312, 331
- Lethabane, M.L., 2013, Corrosion Behaviour of Nickel-Titanium Shape Memory Alloys With Copper and Niobium Additions, *Tesis*, Tshwane University of Technology, Pretoria, hal. 23
- Marcus, P., 2003, *Introduction to the Fundamentals of Corrosion, Corrosion: Fundamentals, Testing, and Protection*, Vol 13A, ASM International, , hal.3-4
- Odusote, J.K., Ajiboye, T.K., dan Rabi, A.B., 2012, Evaluation of mechanical properties of medium carbon steel quenched in water and oil, *JMMCE*, Vol. 11: 859-862
- Pedicord, D., Eldeeb, M.E., Messer, H.H., 1986, Hand versus ultrasonic instrumentation: its effect on canal shape and instrumentation time, *J Endodont*, Vol 12(9): 375-381
- Pinem, M.D., 2005, Korosi dan Rekayasa Permukaan, *Jur Tek Simetrika*, Vol. 4(1): 301-306
- Popovic J,dkk., 2016, The Examination of Sensitivity to Corrosion of Nickel-Titanium and Stainless Steel Endodontic Instruments In Tooth Root Canal Irrigating Solutions, *Chem. Ind. Chem. Eng*, Vol. 22 (1):95-100
- Prasetyo, A., 2010, Pengaruh Variasi Kandungan Silikon terhadap Korosi Paduan Kobalt (ASTM F 75) Hasil Metalurgi Serbuk dalam Larutan Artificial Blood Plasma dengan Teknik Polarisation Potensiostatik dan Teknik Exposure, *Tesis*, Universitas Indonesia, Depok, hal. 28, 39

- Raghavan, V., 2004, *Materials Science and Engineering: A First Course*, edisi 5, PHI Learning, New Delhi, hal. 302
- Risanti, I., 2012, Efek klorheksidin terhadap pengurangan degradasi kekuatan ikatan geser resin komposit-dentin, *Tesis*, Universitas Indonesia, Jakarta, hal. 40
- Shen, Y., dkk, 2015, Research in irrigation: methods and models, *Endodontic Irrigation: Chemical Disinfection of The Root Canal System*, Springer, Switzerland, hal. 65
- Schamalz, G., dan Bindslev, D.A., 2009, *Biocompatibility of Dental Materials*, Springer, Berlin, hal. 224-225
- Sidiq, M.F., 2013, Analisa Korosi dan Pengendaliannya, *J. Foundry*, 3(1): 25-30
- Smith, M.S., 2007, Sodium hypochlorite's effect on nickel titanium rotary instruments and its effect on resistance to fracture, *Tesis*, Virginia Commonwealth University, Virginia, hal. 9
- Sood, K., Mohan, B., dan Lakshminarayanan, L., 2006, Effect of cleaning and sterilization procedures on NiTi rotary files : an SEM and EDS study, *Endodontology*, 18 (1) : 34-41.
- Tanumihardja, M., 2010, Larutan Saluran Akar, *Dentofasial*, Vol.9(2): 108-115
- Thompson, S.A., 2000, An overview of nickel–titanium alloys used in dentistry, *IntEndod J*, Vol. 33: 297-310
- Torabinejad, M., dan Walton, R.E., 2009, *Endodontics: Principles and Practice*, Saunders Elsevier, Missouri, hal. 205-209, 259-260, 263
- Vieyra, JP., dan Enriquez FJJ., 2014, Instrumentation Time Efficiency of Rotary and Hand Instrumentation Performed on Vital and Necrotic Human Primary Teeth: A Randomized Clinical Trial, *Dentistry*, Vol 4(4): 1-5
- Walton, R.E., 2008, *Prinsip dan Praktik Endodonsia*, edisi 3, EGC, Jakarta, hal. 244
- Winter, 2011, *Endodontics Colleagues for Excellent*, American Association of Endodontists, Chicago, hal. 3
- Yum, Ji Wan dkk., 2008, Comparative analysis of various corrosive environmental conditions for Nickel titanium rotary file, *J Kor Acad Cons Dent*, Vol. 33(4):377-388