

DAFTAR PUSTAKA

- Abdullah, B., S. Tjokrowidjojo, & Sularjo. 2008. Perkembangan dan prospek perakitan padi tipe baru di Indonesia. *Jurnal Litbang Pertanian* 27: 1-9.
- Ahamadi, J., M.H. Fotokian, & S. Fabriki-Orang. 2008. Detection of QTLs influencing panicle length, panicle grain number and panicle grain sterility in rice (*Oryza sativa* L.). *Journal of Crop Science and Biotechnology* 11: 163-170.
- Ali, M.L., P.L. Sanchez, S. Yu, M. Lorieux, & G.C. Eizenga. 2010. Chromosome segment substitution lines: a powerful tool for the introgression of valuable genes from *Oryza* wild species into cultivated rice (*O. sativa*). *Rice* 3: 218-234.
- Ando, T., T. Yamamoto, T. Shimizu, X.F. Ma, A. Shomura, Y. Takeuchi, S.Y. Lin, & M. Yano. 2008. Genetic dissection and pyramiding of quantitative traits for panicle architecture by using chromosomal segment substitution lines in rice. *Theoretical Applied Genetics* 116: 881-890.
- Aryantha, I.N.P., Y. Mulyani, & R. Ariffudin. 2008. Penanda molekul DNA mikrosatelit untuk karakterisasi bibit jamur kuping (*Auricularia polytricha* [Mont.] Sacc.). *Jurnal Matematika dan Sains* 13: 7-15.
- Ashkani, S., M.Y. Rafii, I. Rusli, M. Sariah, S.N.A. Abdullah, H.A. Rahim, & M.A. Latif. 2012. SSRs for marker-assisted selection for blast resistance in rice (*Oryza sativa* L.). *Plant Molecular Biology Reporter* 30: 79-86.
- Ashkani, S., M.Y. Rafli, M. Shabanimofrad, G. Miah, M. Sahebi, P. Azizi, F.A. Tanweer, M.S. Akhtar, & A. Nasehi. 2015. Molecular breeding strategy and challenges towards improvement of blast disease resistance in rice crop. *Frontiers in Plant Science* 6: 886.
- Bai, J.Y., Q. Zhang, & X.P. Jia. 2006. Comparison of different foreground and background selection methods in marker-assisted introgression. *Acta Genetica Sinica* 33: 1073-1080.
- Borner, A., E. Schumann, A. Furste, H. Coster, B. Leithold, M.S. Roder, & W.E. Weber. 2002. Mapping of quantitative trait loci determining agronomic important characters in hexaploid wheat (*Triticum aestivum* L.). *Theoretical Applied Genetics* 105: 921-936.
- BPS. 2015a. Luas Panen Padi Menurut Provinsi (ha), 1993-2015. <<http://www.bps.go.id/linkTableDinamis/view/id/864>>. Diakses pada 27 Desember 2015.
- BPS. 2015b. Produksi Padi Menurut Provinsi (ton), 1993-2015. <<http://www.bps.go.id/linkTableDinamis/view/id/865>>. Diakses pada 27 Desember 2015.
- BPS. 2015c. Impor Beras Menurut Negara Asal Utama, 2000-2014. <<http://www.bps.go.id/linkTabelStatis/view/id/1043>>. Diakses pada 27 Desember 2015.

- Brondani, C., P.H.N., Rangel, R.P.V. Brondani, & M.E. Ferreira. 2002. QTL mapping and introgression of yield-related traits from *Oryza glumaepatula* to cultivated rice (*Oryza sativa*) using microsatellite markers. *Theoretical Applied Genetics* 104:1192-1203.
- Brummer, C. 2013. Marker-Assisted Selection. <<http://plantbreeding.coe.uga.edu/index.php?title=8. Marker-Assisted Selection>>. Diakses pada 4 November 2016.
- Chang, T. & E.A. Bardenas. 1965. The morphology and varietal characteristics of the rice plant. Technical Bulletin 4. The Rice Research Institute, Manila.
- Collard, B.C.Y., M.Z.Z. Jahufer, J.B. Brouwer, & E.C.K. Pang. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: the basic concepts. *Euphytica* 142: 169-196.
- Collard, B.C.Y. & D.J. Mackill. 2008. Marker-assisted selection: an approach for precision plant breeding in the 21st century. *Philosophical Transactions of the Royal Society B Review* 363: 557-572.
- Direktorat Bina Perbenihan. 2000. Inventarisasi Penyebaran Kultivar Padi (ha) MT 2000 Seluruh Indonesia. Direktorat Jenderal Tanaman Pangan dan Hortikultura. Jakarta.
- Dualembang, E., Y. Musa, & M. Azrai. 2012. Karakterisasi genetik koleksi plasma nutfah sorgum (*Sorghum bicolor* L. Moench) berbasis marka SSR (*Simple Sequence Repeats*). <http://118.97.33.150/jurnal/files/7215dbf6d2b78af2bc6cb83136ddd_a_65.pdf>. Diakses 11 Maret 2015.
- Ebitani, T., Y. Takeuchi, Y. Nonoue, T. Yamamoto, K. Takeuchi, & M. Yano. 2005. Construction and evaluation of chromosome segment substitution lines carrying overlapping chromosome segment of *indica* rice cultivar 'Kasalath' in a genetic background of *japonica* elite cultivar 'Koshihikari'. *Breeding Science* 55: 65-73.
- Firdaus, I.A. 2016. Penggunaan Marka SSR dalam Deteksi Segmen Kromosom Donor Pada Populasi BC₃F₂. Universitas Gadjah Mada. Laporan Kegiatan Kerja Lapangan.
- Francia, E., G. Tacconi, C. Crosatti, D. Barabaschi, D. Bulgarelli, E. Dall'Aglio, & G. Vale. 2005. Marker-assisted selection in crop plants. *Plant Cell, Tissue and Organ Culture* 82: 317-342.
- George, M.L.C., B.M. Prasanna, R.S. Rathore, T.A.S. Setty, N.N. Singh, F. Kasim, *et al.* 2003. Identification of QTL conferring resistance to downy mildews of maize in Asia. *Theoretical Applied Genetics* 107: 544-551.
- Gupta, P.K., H.S. Balyan, P.C. Sharma, & B. Ramesh. 1996. Microsatellites in plants: a new class of molecular markers. *Current Science* 7: 45-54.

- Gupta, P.K., R.K. Varshney, P.C. Sharma, & B. Ramesh. 1999. Molecular markers and their applications in wheat breeding. *Plant Breeding* 118: 369-390.
- Harushima, Y., M. Yano, A. Shomura, M. Sato, T. Shimano, Y. Kobuki, *et al.* 1998. A high-density rice genetic linkage map with 2275 markers using a single F₂ population. *Genetics* 148: 479-494.
- Hospital, F. 2003. Marker-assisted Breeding. In: Newbury, H.J. (ed) *Plant Molecular Breeding*. Blackwell Publishing, Oxford.
- Iftekharuddaula, K.M., M.A. Newaz, M.A. Salam, H.U. Ahmed, M.A.A. Mahbub, E.M. Septiningsih, *et al.* 2011. Rapid and high-precision marker assisted backcrossing to introgress the *SUB1* QTL into BR11, the rainfed lowland rice mega variety of Bangladesh. *Euphytica* 178: 83-97.
- Jiang, G.L. 2013. Molecular Markers and Marker-Assisted Breeding in Plants. In: S.B. Andersen (ed) *Plant Breeding from Laboratories to Fields*. InTech. doi: 10.5772/3362.
- Joehanes, R. & J.C. Nelson. 2008. Qgene 4.0, an extensible Java QTL-analysis platform. *Bioinformatics Applications Note* 24: 2788-2789.
- Karakousis, A., A.R. Barr, K.J. Chalmers, G.A. Ablett, T.A. Holton, R.J. Henry, P. Lim, & P. Langridge. 2003. Potential of SSR markers for plant breeding and variety identification in Australian barley germplasm. *Australian Journal of Agricultural Research* 54: 1197-1210.
- Khush, G.S. 1995. Breaking the yield frontier of rice. *Geo Journal* 35: 329-332.
- Khush, G.S. 2005. What it will take to feed 5.0 billion rice consumers in 2030. *Plant Molecular Biology* 59: 1-6.
- Li, M., P. Sun, H. Zhou, S. Chen, & S. Yu. 2011. Identification of quantitative trait loci associated with germination using chromosome segment substitution lines of rice (*Oryza sativa* L.). *Theoretical and Applied Genetics* 123: 411-420.
- Li, S.Q., G.K. Cui, C.R. Guan, J. Wang, & G.H. Liang. 2011b. QTL detection for rice grain shape using chromosome single segment substitution lines. *Rice Science* 18: 273-278.
- Li, X., W. Wang, Z. Wang, K. Li, Y.P. Lim, & Z. Piao. 2015. Construction of chromosome segment substitution lines enables QTL mapping for flowering and morphological traits in *Brassica rapa*. *Front. Plant Sci.* 6: 432. doi: 10.3389/fpls.2015.00432.
- Litbang Pertanian. 2015. Kultivar Ciherang. <<http://www.litbang.pertanian.go.id/kultivar/one/130/>>. Diakses pada 28 Desember 2015.

- Liu, X., X. Wan, X. Ma, & J. Wan. 2011. Dissecting the genetic basis for the effect of rice chalkiness, amylose content, protein content, and rapid viscosity analyzer profile characteristic on the eating quality of cooked rice using the chromosome segment substitution line population across eight environments. *Genome* 54: 64-80.
- Marri, P.R., N. Sarla, L.V. Reddy, & E.A. Siddiq. 2005. Identification and mapping of yield and yield related QTLs from an Indian accession of *Oryza rufipogon*. *BMC Genetics* 6: 33.
- McCouch, S.R., L. Teytelman, Y. Xu, K.B. Lobos, K. Claire, M. Walton, B. Fu, R. Maghirang, Z. Li, Y. Xing, Q. Zhang, I. Kono, M. Yano, R. Fjellstrom, G. DeClerck, D. Schneider, S. Cartinhour, D. Ware, & L. Stein. 2002. Development and mapping of 2240 new SSR markers for rice (*Oryza sativa* L.). *DNA Research* 9: 199-207.
- McCouch, S.R., X. Chen, O. Panaud, S. Temnykh, Y. Xu, Y.G. Cho, N. Huang, T. Ishii, & M. Blair. 1997. Microsatellite marker development, mapping and applications in rice genetics and breeding. *Plant Molecular Biology* 35: 89-99.
- Moncada, P., C.P. Martinez, J. Borrero, M. Chatel, H. Gauch Jr., E. Gulmaraes, J. Tohme, S.R. McCouch. 2001. Quantitative trait loci for yield and yield components in an *Oryza sativa* × *Oryza rufipogon* BC₂F₂ population evaluated in an upland environment. *Theoretical Applied Genetics* 102: 41-52.
- Mondini, L., A. Noorani, & M.A. Pagnotta. 2009. Assessing plant genetic diversity by molecular tools. *Diversity* 1 : 19-35.
- Murray, M.G. & W.F. Thompson. 1980. Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research* 8: 4321-4325.
- Neeraja, C.N., R. Maghirang-Rodriguez, A. Pamplona, S. Heuer, B.C.Y. Collard, E.M. Septiningsih, G. Vergara, D. Sanchez, K. Xu, A.M. Ismail, & D.J. Mackill. 2007. A marker-assisted backcross approach for developing submergence-tolerant rice cultivars. *Theoretical Applied Genetics* 115: 767-776.
- Nguyen, T.T.T., N. Klueva, V. Chamareck, A. Aarti, G. Magpantay, A.C.M. Millena, M.S. Pathan, & H.T. Nguyen. 2004. Saturation mapping of QTL regions and identification of putative candidate genes for drought tolerance in rice. *Molecular Genetics and Genomics* 272: 35-46.
- Nurhati, I., S. Ramdhaniati, & N. Zuraida. 2008. Peranan dan dominasi kultivar unggul baru dalam peningkatan produksi padi di Jawa Barat. *Buletin Plasma Nutfah* 14: 8-13.
- Pabendon, M.B., M. Azrai, F. Kasim, & M.J. Mejaya. 2008. Prospek Penggunaan Markah Molekuler dalam Program Pemuliaan Jagung. <<http://balitsereal.litbang.deptan.go.id/ind/images/stories/delapan.pdf>>. Diakses 6 Mei 2015.

- Rahmah, S. 2015. Aplikasi Penanda SSR Pada Populasi BC₂F₁ Hasil Persilangan Antara 'Ciherang' dan Tetua Donor Galur B11143D dalam Pembentukan Panel CSSL. Universitas Gadjah Mada. Laporan Kegiatan Kerja Lapangan.
- Rahmah, S. 2016. Aplikasi Seleksi Berbantuan Penanda Pada Generasi BC₃F₁ Hasil Persilangan 'Ciherang' dengan Galur B11143D dalam Pembentukan Populasi CSSL. Universitas Gadjah Mada. Skripsi.
- Septiningsih, E.M., J. Prasetyono, E. Lubis, T.H. Tai, T. Tjubaryat, S. Moeljopawiro, & S.R. McCouch. 2003. Identification of quantitative trait loci for yield and yield components in an advanced backcross population derived from the *Oryza sativa* variety IR64 and the wild relative *O. rufipogon*. *Theoretical and Applied Genetics* 107: 1419-1432.
- Shim, R.A., E.R. Angeles, M. Ashikari, & T. Takashi. 2010. Development and evaluation of *Oryza glaberrima* Steud. chromosome segment substitution lines (CSSLs) in the background of *O. sativa* L. cv. Koshihikari. *Breeding Science* 60: 613-619.
- Suralta, R.R., Y. Inukai, & A. Yamauchi. 2008. Utilizing chromosome segment substitution lines (CSSLs) for evaluation of root responses to transient moisture stresses in rice. *Plant Production Science* 11: 457-465.
- Susilowati, M. 2014. Polimorfisme Tetua dan Verifikasi F₁ Menggunakan Mikrosatelit dalam Perakitan Populasi *Chromosome Segment Substitution Lines* Padi (*Oryza sativa* L.) Berbasis 'Ciherang'. Universitas Gadjah Mada. Skripsi.
- Susilowati, M., P. Basunanda, W. Enggarini, Ma'sumah, & K.R. Trijatmiko. 2014. Survei polimorfisme tetua untuk pengembangan panel CSSL padi (*Oryza sativa* L.) dan identifikasi tanaman F₁. *Jurnal AgroBiogen* 10: 85-92.
- Takai, T., Y. Nonoue, S. Yamamoto, U. Yamanouchi, K. Matsubara, Z.W. Liang, H.X. Lin, N. Ono, Y. Uga, & M. Yano. 2007. Development of chromosome segment substitution lines derived from backcross between *indica* donor rice cultivar 'Nona Bokra' and *japonica* recipient cultivar 'Koshihikari'. *Breeding Science* 57: 257-261.
- Temnykh, S., W.D. Park, N. Ayres, S. Cartinhour, N. Hauck, L. Lipovich, Y.G. Cho, T. Ishii, & S.R. McCouch. Mapping and genome organization of microsatellite sequences in rice (*Oryza sativa* L.). *Theoretical and Applied Genetics* 100: 697-712.
- Thomson, M.J., T.H. Tai, A.M. McClung, X-H. Lai, M.E. Hinga, K.B. Lobos, Y. Xu, C.P. Martinez, S.R. McCouch. 2003. Mapping quantitative trait loci for yield, yield components and morphological traits in an advanced backcross population between *Oryza rufipogon* and the *Oryza sativa* cultivar Jefferson. *Theoretical Applied Genetics* 107: 479-493.

- Thomson, M.J., J.D. Edwards, E.M. Septiningsih S.E. Harrington, & S.R. McCouch. 2006. Substitution mapping of *dth1.1*, a flowering-time quantitative trait locus (QTL) associated with transgressive variation in rice, reveals multiple sub-QTL. *Genetics* 172: 2501-2514.
- Varshney, R.K., A. Graner, & M.E. Sorrells. 2005. Genic microsatellite markers in plants: features and applications. *TRENDS in Biotechnology* 23: 48-55.
- Vogel, K.E. 2009. Backcross Breeding. *In*: Scott, M.P. (ed) *Transgenic Maize, Methods and Protocols*. Humana Press, Iowa.
- Wan, X.Y., J.M. Wan, C.C. Su, C.M. Wang, W.B. Shen, J.M. Li, *et al.* 2004. QTL detection for eating quality of cooked rice in a population of chromosome segment substitution lines. *Theoretical and Applied Genetics* 110: 71-79.
- Wang, C., S. Chen, & S. Yu. 2011. Functional markers developed from multiple loci in *GS3* for line marker-assisted selection of grain length in rice. *Theoretical and Applied Genetics* 122: 905-913.
- Wang, J., X. Wan, J. Crossa, J. Crouch, J. Weng, H.Q. Zhai, & J. Wan. 2006. QTL mapping of grain length in rice (*Oryza sativa* L.) using chromosome segment substitution lines. *Genetics Research Cambridge* 88: 93-104.
- Wang, Y., Y.J. Sun, D.Y. Chen, & S.B. Yu. 2009. Analysis of quantitative trait loci in response to nitrogen and phosphorus deficiency in rice using chromosomal segment substitution lines. *Acta Agronomica Sinica* 35: 580-587.
- Wang, W., Q. He, H. Yang, S. Xiang, T. Zhao, & J. Gai. 2013. Development of chromosome segment substitution line population with wild soybean (*Glycine soja* Sieb. et Zucc.) as donor parent. *Euphytica* 189: 293-307.
- Widyawan, M.H. 2014. Analisis Genotipik Individu BC₁F₁ dalam Pembentukan Populasi Padi (*Oryza sativa* L.) CSSLs (*Chromosome Segment Substitution Lines*) Berbasis 'Ciherang' dengan Donor Galur Tipe Baru. Universitas Gadjah Mada. Skripsi.
- Winter, P. & G. Kahl. 1995. Molecular marker technologies for plant improvement. *World Journal of Microbiology & Biotechnology* 11: 438-448.
- Xi, Z.Y., F.H. He, R.Z. Zeng, Z.M. Zhang, X.H. Ding, W.T. Li, & G.Q. Zhang. 2006. Development of a wide population of chromosome single-segment substitution lines in the genetic background of an elite cultivar of rice (*Oryza sativa* L.). *Genome* 49: 476-484.
- Xiao, J., J. Li, L. Yuan, & S.D. Taksley. 1996. Identifications of QTLs affecting traits of agronomic importance in a recombinant inbred population derived from a subspecific rice cross. *Theoretical Applied Genetics* 92: 230-244.

- Xie, W., G. Wang, M. Yuan, W. Yao, K. Lyu, H. Zhao, *et al.* 2015. Breeding signatures of rice improvement revealed by a genomic variation map from a large germplasm collection. PNAS. doi: 10.1073/pnas.1515919112.
- Xu, J., Q. Zhao, P. Du, C. Xu, B. Wang, Q. Feng, Q. Liu, S. Tang, M. Gu, B. Han, & G. Liang. 2010. Developing high throughput genotyped chromosome segment substitution lines based on population whole-genome re-sequencing in rice (*Oryza sativa* L.). BMC Genomics 11: 656.
- Xu, Y. 2010. Molecular Plant Breeding. CAB International, United Kingdom.
- Xue, W., Y. Xing, X. Weng, Y. Zhao, W. Tang, L. Wang, H. Zhou, S. Yu, C. Xu, X. Li, & Q. Zhang. 2008. Natural variation in *Ghd7* is an important regulator of heading date and yield potential in rice. Nature Genetics 40: 761-767.
- Yamamoto, T., H.X. Lin, T. Sasaki, & M.Yano. 2000. Identification of heading date quantitative trait loci *Hd-6* and characterization of its epistatic interactions with *Hd-2* in rice using advanced backcross progeny. Genetics 154: 885-891.
- Yu, J., S. Hu, J. Wang, G.K. Wong, S. Li, B. Liu, *et al.* 2002. A draft sequence of the rice genome (*Oryza sativa* L. ssp. *indica*). Science 296: 79-92.
- Yue, B., W.Y. Xue, L.J. Luo, & Y.Z. Xing. 2006. QTL analysis for flag leaf characteristics and their relationships with yield and yield traits in rice. Acta Genetica Sinica 33: 824-832.
- Zhang, Y., L. Luo, T. Liu, C. Xu, & Y. Xing. 2009. Four rice QTL controlling number of spikelets per panicle expressed the characteristics of single Mendelian gene in near isogenic backgrounds. Theoretical Applied Genetics 118: 1035-1044.
- Zhao, L., H. Zhou, L. Lu, L. Liu, X. Li., Y. Lin, & S. Yu. 2009. Identification of quantitative trait loci controlling rice mature seed culturability using chromosomal segment substitution lines. Plant Cell Reports 28: 247-256.
- Zhou, L., L. Chen, L. Jiang, W. Zhang, L. Liu, X. Liu, Z. Zhao, S. Liu, L. Zhang, J. Wang, & J. Wan. 2009. Fine mapping of the grain chalkiness QTL *qPGWC-7* in rice (*Oryza sativa* L.). Theoretical Applied Genetics 118: 581-590.
- Zhu, W., J. Lin, D. Yang, L. Zhao, Y. Zhang, Z. Zhu, T. Chen, C. Wang. 2009. Development of chromosome segment substitution lines derived from backcross between two sequenced rice cultivars, *indica* recipient 93-11 and *japonica* donor Nipponbare. Plant Molecular Biology Reporter 27: 126-131.