

DAFTAR PUSTAKA

- Akhtar, S., Bhat, M.A., Wani, S.A., Bhat, K.A., Chalkoo, S., Mir, M.R., Wani, S.A. 2010. *Journal of Plant Physiology* 2 : 66—81.
- Badan Pusat statistika. 2015. Produksi Padi tahun 2014 (Angka Sementara) Diperkirakan Turun 0.63 Persen. Diakses 25 Desember 2015.
- Balai Besar Penelitian Tanaman Padi. 2016. Laporan Kinerja 2015. <www.bbpadilitbang.pertanian.go.id>. Diakses 6 Desember 2016.
- Chang, T. & E.A. Bardenas. 1965. The morphology and varietal characteristics of the rice plant. Technical Bulletin 4. The Rice Research Institute, Manila.
- Chang, T. T. 2003. Origin, Domestication, and Diversification. *In*: W. C. Smith and R. H. Dilday (EDS.). John Wiley and Sons, Inc. Hoboken, New Jersey.
- Chen, S., Z., Huang, L. Zeng, J. Yang, Q. Liu, and X. Zhu. 2008. High-resolution mapping and gene prediction of *Xanthomonas oryzae* pv *oryzae* resistance gene Xa7. *Molecular Breeding* 22:433-441.
- Chun, X., C. Hongqi, and Z. Xudong. 2012. Identification, mapping, isolation of the gene resisting to bacterial blight and breeding application in rice. *Molecular Plant Breeding* 3:121-131.
- Collard, B.C.Y., Janufer M.Z.Z., Brouwer J.B., Pang E. C. K.. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: The basic concepts.
- Dardjat, A. A., Suwarno, Abdullah, B., Soewito, B. J., Ismail, B. P., Simanullang, Z. A. 2001. Status Penelitian Pemuliaan Padi untuk Memenuhi Kebutuhan Pangan Masa Depan. Balai Penelitian Tanaman Padi, Sukamandi.
- Direktorat Perlindungan Tanaman Pangan. 2011. Prakiraan serangan BLB pada padi di Indonesia masa tanam 2011. <[www. deptan.go.id](http://www.deptan.go.id)>. Diakses 25 Desember 2015.
- Dinas Pertanian dan Tanaman Pangan Propinsi Jawa Barat. 2013. Penyebaran varietas padi 2010. <<http://diperta.jabarprov.go.id/index.php/subMenu/931>>. Diakses 25 Desember 2015.
- Doyle, J.J., dan J.L. Doyle. 1990. Isolation of plant dna from fresh tissue. *Focus* 12: 13-15.

- Fadlilah, S. H. 2014. Identifikasi gen *Xa* pada galur F1 'Code'x 'Angke'dan 'Ciherang'x IRBB21 serta uji patogenitas padi galur isogenik. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.
- Fatchiyah. 2006. Gel Elektroforesis. Laboratorium Sentral Biologi Molekuler dan Seluler Departemen Biologi. Universitas Brawijaya, Malang.
- Fatimah, J. Prasetyono, T.P. Priyatno, M. Yunus, T. Suhartini, I. Ridwan dan M. Baroya. 2015. Analisis molekuler piramida gen *Xa* pada progeni padi varietas ciherang dan inpari 13. Jurnal Biologi Indonesia 11:109-119.
- Fatimah, T.P. Priyatno, S.H. Fadillah, Hermanto, M. Baroya, Mahrup, Wawan, D. Sasongko, Y. Suryadi, and T.S. Kadir. 2014. Isolation and disease assessment of *Xanthomonas oryzae* assay on near isogenic lines with different resistance gene. Jurnal Biologi Indonesia 10:237-245.
- Jha, G., R. Rajeswhari, dan R.V. Shonti. 2007. Functional interplay between two *Xanthomonas oryzae* pv. *Oryzae* secretion systems in modulating virulence on rice. Mol. Plant-Microbe Interact. 20:31-40.
- Jonharnas. 2009. Evaluasi Beberapa Varietas Ubi Jalar di Kabupaten Dairi Sumatera Utara. Balai Pengkajian Teknologi Tanaman Pertanian Sumatera Utara, Medan.
- Joshi, R. K. and Nayak, S. 2010. Gene pyramiding: a broad spectrum technique for developing durable stress resistance in crops. Biotechnology and Molecular Biology Review 5 (3): 51—60.
- Hermanto. 2014. Deteksi gen ketahanan penyakit hawar daun bakteri pada populasi silang ganda F1 (DCF1) padi 'Ciherang'. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.
- Hifni HR. 1993. Penyakit hawar daun bakteri padi di Indonesia. *Dalam* Kinerja Penelitian Tanaman Pangan Buku 2. Simposium Penelitian Tanaman Pangan III, 23-25 Agustus 1993, Jakarta.
- Horino O, Hifni, H. R. 1981. A survey of geographical distribution of pathogenic group of *Xanthomonas campestris* pv. *oryzae*. Phytopatology Social Japan 47 : 50—57.
- Hospital F., 2003. Marker-assisted breeding. Plant Molecular Breeding. H.J. Newbury (ed) Blackwell Publishing, Carlton: 33-56.
- International Rice Reaserch Institute (IRRI). 1996. Standard Evaluation System for Rice. IRRI, Philippines.
- Ishii, T., dan K. Yonezawa. 2007. Optimization of the marker-based procedures for pyramiding genes from multiple donor lines: ii. strategies for selecting the objective homozygous plant. Crop Science 47: 1878—1886.

- Iyer, A.S., and S.R. McCouch. 2004. The rice bacterial blight resistance gene xa5 encodes a novel form of disease resistance. *Molecular Plant Microbe Interact.* 17: 1348-1354.
- Kadir, T. S. 2009. Menangkal HDB dengan menggilir varietas. *Warta Penelitian dan Pengembangan Pertanian* 31 (5): 1—3.
- Kementrian Pertanian. 2012. Indonesia Butuh Tambahan Tujuh Juta Ton Beras. <<http://www.antaraneews.com/berita/341347/indonesia-butuh-tambahan-tujuh-juta-ton-beras>. Diakses 27 April 2016.
- Khush, G.S., E. Bacalangco, T. Ogawa. 1990. A new gene for resistance to bacterial blight from *O. Longistaminata*. *Rise Genet. Newslett.* 7:121-122.
- Kush GS, Kinoshita T. 1991. Rice karyotype, marker genes, and linkage group. *In* G.S. Khush and G.H. Toenni essen (Eds.). *Rice Biotechnology. Biotechnology in Agriculture.* IRRI. Manila. Philippines. 6:83-108.
- Loan, L.C., V.T.T. Ngan, dan P.V. Du. 2006. Preliminary evaluation on resistance genes against rice bacterial leaf blight in can tho province-vietnam. *Omonrice* 14: 44-47.
- Ma, B. J., Wang, W. M., Zhao, B., Zhou, Y. L. 1999. Studies of PCR markers for the rice bacterial blight resistance gene *Xa4*. *Hereditas* 21 : 9—12.
- Margana, D.M. 2012. Ciherang Varietas Fenomenal. Jawa Barat (ID): Dinas Pertanian dan Tanaman Pangan Propinsi Jawa Barat.
- Mew, T. W. 1987. Current status and future prospects of research on bacterial blight of rice. *Phytopathology* 25: 359—382.
- Mazzola, M., J. E. Leach, R. Nelson, dan F. White. 1994. Analysis of the interaction between *Xanthomonas oryzae* pv. *Oryzae* and the rice cultivars IR24 and IRBB21. *Phytopathology* 84: 392—397.
- Narasimhan, V., and Kareem, A. A. 1994. Simulation of the effect of bacterial leaf blight infection on yield reduction in rice. Analysis of damage mechanisms by pest and diseases and their effects on rice yield. *SARP Research Proceedings* : 44—59.
- Ogawa T. 1993. Methods and strategy for monitoring race distribution and identification of resistance genes to bacterial blight (*Xanthomonas campestris* pv. *oryzae*) in rice. *JARQ* 27:71-80.

- Openshaw, S.J., S.G. Jarboe, W.D. Beavis. 1994. Marker-assisted selection in backcross breeding. Proceedings of the Symposium 'Analysis of Molecular Marker Data', Corvallis.
- Perumalsamy, S., Bharani, M., Sudah, M., Nagarajan, P., Arul, L., Sarawathi, R., Balasubramanian, P., and Ramalingam, J. 2010. Functional marker-assisted selection for bacterial leaf blight resistance genes in rice (*Oryza Sativa* L.). *Plant Breeding* 129 : 400—406.
- Pratama, G.P. 2016. Seleksi berbantu penanda empat gen ketahanan penyakit hawar daun bakteri pada tanaman padi (*Oryza sativa* L.) ciherang generasi BC₂F₁. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Reny, H., B.S., Purwoko, dan I.S. Dewi. 2009. Keragaman genetik dan karakter agronomi galur haploid ganda padi gogo dengan sifat-sifat tipe baru hasil kultur antera. *Jurnal Agronomi*. 37:87-94.
- Ronald, P.C., Albano, B.T., Abien, R., Abenes, L., McCouch, S., Tanksley, S.D. 1992. Genetic and physical analysis of the bacterial blight disease resistance locus. *Mol. Gen. Genet* 236: 113-120.
- Servin, B., Martin, O. C., Mezard, M., and Hospital, F. 2004. MDM: A program to compute fully informative genotypes frequencies in complex breeding schemes. *The Journal of Heredity* 93 : 227—228.
- Singh, S., J.S. Shindu, N. Huang, Y. Vikal, Z. Li, D.S. Brar, H.S. Dhaliwal, G.S. Khush. 2001. Pyramiding three bacterial blight resistance genes (*xa5*, *xa13*, and *Xa21*) using marker-assisted selection into indica rice cultivar PR106. *Theor Appl Genet*. 102:1011-1015.
- Soewito, T., P. Adijono, E. Suparman, Suprpto, dan P. H. Siwi. 2000. Peningkatanketahanan varietas padi unggul tahan terhadap wereng coklat. Kumpulan Makalah Hasil Penelitian Tanaman Padi, Sukamandi.
- Song, W., Wang, G., Chen, L., Kim, H., Holsten, T., Zhai, W., Zhu, L., Fauquet, C., dan Ronald, P. 1995. The rice disease resistance gene Xa21, encodes a receptor kinase-like protein. *Science* 270 : 1804—1806.
- Sudir, Triny S. Kadir, dan Suprihanto. 2009. Pemetaan patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. Laporan Hasil Penelitian Tahun 2010. Balai Besar Penelitian Tanaman Padi, Sukamandi.
- Sudir, Triny S. Kadir, dan Suprihanto. 2010. Pemetaan patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. Laporan Hasil Penelitian Tahun 2010. Balai Besar Penelitian Tanaman Padi, Sukamandi.

- Suh, J.P., J. U. Jeung, T. H. Noh, Y. C. Cho, S. H. Park, H. S. Park, M. S. Shin, C. K. Kim, dan K. K. Jena. 2013. Development of breeding lines with three pyramided resistance genes that confer broad-spectrum bacterial blight resistance and their molecular analysis in rice. *Rice* 6:5-16.
- Suhendrata, T., Mastur, dan Kushartanti, E. 2011. Adopsi dan penyebaran varietas unggul padi hibrida di kabupaten Sukoharjo. *Balai Pengkajian Teknologi Pertanian Jawa Tengah*:41-46.
- Suparyono, Sudir, dan Suprihanto. 2004. Pathotype profile of *Xanthomoas campestris pv. oryzae*, isolates from the rice ecosystem in Java. *Indonesian Journal of Agricultural Science* 5 (2): 63—69.
- Supriyanti, E.D. 2016. Seleksi background galur BC3F1 Ciherang terpilih. Fakultas Pertanian. Universitas Sultan Ageng Tirtayasa. Laporan Kerja Praktik.
- Susanto, U., Sudir. 2012. Ketahanan genotipe padi terhadap *Xanthomonas oryzae* pv. *Oryzae* patotipe III, IV, dan VIII. *Penelitian Pertanian Tanaman Pangan* 31 (2): 108—116.
- Swastika, Dewa K.S., J. Wargiono, Soejitno, dan A. Hasanuddin. 2007. Analisis kebijakan peningkatan produksi padi melalui efisiensi pemanfaatan lahan sawah di Indonesia. *Analisis Kebijakan Pertanian* 5 : 36-52.
- Tjubarat, T., T.S. Kadir, dan E. Sumadi. 1999. Skrining varietas terhadap Hawar Daun Bakteri. *Prosiding Kongres Nasional XV dan seminar Ilmiah PFI, Purwokerto, 16-18 September*.
- Utami, D. W, Ambarwati, A. D., Apriana, A., Sisharmini, A., Hanarida, I., Tharreau, D., Santosa. 2007. Spektrum ketahanan galur haploid ganda turunan IR64 dan *Oryza rufipogon* yang mengandung QTL ketahanan terhadap penyakit blas. *Jurnal Agrobiogen* 3 (1): 1—7.
- Wang, G., W. Song, D. Ruan, S. Sideris, P.C. Ronald. 1996. The cloned gene, Xa21, confers resistance to multiple *Xanthomonas oryzae* pv. *Oryzae* isolates in transgenic plants. *Molecular of Plant Microbe Interaction*. 9: 850-855.
- Xu, Y. 2010. *Molecular Plant Breeding*. CABI Publishing, London.
- Yamasaki, R.A.D., N. Murata, and T. Suwa. 2006. Studies on the culture of *Xanthomonas oryzae*, *Journal of Bacteriology* 42: 946-49
- Yang, Z., X. Sun, S. Wang, and Q. Zhang. 2003. Genetic and physical mapping of a new gene for bacterial blight resistance un rice. *Theor. Appl. Genet* 106: 1467-1472.

- Ye, G., and Smith, K. F. 2008. Marker assisted gene pyramiding for inbred line development: basic principles and practical guidelines. *International Journal of Plant Breeding*: 1—10.
- Yusida, Miharja, S., Hifni, H. R., dan Soewito, T. 1994. Identifikasi gen ketahanan pada varietas padi IRBBN yang efektif terhadap strain *Xanthomonan oryzae* pv. *oryzae* kelompok III dan IV. *Dalam Machmud et al. (Eds). Risalah Hasil Penelitian Tanaman Pangan No. 3. Balai Penelitian Tanaman Pangan, Bogor.*
- Zhang, Y., J. Wang, J. Pan, Z. Gu, X. Chen, Y. Jin, F. Liu, H. Zhang, dan B. Ma. 2009. Identification and molecular mapping of the rice bacterial blight resistance gene allelic to *Xa7* from an elite restorer line Zhenhui 084. *Eur J. Plant Pathol* 125:235-244
- Zubay, G. L. 1989. *Biochemistry* 2nd Edition. Mcmillan Publishing Corporation, New York.