

DAFTAR PUSTAKA

- Absor, Moh. Adhib Ulil. 2015. *Density-functional theory based calculations of spin orbit interaction in ZnO*, Disertasi, Universitas Kanazawa, Japan, dilihat pada 28 Oktober 2016. <<http://hdl.handle.net/2297/43818>>
- Andreoni, W. ed., 2000. *The physics of fullerene-based and fullerene-related materials* (Vol. 23). Springer Science & Business Media..
- Ashcroft, N. W., & Mermin, N. D. 1976. *Solid state physics*. Fort Worth, Saunders College Pub.
- Balandin, A.A., Ghosh, S., Bao, W., Calizo, I., Teweldebrhan, D., Miao, F. and Lau, C.N., 2008. Superior thermal conductivity of single-layer graphene. *Nano letters*, 8(3), pp.902-907.
- Boyle, W.S. and Nozières, P., 1958. Band structure and infrared absorption of graphite. *Physical Review*, 111(3), p.782.
- Calandra, M. and Mauri, F., 2007. Electronic structure of heavily doped graphene: The role of foreign atom states. *Physical Review B*, 76(16), p.161406.
- Castro, E.V., Novoselov, K.S., Morozov, S.V., Peres, N.M.R., Dos Santos, J.L., Nilsson, J., Guinea, F., Geim, A.K. dan Neto, A.C., 2007. Biased bilayer graphene: semiconductor with a gap tunable by the electric field effect. *Physical Review Letters*, 99(21), p.216802.
- Charlier, J.C., Gonze, X. dan Michenaud, J.P., 1994. Graphite interplanar bonding: electronic delocalization and van der Waals interaction. *EPL (Europhysics Letters)*, 28(6), p.403.
- Charlier, J.C., Blase, X. dan Roche, S., 2007. Electronic and transport properties of nanotubes. *Reviews of Modern Physics*, 79(2), p.677.
- Cheng, J.L., Salazar, C. dan Sipe, J.E., 2013. Optical properties of functionalized graphene. *Physical Review B*, 88(4), p.045438.
- Fock, V. 1930. Näherungsmethode zur Lösung des quantenmechanischen Mehrkörperproblems. *Zeitschrift Für Physik*. 61, 126-148

- Fujimoto, Y. dan Saito, S., 2011. Formation, stabilities, and electronic properties of nitrogen defects in graphene. *Physical Review B*, 84(24), p.245446.
- Geim, A.K., & A.H. MacDonald. 2007. Graphene: exploring carbon flatland. *Physics today*
- Ghosh, S., Calizo, I., Teweldebrhan, D., Pokatilov, E.P., Nika, D.L., Balandin, A.A., Bao, W., Miao, F. dan Lau, C.N., 2008. Extremely high thermal conductivity of graphene: Prospects for thermal management applications in nanoelectronic circuits. *Applied Physics Letters*, 92(15), p.151911.
- Gusynin, V.P. dan Sharapov, S.G., 2005. Unconventional integer quantum Hall effect in graphene. *Physical Review Letters*, 95(14), p.146801.
- Henriksen, E.A. dan Eisenstein, J.P., 2010. Measurement of the electronic compressibility of bilayer graphene. *Physical Review B*, 82(4), p.041412.
- Hohenberg, P. dan Kohn, W., 1964. Inhomogeneous electron gas. *Physical Review*, 136(3B), p.B864.
- Jung, N., Kim, B., Crowther, A.C., Kim, N., Nuckolls, C. dan Brus, L., 2011. Optical reflectivity and Raman scattering in few-layer-thick graphene highly doped by K and Rb. *ACS Nano*, 5(7), pp.5708-5716.
- Kittel, C. 2005. *Introduction to solid state physics*. New York, Wiley
- Kohn, W. dan Sham, L.J., 1965. Self-consistent equations including exchange and correlation effects. *Physical Review*, 140(4A), p.A1133.
- Lee, C., Wei, X., Kysar, J.W. dan Hone, J., 2008. Measurement of the elastic properties and intrinsic strength of monolayer graphene. *Science*, 321(5887), pp.385-388.
- Leenaerts, O., Partoens, B., dan Peeters, F. M. 2008. Adsorption of H₂O, NH₃, CO, NO₂, and NO on graphene: A first-principles study. *Physical Review B*, 77(12), p.125416.
- Martin, R.M., 2004. *Electronic structure: basic theory and practical methods*. Cambridge university press.
- McCann, E., 2006. Asymmetry gap in the electronic band structure of bilayer graphene. *Physical Review B*, 74(16), p.161403.

- McCann, E. and Fal'ko, V.I., 2006. Landau-level degeneracy and quantum Hall effect in a graphite bilayer. *Physical Review Letters*, 96(8), p.086805.
- McCann, E. 2012. 'Electronic Properties of Monolayer and Bilayer Graphene'. di Raza, H. *Graphene nanoelectronics: metrology, synthesis, properties and applications*. Berlin, Springer, Hal.237-275
- McClure, J.W., 1957. Band structure of graphite and de Haas-van Alphen effect. *Physical Review*, 108(3), p.612.
- McClure, J.W., 1958. Analysis of multicarrier galvanomagnetic data for graphite. *Physical Review*, 112(3), p.715.
- Monkhorst, H.J. dan Pack, J.D., 1976. Special points for Brillouin-zone integrations. *Physical Review B*, 13(12), p.5188.
- Morozov, S.V., Novoselov, K.S., Katsnelson, M.I., Schedin, F., Elias, D.C., Jaszczak, J.A. dan Geim, A.K., 2008. Giant intrinsic carrier mobilities in graphene and its bilayer. *Physical Review Letters*, 100(1), p.016602.
- Nakada, K. and Ishii, A., 2011. Migration of adatom adsorption on graphene using DFT calculation. *Solid State Communications*, 151(1), pp.13-16.
- Nasehnia, F., Lima, S.M., Seifi, M. dan Mehran, E., 2016. First principles study on optical response of graphene oxides: From reduced graphene oxide to the fully oxidized surface. *Computational Materials Science*, 114, pp.112-120.
- Novoselov, K.S., Geim, A.K., Morozov, S.V., Jiang, D., Zhang, Y., Dubonos, S.V., Grigorieva, I.V. dan Firsov, A.A., 2004. Electric field effect in atomically thin carbon films. *Science*, 306(5696), pp.666-669.
- Novoselov, K.S., Geim, A.K., Morozov, S., Jiang, D., Katsnelson, M., Grigorieva, I., Dubonos, S. dan Firsov, A., 2005. Two-dimensional gas of massless Dirac fermions in graphene. *Nature*, 438(7065), pp.197-200.
- Novoselov, K.S., Jiang, D., Schedin, F., Booth, T.J., Khotkevich, V.V., Morozov, S.V. dan Geim, A.K., 2005. Two-dimensional atomic crystals. *Proceedings of the National Academy of Sciences of the United States of America*, 102(30), pp.10451-10453.

- Novoselov, K.S., McCann, E., Morozov, S.V., Fal'ko, V.I., Katsnelson, M.I., Zeitler, U., Jiang, D., Schedin, F. and Geim, A.K., 2006. Unconventional quantum Hall effect and Berry's phase of 2π in bilayer graphene. *Nature Physics*, 2(3), pp.177-180.
- Novoselov, K.S., Jiang, Z., Zhang, Y., Morozov, S.V., Stormer, H.L., Zeitler, U., Maan, J.C., Boebinger, G.S., Kim, P. dan Geim, A.K., 2007. Room-temperature quantum Hall effect in graphene. *Science*, 315(5817), pp.1379-1379.
- Ohta, T., Bostwick, A., Seyller, T., Horn, K. dan Rotenberg, E., 2006. Controlling the electronic structure of bilayer graphene. *Science*, 313(5789), pp.951-954.
- Oostinga, J.B., Heersche, H.B., Liu, X., Morpurgo, A.F. dan Vandersypen, L.M., 2008. Gate-induced insulating state in bilayer graphene devices. *Nature Materials*, 7(2), pp.151-157.
- Ozaki, T., 2003. Variationally optimized atomic orbitals for large-scale electronic structures. *Physical Review B*, 67(15), p.155108.
- Ozaki, T. dan Kino, H., 2004. Numerical atomic basis orbitals from H to Kr. *Physical Review B*, 69(19), p.195113.
- Perdew, J.P., Burke, K. dan Ernzerhof, M., 1996. Generalized gradient approximation made simple. *Physical Review Letters*, 77(18), p.3865.
- Parr, R. G., dan Yang, W. 1989. *Density-functional theory of atoms and molecules*. New York, Oxford University Press
- Pauling, L. 1972. *The nature of the chemical bond and the structure of molecules and crystals: an introduction to modern structural chemistry*. Ithaca, New York, Cornell University Press.
- Peres, N.M.R., Guinea, F. dan Neto, A.C., 2006. Electronic properties of disordered two-dimensional carbon. *Physical Review B*, 73(12), p.125411.
- Petroski, H. 1989. *The pencil: a history of design and circumstance*. New York, N.Y., Alfred A. Knopf.
- Putz, S., Gmitra, M. dan Fabian, J., 2014. Optical conductivity of hydrogenated graphene from first principles. *Physical Review B*, 89(3), p.035437.

- Rydberg, H., Dion, M., Jacobson, N., Schröder, E., Hyldgaard, P., Simak, S.I., Langreth, D.C. dan Lundqvist, B.I., 2003. Van der Waals density functional for layered structures. *Physical Review Letters*, 91(12), p.126402.
- Saito, R., Dresselhaus, G., dan Dresselhaus, M. S. 1998. *Physical properties of carbon nanotubes*. London, Imperial College Press.
- Santoso, I., Singh, R.S., Gogoi, P.K., Asmara, T.C., Wei, D., Chen, W., Wee, A.T., Pereira, V.M. dan Rusydi, A., 2014. Tunable optical absorption and interactions in graphene via oxygen plasma. *Physical Review B*, 89(7), p.075134.
- Schedin, F., Geim, A.K., Morozov, S.V., Hill, E.W., Blake, P., Katsnelson, M.I. dan Novoselov, K.S., 2007. Detection of individual gas molecules adsorbed on graphene. *Nature Materials*, 6(9), pp.652-655.
- Schroeder, P.R., Dresselhaus, M.S. dan Javan, A., 1968. Location of electron and hole carriers in graphite from laser magnetoreflection data. *Physical Review Letters*, 20(23), p.1292.
- Slater, J.C., 1951. A simplification of the Hartree-Fock method. *Physical Review*, 81(3), p.385.
- Šljivančanin, Ž., Milošević, A.S., Popović, Z.S. dan Vukajlović, F.R., 2013. Binding of atomic oxygen on graphene from small epoxy clusters to a fully oxidized surface. *Carbon*, 54, pp.482-488.
- Slonczewski, J.C. dan Weiss, P.R., 1958. Band structure of graphite. *Physical Review*, 109(2), p.272.
- Spry, W.J. dan Scherer, P.M., 1960. de haas-van alphen effect in graphite between 3 and 85 kilogauss. *Physical Review*, 120(3), p.826.
- Trickey, S.B., Müller-Plathe, F., Diercksen, G.H.F. dan Boettger, J.C., 1992. Interplanar binding and lattice relaxation in a graphite dilayer. *Physical Review B*, 45(8), p.4460.
- Troullier, N. dan Martins, J.L., 1991. Efficient pseudopotentials for plane-wave calculations. *Physical Review B*, 43(3), p.1993.
- Uchoa, B., Lin, C.Y. dan Neto, A.C., 2008. Tailoring graphene with metals on top. *Physical Review B*, 77(3), p.035420.

- Wallace, P.R., 1947. The band theory of graphite. *Physical Review*, 71(9), p.622.
- Wehling, T.O., Novoselov, K.S., Morozov, S.V., Vdovin, E.E., Katsnelson, M.I., Geim, A.K. dan Lichtenstein, A.I., 2008. Molecular doping of graphene. *Nano letters*, 8(1), pp.173-177.
- Yan, J.A., Xian, L. dan Chou, M.Y., 2009. Structural and electronic properties of oxidized graphene. *Physical Review Letters*, 103(8), p.086802.
- Yuan, S., Rösner, M., Schulz, A., Wehling, T.O. dan Katsnelson, M.I., 2015. Electronic structures and optical properties of partially and fully fluorinated graphene. *Physical Review Letters*, 114(4), p.047403.
- Zhang, Y., Tan, Y.W., Stormer, H.L. dan Kim, P., 2005. Experimental observation of the quantum Hall effect and Berry's phase in graphene. *Nature*, 438(7065), pp.201-204.
- Zhang, Y., Small, J.P., Amori, M.E. dan Kim, P., 2005. Electric field modulation of galvanomagnetic properties of mesoscopic graphite. *Physical Review Letters*, 94(17), p.176803.
- Zhang, Y., Tang, T.T., Girit, C., Hao, Z., Martin, M.C., Zettl, A., Crommie, M.F., Shen, Y.R. dan Wang, F., 2009. Direct observation of a widely tunable bandgap in bilayer graphene. *Nature*, 459(7248), pp.820-823.