

DAFTAR PUSTAKA

- Adham M, Kurniawan AN, Muhtadi AI, Roezin A, Hermani B, Gondhowiardjo S, Tan BI, Middeldorp JM. 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese Journal of Cancer*, 31, pp. 185-96.
- Adham M, Stoker SD, Wildeman MA, Rachmadi L, Gondhowiardjo S, *et al.* 2014. Current Status of Cancer Care for Young Patients with Nasopharyngeal Carcinoma in Jakarta, Indonesia. *PLoS ONE* . 9(7)
- Aleksandrova K, Boeing H, Nöthlings U, Jenab M, Fedirko V, Kaaks R, *et al.* 2014. Inflammatory and Metabolic Biomarkers and Risk of Liver and Biliary Tract Cancer. *Hepatology*. Sep;60(3):858-71. doi: 10.1002/hep.27016. Epub 2014 Jul 29.
- American Cancer Society. 2011. Nasopharyngeal cancer. USA: American Cancer Society.
- Armstrong RW, Imrey PB, Lye MS, Armstrong MJ, Yu MC, Sani S. 1998. Nasopharyngeal carcinoma in Malaysian Chinese: salted fish and other dietary exposures. *Int J Cancer*;77:228 – 35.
- Ayan I, Kaytan E, Ayan N. 2003. Childhood nasopharyngeal carcinoma: from biology to treatment. *Lancet Oncol*, 4, pp. 13-21.
- Bray F, Haugen M, Moger TA, Tretli S, Aalen OO, Grotmol T. 2008. Age-incidence curves of nasopharyngeal carcinoma worldwide: bimodality in low-risk populations and aetiologic implications. *Cancer Epidemiol Biomarker Prev*; 17(9):2356-65
- Chang ET, Adami HO. 2006. The enigmatic epidemiology of nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev*;15:1765–1767.
- Curado MP, Edwards B, Shin HR, Storm H, Ferlay J, Heanue M, Boyle P (eds). 2007. *Cancer Incidence in Five Continents*. Vol IX. IARC Scientific Publications: Lyon, France.
- Ekburanawat, W., *et al.* 2010. Evaluation of non-viral risk factors for nasopharyngeal carcinoma in Thailand: Results from a case-control study. *Asian Pacific Journal of Cancer Prevention*, 11, pp.929-932.

- Erlinger TP, Platz EA, Rifai N, *et al.* 2004. C-Reactive Protein and the Risk of Incident Colorectal Cancer. *JAMA*, 291(5), pp. 585-590. Doi:10.1001/jama.291.5.585
- Fachiroh J., Sangrajang S., Johansson M., Renard H., Gaborieay V., Chabrier A., Chindavijak S., Brennan P., McKay J. 2012. Tobacco consumption and genetic susceptibility to nasopharyngeal carcinoma (NPC) in Thailand. *Cancer causes and control*, 23(12), pp. 1995-2002.
- Farrow DC, Vaughan TL, Berwick M, Lynch CF, Swanson GM, Lyon JL.1998. Diet and nasopharyngeal cancer in a low-risk population. *Int J Cancer*;78: 675 – 9.
- Ferlay J, Shin HR, Bray F, Forman D, Mathers C, Parkin DM. 2010. Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *Int J Cancer* 127: 2893–2897.
- Gallicchio L, Matanoski G, Tao XG, Chen L, Lam TK, Boyd K, Robinson KA, Balick L, Mickelson S, Caulfield LE, Herman JG, Guallar E, Alberg AJ. 2006. Adulthood consumption of preserved and nonpreserved vegetables and the risk of nasopharyngeal carcinoma: a systematic review. *Int J Cancer*;119:1125–1125.
- Guo Y, Pan L, Du C, Ren D, Xie X. 2013. Association Between C-Reactive Protein and Risk Of Cancer : A Meta Analysis of Prospective Cohort Studies. *Asia Pacific J Cancer Prevention*;14, 243-8.
- Hannahan D, Weinberg RA. 2011. "Hallmarks of Cancer: The Next Generation". *Cell*. 144 (5): 646–674. doi:10.1016/j.cell.2011.02.013
- Hardman WE. 2014. Diet components can suppress inflammation and reduce cancer risk. *Nutr Res Pract*, 8(3), pp. 233-240.
- Harris HR, Willet WC, Vaidya RL, Michels KB. 2017. An Adolescent and Early Adulthood Dietary Pattern Associated with Inflammation and the Incidence of Breast Cancer. *Cancer Res*, 77(5), pp. 1179-1187.
- Hecht SS. 1999. DNA adduct formation from tobacco-specific N-nitrosamines. *Mutat Res*;424:127–42.
- Hendrik U, Susanne S, Daniel S, Hendrik L, Ralf H. 2011. Interaction of tumor cells with the microenvironment. *Cell Communication and Signaling* 9. 18: 18

- Hidayat Y., Muharrami LK. 2014. Kecenderungan Pilihan Jajanan Pangan Anak SD terhadap Jajanan Berformalin. *Jurnal Pena Sains*, Vol. 1, No. 2, Oktober 2004
- Ho, JHC. 1972. Nasopharyngeal carcinoma (NPC). *Adv. Cancer Res.*15: 57-92.
- Hotamisligil GS. 2008. Inflammation and Metabolic Disorders. *Nature*. 444(7121):860-67.
- Huang DP, Ho JH, Webb KS, Wood BJ, Gough TA. 1981. Volatile nitrosamines in salt-preserved fish before and after cooking. *Food Cosmet Toxicol*;19:167–71.
- Jeannel D, Bouvier G, Hubert A. 1999. Nasopharyngeal carcinoma: an epidemiological approach to carcinogenesis. *Cancer Surv*, 33:125-155.
- Jia WH, Qin HD. 2012. Non-viral environmental risk factors for nasopharyngeal carcinoma: a systematic review. *Semin Cancer Biol*;22:117–126.
- Jiang C, Li J, Ao F, Qiu Y, Liao Y. 2010. Relationship between C-reactive protein and clinical stage in nasopharyngeal carcinoma. *The Chinese-German Journal of Clinical Oncology*. (9);2:89-92.
- Komite Nasional Penanggulangan Kanker (KPKN). 2015. Panduan Nasional Penanganan Kanker Nasofaring. Versi 1.0 2015. Kementerian Kesehatan Republik Indonesia.
- Kusumawardhani, Arti Tyagita. 2012. *Hubungan Tingkat Pendidikan Dan Tingkat Pengetahuan Tentang Merokok Dengan Derajat Berat Merokok*. Skripsi. Surakarta: Universitas Negeri Sebelas Maret.
- Lanier A, Bender T, Talbot M, et al. 1980. Nasopharyngeal carcinoma in Alaskan Eskimos Indians, and Aleuts: a review of cases and study of Epstein-Barr virus, HLA, and environmental risk factors. *Cancer*, 46:2100 – 6.
- Laouamri S, Hamdi-Cherif M, Sekfali N, Mokhtari L, Kharchi R. 2001. Dietary risk factors of nasopharyngeal carcinoma in the Setif area in Algeria. *Rev Epidemiol Sante Publique*; 49:145 – 56.
- Lau HY, Leung CM, Chan YH, Lee AWM, Kwong DLW, Lung ML, Lam TH. 2013. Secular trends of salted fish consumption and nasopharyngeal carcinoma: a multi-jurisdiction ecological study in 8 regions from 3 continents. *BMC Cancer*;13:298.

- Lee AW, Foo W, Mang O, et al. 2003. Changing epidemiology of nasopharyngeal carcinoma in Hong Kong over a 20-year period (1980-99): an encouraging reduction in both incidence and mortality. *Int J Cancer*;103:680 – 5.
- Lee HP, Gourley L, Duffy SW, Esteve J, Lee J, Day NE. 1994. Preserved foods and nasopharyngeal carcinoma: a case-control study among Singapore Chinese. *Int J Cancer*;59:585 – 90.
- Lee JT, Ko CY. 2005. Has survival improved for nasopharyngeal carcinoma in the United States?. *Otolaryngol Head Neck Surg*;132:303 – 8.
- Lu X, Qian CN, Mu YG, Li NW, Li S, Zhang HB, Li SW, Wang FL, Guo X, Xiang YQ. 2012a. Serum CCL2 and serum TNF- α --two new biomarkers predict bone invasion, posttreatment distant metastasis and poor overall survival in nasopharyngeal carcinoma. *European Journal of Cancer*, 47, 339-46.
- Lu K, Feng X, Deng Q, Sheng L, Liu P, Xu S, Su D. 2012b. Prognostic role of serum cytokines in patients with nasopharyngeal carcinoma. *Onkologie*, 23, 494-8.
- Lemeshow S., Hosmer DW., Klar J., Lwanga SK. 1997. *Besar Subyek dalam Penelitian Kesehatan*. Yogyakarta: UGM Press.
- Man, SFP dan Sin, DD. 2005. Effects of Corticosteroids on Systemic Inflammation in Chronic Obstructive Pulmonary Disease. *Proc Am Thorac Soc*. 2:78–82.
- Mantovani A. 2010. Molecular pathways linking inflammation and cancer. *Current Molecular Medicine (review)* 10;(4):369–73.
- Matondang, Corry S., Sjawitri P Siregar. 2008. Aspek imunologi imunisasi. Dalam I.G.N. Ranuh, Hariyono Suyitno, Sri Rezeki S Hadinegoro, Cissy B. Kartasasmita, Ismoedijanto, Soedjatmiko: Pedoman imunisasi di Indonesia. Edisi ketiga. Jakarta: Ikatan Dokter Anak Indonesia
- Myers, E. dan Suen, J. 1996. Cancer of the head and neck. 1st ed. Philadelphia: Saunders.
- Ning JP, Yu MC, Wang QS, Henderson BE. 1990. Consumption of salted fish and other risk factors for nasopharyngeal carcinoma (NPC) in Tianjin, a low-risk region for NPC in the People's Republic of Cina. *J Natl Cancer Inst*;82:291 – 6

- Parkin DM, Bray F, Ferlay J, Pisani P. 2005. Global cancer statistics, 2002. *CA Cancer J Clin*;55:74 – 108.
- Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB, editors. 2002. *Cancer incidence in five continents, vol. VIII*. IARC scientific publications No. 155. Lyon: IARC.
- Pepys MB dan Hirschfield GM. 2003. C-reactive protein: a critical update. *J Clin. Invest.* 111:1805-12.
- Peres LC, Bandera EV, Qin B, Guertin KA, Shivappa N, Hebert JR, Abbot SE, Alberg AJ, *et al.* 2017. Dietary inflammatory index and risk of epithelial ovarian cancer in African American women. *Int J Cancer*, 140(3), pp. 535-545
- Poirier S, Bouvier G, Malaveille C, Ohshima H, Shao YM, Hubert A, Zeng Y, de The G, Bartsch H. 1989. Volatile nitrosamine levels and genotoxicity of food samples from high-risk areas for nasopharyngeal carcinoma before and after nitrosation. *Int J Cancer* 44:1088–94.
- Prete, A. D., Allavena, P., Santoro, G., Fumarulo, R., Corsi, M. & Mantovani, A. 2011. Molecular Pathways In Cancer-Related Inflammation. *Biochimica Medica*, 21, 264-75.
- Qu YL, Chen YZ, Zhao YX, Liu D, Su HX, Wang HT. 2014. Relationship between genetic polymorphisms in inflammation-related factor gene and the pathogenesis of nasopharyngeal cancer. *Tumor Biol*;35:9411-9418
- Riso P, Vendrame S, Del Bo C, Martini D, Martinetti A, Seregini E, Visioli F, Parolini M, Porrini M. 2014. Effect of 10-day broccoli consumption on inflammatory status of young healthy smokers. *Int J Food Sci Nutr*, 65(1), pp. 106-11.
- Sastroasmoro S, Sofyan I. 2011. *Dasar-Dasar Metodologi Penelitian Klinis*. Edisi 4. Jakarta : EGC.
- Shao YM, Poirier S, Ohshima H, *et al.* 1988. Epstein-Barr virus activation in Raji cells by extracts of preserved food from high risk areas for nasopharyngeal carcinoma. *Carcinogenesis*;9:1455 – 7.
- Shivappa N, Balir CK, Prizment AE, Jacobs DR Jr, Hébert JR. 2017. Dietary inflammatory index and risk of renal cancer in the Iowa Women’s Health Study. *Eur J Nutr*. Mar 1. Doi: 10.1007/s00394-017-1403-5.

- Sriamporn S, Vatanasapt V, Pisani P, Yongchaiyudha S, Rungpitarangsri V. 1992. Environmental risk factors for nasopharyngeal carcinoma: a case-control study in northeastern Thailand. *Cancer Epidemiol Biomarkers Prev*;1:345–8.
- Strumylaite L, Zickute J, Dudzevicius J, Dregval L. 2006. Salt-preserved foods and risk of gastric cancer. *Medicina (Kaunas)*, 42, pp. 164-170.
- Suzana E. 2007. Registrasi Kanker Berbasis Rumah Sakit di Tumah Sakit Kanker “Dharmais” - Pusat Kanker Nasional, 1993-2007.
- Tietz, N. W. (editor). 1995. *Clinical Guide to Laboratory Tests*. 3rd Edition. Philadelphia, PA. 19106: W.B. Saunders Company.
- Trichopoulos D, Psaltopoulos T, Orfanos P, Trichopoulos A, Boffetta P. 2006. Plasma C-Reactive Protein and Risk Of Cancer: A Prospective Study From Greece. *Cancer Epidemiol Biomarkers Prev*;5:381-4.
- Tricia, F., Rahaju, P., dan Suheryanto, R. 2012. Hubungan status nutrisi penderita karsinoma nasofaring stadium lanjut dengan kejadian mukositis sesudah radioterapi. *ORLI* Vol. 42 No. 1.
- Tsao SW, Yip YL, Tsang CM, Pang PS, Lau VMY, Zhang G, Lo KW. 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncology*. 50;5:330 – 338
- Wah S., *et al.* 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncology*, 50(5), pp. 330-338.
- Wang C, Sun C. 2009. C Reactive Protein and Malignancy : Clinico-Patological Association and Therapeutic Implication. *Chang Gung Med*, 32, 471-82.
- Wardhani, DA. 2015. *Street vendors still use chemical substances: BPOM*. Diakses pada 22 Maret 2017 dari www.thejakartapost.com/news/2015/01/31/street-vendors-still-use-chemical-substances-bpom.html
- Wenig B. 2008. *Atlas of head and neck pathology*. Philadelphia, Pa: Elsevier Saunders.
- World Cancer Research Fund/American Institute for Cancer Research. 2007 Food, Nutrition, Physical Activity and the Prevention of Cancer: a Global Perspective. AICR: Washington, DC.

- Xia WX, Ye YF, Lu X, Wang L, Ke LR, Zhang HB, et al. 2013a The Impact of Baseline Serum C-Reactive Protein and C-Reactive Protein Kinetics on the Prognosis of Metastatic Nasopharyngeal Carcinoma Patients Treated with Palliative Chemotherapy. *PLoS ONE* 8(10): e76958. doi:10.1371/journal.pone.0076958
- Xia WX, Zhang HB., Shi JL, Lu X, Wang L, Ye YY, Cao KQ, Qian CN, Guo x, Xiang G, Xiang YQ. 2013b. A prognostic model predicts the risk of distant metastasis and death for patients with nasopharyngeal carcinoma based on pre-treatment serum C-reactive protein and Nclassification. *Eur J Cancer*, 49, 2152-60.
- Yu MC, Yuan JM. Epidemiology of nasopharyngeal carcinoma. *Semin Cancer Biol* 2002;12:421–9.
- Yu MC, Mo CC, Chong WX, Yeh FS, Henderson BE. 1988. Preserved Foods and Nasopharyngeal Carcinoma: A Case-Control Study in Guangxi, Cina. *Cancer Res*;48:1954-1959.
- Yu, MC, Ho JHC, Lai SH, Henderson, BE. 1986. Cantonese-style salted fish as a cause of nasopharyngeal carcinoma: report of a case-control study in Hong Kong. *Cancer Res.* 46: 956-961.
- Yuan JM., Wang XL., Xiang YB., Gao YT., Ross RK., Yu MC. 2000. Preserved food in relation to risk of nasopharyngela carcinoma in Shanghai, China. *International Journal of Cancer*, 85(3), pp. 358-362.
- Zeng YC, Wu R, Xiao YP, Chi F, Xue M, Zhang ZY, Xing R, Zhong WZ, Wang SL, Tian X, Chen W, Chen JJ, Wu LN. 2015. Serum C-reactive protein predicts poor prognosis in patients with locoregionally advanced nasopharyngeal carcinoma treated with chemoradiotherapy. *Curr Oncol.* 22(1), pp. 20-24.
- Zheng X, Luo Y, Christensson B, Drettner B. 1994. Induction of nasal and nasopharyngeal tumours in Sprague-Dawley rats fed with Chinese salted fish. *Acta Otolaryngol*;114:98 – 104.
- Zou XN, Lu SH, Liu B. 1994. Volatile N-nitrosamines and their precursors in Chinese salted fish—a possible etological factor for NPC in Cina. *Int J Cancer*;59:155 – 8.