

DAFTAR PUSTAKA

- Adib, M., Tahermansouri, H., Koloogani, S.A., Mohammadi, B. and Bijanzadeh, H.R., 2006, Krohnke Pyridines: An Efficient Solvent-free Synthesis of 2,4,6-triarylpyridines, *Tetrahedron Lett.*, 47, 5957-5960.
- Allais, C., Grassot, J.-M., Rodriguez, J. and Constantieux, T., 2014, Metal-free Multicomponent Syntheses of Pyridines, *Chem. Rev.*, 114, 10829-10868.
- Amano, K. and Yamada, K., 1964, A Biological Formation of Formaldehyde in The Muscle Tissue of Gadoid Fish, *Bull. Jap. Soc. Sci. Fish*, 30, 430-435.
- Anderson, T., 1846, Ueber Picolin: Eine neue Basis aus dem Steinkohlen-Theeröl, *Justus Liebigs Ann. Chem.*, 60, 86-103.
- Association of Official Agricultural Chemists (AOAC) Official Method 931-08, 1931, *Formaldehyde in food*.
- Assessment Tools for the Evaluation of Risk (ASTER), 1995, *ASTER (Assessment Tools for the Evaluation of Risk) Ecotoxicity Profile*. Environmental Protection Agency, Duluth.
- Assessment Tools for the Evaluation of Risk (ASTER), 1996, *ASTER (Assessment Tools for the Evaluation of Risk) Ecotoxicity Profile*, Environmental Protection Agency, Duluth.
- Agency for Toxic Substances and Disease Registry (ATSDR), 1999, *Toxicological Profile for Formaldehyde*.
- Badan Pengawas Obat dan Makanan (BPOM), 2016, *Laporan Tahunan Badan POM Tahun 2015*. Badan Pengawas Obat dan Makanan, Jakarta.
- Budavari, S., O'Neil, M.J., Smith, A. and Heckelman, P.E., 1989, *The Merck Index*, 11th ed., Merck & Co, Rahway.
- Budzikiewicz, H., Djerassi, C., Jackson, A.H., Kenner, G.W., Newmann, D.J. and Wilson, J.M., 1964, Mass Spectra of Monocyclic Derivatives of Pyrrole, *J. Chem. Soc.*, 1949.
- Callan, J.F., de Silva, A.P. and Magri, D.C., 2005, Luminescent Sensors and Switches in The Early 21st Century, *Tetrahedron*, 61(36), 8551-8588.
- Castell, C.H. and Smith, B., 1973, Measurement of Formaldehyde in Fish Muscle Using TCA Extraction and The Nash Reagent, *Journal Fisheries Research Board of Canada*, 30(1), 91-98.

- Cave, G.W. and Raston, C.L., 2000, Toward Benign Syntheses of Pyridines Involving Sequential Solvent Free Aldol and Michael Addition Reactions, *Chem. Commun.*, 22, 2199-2200.
- Cave, G.W., Hardie, M.J., Roberts, B.A. and Raston, C.L., 2001, A Versatile Six-component Molecular Capsule Based on Benign Synthons - Selective Confinement of A Heterogeneous Molecular Aggregate, *Eur. J. Org. Chem.*, 17, 3227-3231.
- Chen, E.X., Yang, H. and Zhang, J., 2014, Zeolitic Imidazolate Framework as Formaldehyde Gas Sensor, *Inorg. Chem.*, 53, 5411-5413.
- Chen, X., Pradhan, T., Wang, F., Kim, J.S. and Yoon, J., 2012, Fluorescent Chemosensors Based on Spiroring-opening of Xanthenes and Related Derivatives, *Chem. Rev.*, 112, 1910-1956.
- Cogliano, V.J., Grosse, Y., Bean, R.A., Straif, K., Secretan, M.B. and El Ghissassi, F., 2005, Summary of IARC Monographs on Formaldehyde 2-butoxyethanol and 1-tert-butoxy-2-propanol, *Environ. Health Perspect.*, 113, 1205-1208.
- Del Bene, J.E., 1979, An Ab Initio Molecular Orbital Study of 2- and 4-monosubstituted Pyridines, *J. Am. Chem. Soc.*, 101(21), 6184-6189.
- Eicher, T., Hauptmann, S. and Speicher, A., 2003, *The Chemistry of Heterocycles*, 2nd ed., Weinheim: WILEY-VCH GmbH & Co. KGaA.
- Enyedy, I.J., Sakamuri, S., Zaman, W.A., Johnson, K.M. and Wang, S., 2003, Pharmacophore-based Discovery of Substituted Pyridines as Novel Dopamine Transporter Inhibitors, *Bioorg. Med. Chem. Lett.*, 13(3), 513-517.
- Fessenden, R.J. and Fessenden, J.S., 1986, *Organic Chemistry*, Wadsworth Inc., Belmont, California.
- Gavrishova, T.N., Li, V.M. and Budyka, M.F., 2010, Synthesis of di- and triazido Derivative of 2,4,6-triphenylpyridine, *Russian Journal of Applied Chemistry*, 83(5), 926-928.
- Gerberich, H.R., Stautzenberger, A.L. and Hopkins, W.C., 1980, Formaldehyde. Dalam *Kirk-Othmer Encyclopedia of chemical technology*, John Wiley & Sons, New York.
- Ginting, F.Y., 2010, Pemeriksaan Formalin pada Bakso yang Dijual di Sekolah Dasar di Kota Medan, *Skripsi*, Fakultas Farmasi Universitas Sumatera Utara, Medan.

- Gottlieb, H.E., Kotlyar, V. and Nudelman, A., 1997, NMR Chemical Shift of Common Laboratory Solvents as Trace Impurities, *J. Org. Chem.*, 62(21), 7512-7515.
- Hayashi, T., Reece, C.A. and Shibamoto, T., 1986, Gas Chromatographic Determination of Formaldehyde in Coffee via Thiazolidine Derivative, *J. Assoc. Off. Anal. Chem.*, 69, 101-105.
- Helrich, K., 1990, 964.1 Formaldehyde in Maple Sirup: Spectrophotometric Method. Dalam K. Helrich (Penyunt.), *Official Methods of Analysis of The Association of Official Analytical Chemists*, Association of Official Analytical Chemists, Inc., Arlington.
- Ingole, P.G., Jadhav, S.V. and Bajaj, H.C., 2010, Ionic Liquid Mediated One Pot Synthesis of Substituted 2,4,6-Triarylpyridines, *International Journal of ChemTech Research*, 2(1), 289-294.
- International Agency for Research on Cancer (IARC), 2005, Formaldehyde 2-butoxyethanol and 1-tert-butoxy-2-propanol in Evaluating Carcinogenic, *Risk. Hum.*, 88, 37-325.
- Joshi, R., Bhatta, R., Paudel, P.N. and Kafle, B.K., 2015, Formaldehyde Content of Selected Fish from The Wet Markets of Kathmandu Valley, *International Food Research Journal*, 22(4), 1434-1437.
- Kaden, D.A., Mandin, C., Nielsen, G.D. and Wolkoff, P., 2010, Formaldehyde. Dalam F. Theakston (Penyunt.), *WHO Guidelines for Indoor Air Quality: Selected Pollutants*, WHO Regional Office for Europe, Bonn.
- Kealey, D. and Haines, P.J., 2002, *Analytical Chemistry*, BIOS Scientific Publishers, Oxford.
- Kendre, D.B., Toche, R.B. and Jachak, M.N., 2007, Synthesis of Novel Dipyrzolo[3,4-b:3,4-d]pyridines and Study of Their Fluorescence Behavior, *Tetrahedron*, 63, 11000-11004.
- Kim, B.Y., Ahn, J.B., Lee, H.W., Kang, S.K., Lee, J.H., Shin, J.S., Ahn, S.K., Hong, C.I. and Yoon, S.S., 2004, Synthesis and Biological Activity of Novel Substituted Pyridines and Purines Containing 2,4-thiazolidinedione, *Eur. J. Med. Chem.*, 39(5), 433-447.
- Krivun, S.V., Dorofeenko, G.N. and Kovalenvkii, A.S., 1970, The Pyrylation of Aromatic and Heterocyclic Compounds, *Chem. Heterocycl. Compd.*, 6(6), 677-681.

- Kröhnke, F., 1976, The Specific Synthesis of Pyridines and Oligopyridines, *Synthesis*, 1976(1), 1-24.
- Lide, D. R. and Frederikse, H., 1996, *CRC Handbook of chemistry and physics: A ready-reference book of chemical and physical data*, 77th ed., CRC Press, Boca Raton.
- Lin, Y., Duecker, S.R. and Jones, A.D., 1995, Protocol for Collection and HPLC Analysis of Volatile Carbonyl Compounds in Breath, *Clin. Chem.*, 41, 1028-1032.
- Liteplo, R.G. and Meek, B., 2003, Inhaled Formaldehyde: Exposure Estimation, Hazard Characterization, and Exposure-Response Analysis, *Journal of Toxicology and Environmental Health Part B*, 6(1), 85-114.
- Loudet, A. and Burgess, K., 2007, BODIPY Dyes and Their Derivatives: Syntheses and Spectroscopic Properties, *Chem. Rev.*, 107(11), 4891-4932.
- Nash, T., 1953, The Colorimetric Estimation of Formaldehyde by Means of The Hantzsch Reaction, *Biochemical Journal*, 55, 416-421.
- Neuberger, A., 1981, The Metabolism Of Glycine And Serine, Dalam A. Neuberger dan L. van Deenen (Penyunt.), *Comprehensive biochemistry Vol. 19A*, Elsevier, Amsterdam.
- Noordiana, N., Fatimah, A.B. and Farhana, Y.C.B., 2011, Formaldehyde Content and Quality Characteristics of Selected Fish and Seafood from Wet Markets, *International Food Research Journal*, 18, 125-136.
- Nur, A., 2015, Sintesis 4-(2,6-difenil-piridin-4-il)-2-metoksi-fenol dan 4-(2-amino-6-fenil-pirimidin-4-il)-2-metoksi fenol dari Vanilin Sebagai Senyawa Kemosensor Anion, *Tesis*, Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta.
- Parkesh, R., Veale, E.B. and Gunnlaugsson, T., 2011, Fluorescent Detection Principles and Strategies, Dalam B. Wang. dan E. V. Anslyn (Penyunt.), *Chemosensors : Principles, Strategies, and Applications*, John Wiley & Sons, Inc. Hoboken.
- Pillai, A.D., Rathod, P.D., Franklin, P., Patel, M., Nivsarkar, M., Vasu, K.K., Padh., H. and Sudarsanam, V., 2003, Novel Drug Designing Approach for Dual Inhibitors as Anti-inflammatory Agents: Implication of Pyridine Template, *Biochem. Biophys. Res. Commun.*, 301(1), 183-186.
- Pretsch, E., Bühlmann, P. and Badertscher, M., 1997, *Structure Determination of Organic Compounds: Tables of Spectral Data*, 4th Ed., Springer, Heidelberg.

- Ren, Y.-M. and Cai, C., 2009, Three-components Condensation Catalyzed by Molecular Iodine for The Synthesis of 2,4,6-triarylpyridines and 5-unsubstituted-3,4-dihydropyrimidin-2(1H)-ones Under Solvent-free Conditions, *Monatsh Chem.*, 140, 49-52.
- Rochart, S., 2010, *Metal-Based Chemosensors for Important Bioanalytes*, Ecole Polytechnique Federale De Lausanne, Switzerland.
- Salthammer, T. and Mentese, S., 2008, Comparison of Analytical Techniques for The Determination of Aldehydes in Test Chambers, *Chemosphere*, 73, 1351-1356.
- Samshuddin, S., Narayana, B., Shetty, D.N. and Raghavendra, R., 2011, An Efficient Synthesis of 2,4,6-triaryl Pyridines and Their Biological Evaluation, *Der Pharma Chemica*, 3(3), 232-240.
- Sastrohamidjojo, S., 2011, *Kimia Organik Dasar*, Gadjah Mada University Press, Yogyakarta.
- Scriven, E.F., 2013, *Pyridines: From Lab to Production*, Elsevier, Oxford.
- Silverstein, R.M. and Webster, F.X., 1997, *Spectrometric Identification of Organic Compounds*, 6th Ed., John Wiley & Sons, New York.
- Tamami, B and Yeganeh, H., 2001, Synthesis and Characterization of Novel Aromatic Polyamides derived from 4-aryl-2,6-bis(4-aminophenyl) pyridines, *Polymer*, 42(2), 415-420.
- Tavallali, H., Deilamy-Rad, G., Parhami, A. and Mousavi, P.Z., 2013, A Novel Development of Dithizone as A Dual-Analyte Colorimetric Chemosensor: Detection and Determination of Cyanide and Cobalt(II) Ions In Dimethyl Sulfoxide/Water Media With Biological Applications, *J. Photochem. Photobiol., B*, 125, 121-130.
- Tomkins, B.A., McMahon, J.M. and Caldwell, W.M., 1989, Liquid Chromatographic Determination of Total Formaldehyde in Drinking Water, *Journal of Association of official Analytical Chemists*, 72(5), 835-839.
- Velugula, K. and Chinta, J.P., 2017, Silver Nanoparticles Ensemble with Zn(II) Complex of Terpyridine as A Highly Sensitive Colorimetric Assay for The Detection of Arginine, *Biosensors and Bioelectronics*, 87(15), 271-277.
- Wang, B. and Anslyn, E.V., 2011, *Chemosensors: Principles, Strategies, and Applications*, John Wiley & Sons, Inc., Hoboken.

- Wang, H.-Y., Chen, L.-F., Zhu, X.-L., Wang, C., Wan, Y. and Wu, H., 2014, Spectral Studies of Multi-branched Fluorescence Dyes Based on Triphenylpyridine Core, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 121, 355-362.
- Wang, H.-Y., Shi, J.-J., Wang, C., Zhang, X.-X., Wan, Y. and Wu, H., 2012, Novel Fluorescence Dyes Based On Entirely New chromeno[4,3,2-de][1,6]naphthyridine Framework, *Dyes Pigments*, 95(2), 268-274.
- Wang, R., Zhang, D., Zhang, Y. and Liu, C., 2006, Boron-doped Carbon Nanotubes Serving as A Novel Chemical Sensor for Formaldehyde, *J. Phys. Chem., B*, 110, 18267-18271.
- Whisthaller, A., Apel, E.C., Bossmeyer, J., Hansel, A., Junkermann, W., Koppmann, R., Meier, R., Muller, K., Solomon, S.J., Steinbrecher, R., Tillmann, R. and Brauers, T., 2008, Technical Note: Intercomparison of Formaldehyde Measurements at The Atmosphere Simulation Chamber SAPHIR, *Atmos. Chem. Phys.*, 8, 2189-2200.
- Wiberg, K.B., Nakaji, D. and Breneman, C.N., 1989, Electronic Structure of Diazines, 1,3,5-triazine and 1,2,4,5-tetrazine, *J. Am. Chem. Soc.*, 111, 4178.
- Williams, D.H. and Fleming, I., 1995, *Spectroscopic Methods in Organic Chemistry*, 5th Ed., McGraw Hill, New York.
- Zeng, J.B., Fan, S.G., Zhao, C.Y., Wang, Q.R., Zhou, T.Y., Chen, X., Yan, Z.F., Li, Y.P., Xing, W. and Wang, X. D., 2014, A Colorimetric Agarose Gel for Formaldehyde Measurement Based on Nanotechnology Involving Tollens Reaction, *Chem. Commun.*, 50, 8121-8123.
- Zhang, X., Hui, Y., Cai, Y. and Huang, D., 2015, The Research Progress of Endogenous Formaldehyde in Aquatic Products, *World Journal of Engineering and Technology*, 3, 272-276.
- Zhao, X.Q. and Zhang, Z.Q., 2009, Microwave-Assisted On-Line Derivatization for Sensitive Flow Injection Fluorometric, *Talanta*, 80, 242-245.
- Zhou, W., Dong, H., Yan, H., Shi, C., Yu, M., Wei, L. and Li, Z., 2015, HCHO-Reactive Molecule with Dual-emission-enhancement Property for Quantitatively Detecting HCHO in Near 100% Water Solution, *Sensors and Actuators B*, 209, 664-669.