

DAFTAR PUSTAKA

- Ander, E. L., Fordyce, F. M., Johnson, C. C. and Schofield, D. I. 2010. Controls on the Distribution of Selenium in the Soils of EastAnglia, UK. Geol. Soc. Am. Abs. Section Meeting, 13-16 March, Baltimore, Maryland, 143.
- Bugbee, B. 2003. Nutrient management in recirculating hydroponik culture. Paper presented at The South Pacific Soil-less Culture Conference, Feb 11, 2003 in Palmerston North, New Zealand.
- Chaney, R. and B. Coulombe. 1982. Effect of phosphate on regulation of Fe-stress in soybean and peanut. *J. Plant Nutr.* 5: 121-144.
- Colak, G.,M. C. Baykul, R.Gürler, E. Catak And N. Caner. 2014. The effects of selenium on *Lycopersicon esculentum* Mill. Seedlings. *Journal Botany* 46: 911-920.
- Cooper, H.D., D.T. Clarkson.1989. Cycling of amino-itrogen and other nutrients between shoots and roots in cereals- a possible mechanism integrating shoot and root in the regulation of nutrient uptake. *J Exp Bot* 24:328-341.
- Cutler, D.F., T. Botha, Dennis, W. Stevenson. 2007. *Plant Anatomy : An Applied Approach*. Wiley Blackwell.
- Eghball B, Settimi JR, Maranville JW, Parkhurst AM. 1993. Fractal analysis for morphological description of corn roots under nitrogenstress. *Agronomy Journal* 85: 287-289.
- Elizabeth, A.H.,P. Smith, and C.F. Quinn. 2010. *Selenium Metabolism in Plants*. Plant Cell Monograph, Colorado State University.
- Fahn, A. 1991. *Anatomi Tumbuhan Edisi ke Tiga*. UGM Press, Yogyakarta.
- Finley, J.; Matthys, L.; Shuler, T.; Korynta, E. 1996. Selenium Content in Foods Purchased in North Dakota. *Nutr. Res* 723-728.
- Finley, J.; Matthys, L.; Shuler, T.; Korynta, E. 1996. Selenium Content in Foods Purchased in North Dakota. *Nutr. Res* 723-728.
- Fitter, A.H., T.R. Stickland. 1992. Fractal characterization of root system architecture. *Funct Ecol* 6:632-635.

- Fleming, G. A. 1980. Essential Micronutrients II: Iodine and Selenium. In Applied Soil Trace Elements (B. E. Davis, Ed.). John Wiley & Sons, New York.
- Fordyce, F. M., Brereton, N., Hughes, J., Luo, W. and Lewis, J. 2010. An initial study to assess the use of geological parent materials to predict the se concentration in overlying soils and in five staple foodstuffs produced on them in Scotland. *Sci. Tot. Env.*, 22: 5295-5305.
- Gardner, F.P., R.B. Pearce, R.L. Mitchell. 1985. Fisiologi Tanaman Budidaya. Universitas Indonesia Press, Jakarta.
- George, B., C. Kaur, D. Khurdiya, and H.C. Kapoor. 2004. Antioxidant in Tomato (*Lycopersicum esculentum*) as a function of Genotype. *Food Chem* 84:45-51.
- Glinski, J., Lipiec, J. 1990. Soil Conditions and Plant Roots. Boca Raton, FL: CRC Press.
- Handayani, T., A. Fibriyanti, dan I. Pratiwi. 2007. Kajian Peningkatan Kandungan Zat Besi (Fe), Seng (Zn), dan Beta Karoten pada Tanaman Singkong (*Manihot esculenta* Crantz sin.) melalui Teknologi Biofortifikasi. Institut Pertanian Bogor, Bogor. Karya Tulis Ilmiah.
- Heuvelink, E., Bakker, M.J., Elings, A., Kaarsemaker, R. Marcelis. 2005. Effect of leaf area on tomato yield. *Acta Horticulturae*, Belgium.
- Hidayat, E. B. 1995 Anatomi Tumbuhan Berbiji. Penerbit ITB, Bandung.
- Jacobs, L. W. 1989. Selenium in Agriculture and the Environment. Soil Science Society of America Special Publication, Madison.
- Jae H.K., Kyung H. H., Sunchung P., and Jaemo Y. 2004. Plant body weight-induced secondary growth in Arabidopsis and its transcription phenotyperevealed by whole-transcriptome profiling. *Plant Physiology* 135: 1069–1083.
- Jensen, M.H. 1990. Hydroponic culture for the tropics : Opportunities and alternatives. International Seminar on Hydroponic Culture of High Value Crops in the Tropics in Malaysia, November 25-27, 1990.
- Johnson, C. C., Ge, X., Green, K. A. and Liu, X. 2000. Selenium distribution in the local environment of selected villages of the keshan disease belt, Zhangjiakou District, Hebei Province, People's Republic of China, *Appl. Geochem.*, 3: 385–401.

- Jones, J.B. 1998. Tomato Plant Culture In the Field, Greenhouse, and Home Garden. CRC Press.
- Jones, J.B. 2005. A Practical Guide for the Soilless Grower. CRC Press.
- Kartasapoetra, A.G. 1991. Pengantar Anatomi Tumbuh-tumbuhan (tentang Sel dan Jaringan). PT. Rineka Cipta, Jakarta.
- Kathleen, M. Carvalho, M. T. Gallardo, Williams, R. F. Benson, And D.F. Martin. 2003. Effects of selenium supplementation on four agricultural crops. *J. Agric. Food Chem.* 51: 704-709.
- Kim, K. Y. 1990. Status and prospect of hydroponics crop production in Korea. International Seminar on Hydroponic Culture of High Value Crops in the Tropics, in Malaysia, November 25-27, 1990.
- Konze, J.R., Schilling, N. & Kende, H. 1978. Enhancement of ethylene formation by selenoamino acids. *Plant Physiology* 62: 397-401.
- Kopsell, D. A., Kopsell, D. E. 2007. Selenium, Handbook of plant nutrition. CRC Press.
- Lauchli, A. 1993. Selenium in plants: uptake, functions, and environmental toxicity. *Botanica Acta* 106: 455-468.
- Lee, G.J., Kang, B.K., Kim, T.I., Kim, T.J. and Kim, J.H. 2007. Effects of different selenium concentrations of the nutrient solution on the growth and quality of tomato fruit in hydroponics. *Acta Hort.* 761: 443-448.
- Lestari G., 2009. Berkebun Sayuran Hidroponik di Rumah. Prima Info Sarana, Jakarta.
- Levander, O. A. 1986. Selenium. In Trace Elements in Human and Animal Nutrition (W. Mertz, Ed.), Academic Press, London.
- Linder, M. C., 1992. Biokimia Nutrisi dan Metabolisme dengan Pemahaman secara Klinis. Penerjemah A. Parakkasi. UI Press, Jakarta.
- Lisk, D. J. 1995. Efficacy of cancer prevention by high selenium garlic is primarily dependant on the action of selenium. *Carcinogenesis* 16: 2649-2652.
- Mandelbrot B.B. 1982. The fractal geometry of nature. W.H. Freeman, New York.
- Mariay, I.F. 2013. Karakter Morfologis Perakaran Kultivar Kedelai Tahan Kekeringan. Tesis. Universitas Gadjah Mada, Yogyakarta.

- Masi, C.E.A., J.W. Maranville. 1998. Evaluation of sorghum root branching using fractals. *J Agric Sci* 131:259-265.
- Mayland, H. F. 1994. Selenium in Plant and Animal Nutrition. In *Selenium in the Environment* (W. T. Frankenberger and S. Benson, Eds.), Marcel-Dekker, New York.
- Mellawati, J., A. Minarti, S. Surtipanti. 1988. Penentuan unsur mikro dan runutan dalam contoh teh dengan cara analisis pengaktifan neutron. Di dalam *Aplikasi Isotop dan Radiasi*. Risalah Simposium III, BATAN, Jakarta.
- Min, W. And C. Kubota. 2008. Effect of electrical conductivity of Hydroponic nutrient solution on leaf gas exchange of five greenhouse tomato cultivars. *Hortecology* 18: 271-277.
- Mizrahi, Y. 1988. Effect of salinity on tomato fruit ripening. *Plant Physiology* 69: 966-970.
- Neal, R. H. 1995. Selenium. In *Heavy Metals in Soils* (B. J. Alloway, Ed.), Blackie Academic & Professional, London.
- Novita, M., Satriana, E. Hasmarita. 2015. Kandungan likopen dan karotenoid buah tomat (*Lycopersicum pyriforme*) pada berbagai tingkat kematangan: pengaruh pelapisan dengan kitosan dan penyimpanan. *Jurnal Teknologi dan Industri Pertanian Indonesia* 1:35-39.
- Nugroho, H. 2006. *Struktur dan Perkembangan Tumbuhan*. Penebar Swadaya, Depok.
- Nurmalasari, A.I. 2016. Tanggapan Perakaran Delapan Hibrida Kelapa Sawit (*Elaeis Guineensis* Jacq.) Terhadap Keracunan Besi pada Tahapan Pembibitan Utama. Tesis. Universitas Gadjah Mada, Yogyakarta.
- Oldfield, J. E. 1999. *Selenium World Atlas*, Selenium-Tellurium Development Association, Grimbergen, Belgium.
- Palupi, E.R., Y. Dedywiryanto. 2008. Kajian karakter toleransi cekaman kekeringan pada empat genotipe bibit kelapa sawit (*Elaeis guineensis* Jacq). *Buletin Agronomi* 36: 24-32.
- Pezzarossa, B. I., F. Rosellini. E. Malorgio. Borghesi and P. Tonutti. 2013. Effects of selenium enrichment of tomato plants on ripe fruit metabolism and composition. *Acta Hort* 247-252.
- Pitojo, S. 2005. *Benih Tomat*. Kanisius, Yogyakarta.

- Pratama, R.E.Y. 2016. Tanggapan Fisiologis dan Pertumbuhan Delapan Hibrida Kelapa Sawit (*Elaeis Guineensis* Jacq.) Terhadap Keracunan Aluminium. Skripsi. Universitas Gadjah Mada, Yogyakarta.
- Prihastanti, E. 2010. Perubahan struktur pembuluh xilem akar kakao (*Theobroma cacao* L.) dan *Gliricidia sepium* pada cekaman kekeringan. BIOMA 1:24-28.
- Prihmantoro, H. dan Y. H. Indriani. 2003. Hidroponik Sayuran Semusim untuk Hobi dan Bisnis. Penebar Swadaya, Jakarta.
- Rayman, P. R. 2008. Food chain selenium and human health: emphasis on intake. *British journal of nutrition* 100: 254-268.
- Resh, H.M. 2013. Hydroponic Food Production. CRC Press.
- Rieger, M., P. Litvin. 1999. Root system hydraulic conductivity in species with contrasting root anatomy. *J Exp Bot* 50:201-209.
- Schiavon, M., Stefano D., Acqua, Anna M., Elizabeth A. H., Pilon S., Paolo S., Antonio M., and Mario M. 2013. Selenium Fertilization Alters the Chemical Composition and Antioxidant Constituents of Tomato (*Solanum lycopersicon* L.). *J. Agric. Food Chem* 61: 10542–10554.
- Sharma, S., N. Kaur, S. kaur, and H. nayyar. 2014. Ascorbic acid reduces the phytotoxic effects of selenium on rice (*Oryza Sativa* L.) by up-regulation of antioxidative and metal-tolerance mechanisms. *J Plant Physiol Pathol* 2: 1—8.
- Simojoki, A. 2003. Allocation of added selenium in lettuce and its impact on roots. *Agricultural and food science in Finland* 12:155-164.
- Sumardi, I. 1993. Struktur dan Perkembangan Tumbuhan. UGM Press, Yogyakarta.
- Tagliavini, M , L.J. Veto, and N.E. Looney. 1993. Measuring root surface area and mean root diameter of peach seedlings by digital image analysis. *Hortscience* 11: 1129-1130.
- Tajudin, A. and M.R. Ismail. 1990. Growth and yield of NFT-grown tomatoes as influenced by different solution concentration. International Seminar on Hydroponic Culture of High Value Crops in the Tropics in Malaysia, November 25-27, 1990.

- Tan, J. 1989. The Atlas of Endemic Diseases and Their Environments in the People's Republic of China. Science Press, Beijing.
- Tatsumi, J., A. Yamauchi, Y. Kono. 1989. Fractal analysis of plant rootsystems. *Annals of Botany* 64: 499-503.
- Taylor, I. B. and AI-Kummer, M. K. 1982. The formation of complex hybrids between *Lycopersicon esculentum* and *L. peruvianum*, and their potential use in promoting interspecific gene transfer. *Theoret. Appl. Genet.*, 61:59-63.
- Terry, N., A.M. Zayed, M.P. de Souza, and A.S. Tarun. 2000. Selenium in Higher Plants. *Annual Review Plant Physiology*, California.
- United Kingdom Food Surveys. 2005. An application on the use of α tocopherol containing oil suspensions and cold water dispersible forms of lycopene from *Blakeslea trispora* as a food colour. *The EFSA Journal* 275:1-17.
- Vandeleur, R., C. Niemietz, J. Tilbrook and S. D. Tyerman. 2005. Roles of aquaporins in root responses to irrigation. *Plant and Soil* 274:141-161.
- Waisel, Y., A. Eshel, U. Kafkafi. 2002. *Plant Roots The Hidden Half*. Marcel Dekker, New York.
- Walk, T.C., E. Van Erp, P. Jonathan, and Lynch. 2004. Modelling applicability of fractal analysis to efficiency of soil exploration by roots. *Annals of Botany* 94: 119-128.
- West, G.B., J.H. Brown, B.J. Enquist. 1999. A general model for the structure and allometry of plant vascular systems. *Nature* 400:664-667.
- Wiryanta, B. T. 2002. *Bertanam Tomat*. Agromedia Pustaka.
- World Health Organization. 1987. Environmental Health Criterion 58—Selenium. World Health Organization, Geneva.
- World Health Organization. 1996. *Trace Elements in Human Nutrition and Health*, World Health Organization, Geneva.
- Wuryaningsih, S. 1996. Pertumbuhan beberapa setek melati pada tiga macam media. *Jurnal Penelitian Pertanian*. 3:50-57.