

DAFTAR PUSTAKA

- Adeyeye, M. C., Jain, A. C., Ghorab, M. K. M., & Reilly, W. J., 2002, Viscoelastic Evaluation of Topical Creams Containing Microcrystalline Cellulose/Sodium Carboxymethylcellulose as Stabilizer, *American Association of Pharmaceutical Scientist Pharm SciTech*, **3** (2): E8.
- Afianti, H.P., & Murruckmihadi, M., 2015, Pengaruh Variasi Kadar Gelling Agent HPMC terhadap Sifat Fisik dan Aktivitas Sediaan Gel Ekstrak Etanolik Daun Kemangi (*Ocimum basilicum* L. Forma *citratum* Back.), *Majalah Farmaseutik*, **11**:2.
- Ahmad M Eid, Hesham A El-Enshasy, Ramlan Aziz, & Nagib A Elmarzugi, 2014, Preparation, Characterization and Anti-Inflammatory Activity of Swietenia Macrophylla Nanoemulgel. *J Nanomed Nanotechnol* **5**:2.
- Ahuja, N., Saini, V., Bishnoi, V. K., Garg, A., Hisoria, M., Sharma, J., & Nepali, K., 2008. Formulation and evaluation of diclofenac sodium gel by using natural polymer. *Rasayan J Chem*, **1**, 564-6.
- Ahuja, S. & Rasmussen, H. eds., 2011. *HPLC method development for pharmaceuticals* (Vol. 8). Academic Press.
- Alves, M.P., dkk., 2007, Human Skin Penetration and Distribution of Nimesulide from Hydrophilic Gels, *International Journal Pharmaceutics*, **314**(1-2): p. 215-220.
- Angela, Lasmida, 2012, Aktivita Antioksidan dan Stabilitas Fisik Gel *Anti-Aging* yang Mengandung Ekstrak Air Kentang Kuning (*Solanum tuberosum* L.). *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- Ansel Giward Cm, 1989. *Pengantar Bentuk Sediaan Farmasi* Edisi Keempat. Penerjemah Farida Ibrahim. UI Press: Jakarta.
- AOAC, 2016, Appendix F: Guidelines for Standard Method Performance Requirements, http://www.eoma.aoac.org/app_f.pdf, 31 Maret 2017.
- Ariesta, W, 2005, Uji Stabilitas Fisika Sediaan Gel Cologne yang Mengandung Minyak Kenanga (*Cananga odorata* (L.) Hook. f. Thoms) dalam Basis Carbopol ETD 2020 Konsentrasi 0, 2 Persen dan 0, 3 Persen. *Tugas akhir*. Fakultas Farmasi Universitas Surabaya, Surabaya.
- Arora, R., Aggarwal, G., Harikumar, S.L., & Kaur, K., 2014, Nanoemulsion Based Hydrogel for Enhanced Transdermal Delivery of Ketoprofen, *Hindawi*, **2014**, 1-12.
- Ariyani, N.L.D., Parfati, N. & Feby, P., 2011. Stabilitas Fisika dan Kimia Sediaan Gel dan Tonik Penyubut Rambut dari Ekstrak Etanol Biji Anggur (*Vitis Vinifera* L) Var. Merah. In: *Prosiding Kongres Ilmiah XIX dan Rapat Kerja Nasional Ikatan Apoteker Indonesia 2011 : Peran IAI dan PTF dalam*

- Membangun Budaya Pendidikan Berkelanjutan*. Pt. ISFI Penerbitan, Jakarta, pp. 404-410.
- Ashara, K.C., Paun, J.S., Soniwala, M.M., Chavda, J.R., Mendapara, V.P. & Mori, N.M., 2016. Microemulgel: an overwhelming approach to improve therapeutic action of drug moiety. *Saudi Pharmaceutical Journal*, **24**(4), pp.452-457.
- Askeland, Donald R.; & Phulé, Pradeep P. 2006. *The science and engineering of materials* (5th ed.). Cengage Learning. p. 198.
- Bouchemal, K., Briançon, S., Perrier, E., & Fessi, H., 2004, Nano-Emulsion Formulation Using Spontaneous Emulsification: Solvent, Oil and Surfactant, *Int. J. Pharm.*, **280**, p. 241-251.
- Cevc, G., 2004, Lipid vesicles and other colloids as drug carriers on the skin, *Advanced Drug Delivery Reviews*, **56**(5), p. 675- 711.
- Chen, H., Chang, X., Du, D., Li, J., Xu, H., & Yang, X., 2006, Microemulsion- Based Hydrogel Formulation of Ibuprofen for Topical Delivery, *Int. J. Pharm.*, **315**, p. 52-58.
- Chime, S.A., Kenechukwu, F.C. & Attama, A.A., 2014. *Nanoemulsions—Advances in Formulation, Characterization and applications in drug delivery*. Ali DS. *Application of nanotechnology in drug delivery*. Croatia: In Tech, pp.77-111.
- Curry, S. H., 1990, Martindale, The Extra Pharmacopoeia. Twenty-ninth Edition, dalam Reynolds, James E. F., (Ed.), *Journal of Pharmacy and Pharmacology*, **42**: 888.
- Depkes, 1995. *Farmakope Indonesia edisi keempat*. Jakarta: Depkes RI.
- Deuschle, V.C.K.N., Deuschle, R.A.N., Bortoluzzi, M.R. & Athayde, M.L., 2015. *Physical chemistry evaluation of stability, spreadability, in vitro antioxidant, and photo-protective capacities of topical formulations containing Calendula officinalis L. leaf extract*. Brazilian Journal of Pharmaceutical Sciences, **51**(1), pp.63-75.
- Dhamankar, A.K., Manwar, J.V. & Kumbhar, D.D., 2009. *The novel formulation design of o/w microemulsion of ketoprofen for improving transdermal absorption*. Int J Pharm Tech Res, **1**(4), pp.1449-1457.
- Djajadisastra, J., 2004. *Cosmetic Stability*. In *Seminar Setengah Hari HIKI*. Departemen Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- Erdmann, J.C., Gellert, R.I. & Skaugset, R.L., The Boeing Company, 1979. *Particle size analyzer*. U.S. Patent 4,179,218.
- Gandjar, I. G., & Rohman, A., 2008, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.

- Gannu, R., Palem, C. R., Yamsani, V. V., Yamsani, S. K., & Yamsani, M. R., 2010, Enhanced Bioavailability of Lacidipine via Microemulsion Based Transdermal Gels: Formulation Optimization, Ex-vivo and In-vivo Characterization, *International Journal of Pharmacy*, **388**: 231-241.
- García-Ochoa, F, Santos, V.E, Casas, J.A, & Gómez, E, 2000, "Xanthan gum: production, recovery, and properties". *Biotechnology Advances* **18** (7): 549–579.
- Garg, A., Deepika, A., Sanjay, G., & Anil, K. S., 2002, *Spreading of Semisolid Formulations: An Update*, 178-180, Pharmaceutical Technology, USA.
- Goldberg, I. & Williams, R., 1991. *Biotechnology And Food Ingredients*. Springer Science & Business Media.
- Granero, G.E., Ramachandran, C. & Amidon, G.L., 2006. Rapid in vivo dissolution of ketoprofen: implications on the biopharmaceutics classification system. *Die Pharmazie-An International Journal of Pharmaceutical Sciences*, **61**(8), pp.673-676.
- Gupta, A., Eral, H. B., Hatton, T. A., & Doyle, P. S. 2016, *Nanoemulsions: formation, properties and applications*. Soft matter, **12**(11), 2826-2841.
- Hidayati, Nurul, 2014. Pengaruh Variasi Kadar Karbopol Terhadap Sifat Fisik Dan Stabilitas Fisik Gel Ekstrak Etanolik Kulit Pisang Ambon (*Musa Paradisiaca L.*). *Disertasi*. Universitas Gadjah Mada,.
- Hosny, K. M., Rambo, S. M., Al-Zahrani, M. M., Al-Subhi, S. M., & Fahmy, U. A., 2013, Ketoprofen emulgel: preparation, characterization, and pharmacodynamic evaluation, *Int J Pharm Sci Rev Res*, **20**(2), 306-10.
- Ibrani, Meilisa Fitriani, 2012, Aktivitas Antioksidan dan Stabilitas Fisik Gel *Anti-Aging* yang Mengandung Ekstrak Etanol Ubi Jalar Ungu (*Ipomoea batatas L.*), *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- ICH, 1995, Guideline, I.H.T., ICH Q2A. *Text on Validation of Analytical Procedures*.
- Joshi, B., Singh, G., Rana, A.C., Saini, S. & Singla, V., 2011. Emulgel: a comprehensive review on the recent advances in topical drug delivery. *Int Res J Pharm*, **2**(11), pp.66-70.
- Khurana, S., N.K. Jain, & P.M.S. Bedi, 2013, Nanoemulsion based gel for transdermal delivery of meloxicam: Physico-chemical, mechanistic investigation, *Life Sciences*, **92**(6–7) p. 383-392.
- Klose RE & Glicksman M. 1972. *Gums. Di dalam Furia TE*, editor. Hand Book of Food Additive. 2nd Ed. Ohio: CRC Press Inc.
- Kong, M., dkk., 2011, Investigations on skin hyaluronic acid based on nanoemulsion as transdermal carrier, *Carbohydrates polymer*, **86**(2), p. 837-843.

- Kuncari, E.S., Iskandarsyah, I. & Praptiwi, P., 2014. Evaluasi, Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasan Herba Seledri (*Apium graveolens L.*). *Buletin Penelitian Kesehatan*, **42**, pp.213-222.
- Kurnia, Kurnia Adi, 2015, Optimasi Formula Nanoemulsi untuk Formulasi Nanoemulgel Ketoprofen Menggunakan *Sunflower Oil*, Tween 80-Propilen Glikol, dan Air, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Kute, S.B., & Saudagar, R.B., 2013, Emulsified Gel A Novel Approach for Delivery of Hydrophobic Drugs: An Overview, *J. Adv. Pharm. Edu. & Res.*, **3**, 368-376.
- Lambers, H., Piessens, S., Bloem, A., Pronk, H., & Finkel, P., 2006, Natural Skin Surface pH is on Average Below 5, Which is Beneficial for Its Resident Flora, *Int J Cosmet Sci.*, **28**:359-370.
- Lovelyn, C., Attama, A. A., 2011, Current State of Nanoemulsions in Drug Delivery, *Journal of Biomaterials and Nanobiotechnology*, **2**: 626-639.
- Maderuelo, C., Zarzuelo, A. & Lanao, J.M., 2011. Critical factors in the release of drugs from sustained release hydrophilic matrices. *Journal of controlled release*, 154(1), pp.2-19.
- McNeely WH, Pettitt DJ. 1973. Algin. Di dalam Whistler RL, editor. *Industrial Gums: Polysaccharides and Their Derivatives*. 2nd Ed. New York: Academic Press.
- Moffat, A.C., Osselton, M.D., & Widdop, B., (Eds), 2011, *Clarke's Analysis of Drugs and Poisons*, 4th edition, Pharmaceutical Press, London, pp 1544-1545.
- Mohammed, F. A., 2001, Topical Permeation Characteristics of Diclofenac Sodium from NaCMC Gels in Comparison with Conventional Gel Formulations, *Drug Development and Industrial Pharmacy*, **27** (10):1083-1097.
- Mou, D., Chen, H., Du, D., Mao, C., Wan, J., Xu, H., & Yang, X., 2007, Hydrogel-Thickened Nanoemulsion System for Topical Delivery of Lipophilic Drugs, *International Journal of Pharmaceutics*, **353** (2007): 270-276.
- Murrukmihadi, M. & Zein, S.H.S.D., 2014. *Pengaruh Konsentrasi HPMC sebagai Gelling Agent terhadap Sifat Fisik dan Stabilitas Gel Ekstrak Etanol Daun Ubi Jalar (Ipomoea batatas L.)*. STIFAR-Sekolah Tinggi Ilmu Farmasi, **9**(2).
- National Center for Biotechnology Information. PubChem Compound Database; CID=23706213, <https://pubchem.ncbi.nlm.nih.gov/compound/23706213>, Februari 2017.

- Nikumbh, K. V., Sevankar, S. G., & Patil, M. P., 2015, Formulation development, in vitro and in vivo evaluation of microemulsion-based gel loaded with ketoprofen, *Drug delivery*, **22**(4), 509-515.
- Nurdiani, Dian, & Herliani, 2011, *Mata Diklat 2: Aplikasi Koloid, Larutan dan Suspensi dalam Bidang Pertanian*. Kementerian Pendidikan Nasional. Jakarta.
- Nussinovitch A. 1997. *Hydrocolloid Application : Gum Technology In The Food and Other Industries*. London: Blackie Academic and Professional.
- Panwar, A.S., dkk., 2011, A Review: Emulgel, *Asian Journal of Pharmacy and Life Science*, **1**(3).
- Patel, B., Banwait, H., Parmar, K., & Patel, M, 2011, Formulation And Evaluation Of Topical Aceclofenac Gel Using Different Gelling Agent. *International Journal Of Drug Development And Research*.
- Patil P., Joshi P., & Paradkar A, 2004, Effect of formulation variables on preparation and evaluation of gelled self-emulsifying drug delivery system (SEDDS) of ketoprofen, *AAPS PharmSciTech*; **5**(3): 43-50.
- Panchagnula, R., Stemmer, K. A & Ritschel, W.A., 1997. Animal models for transdermal drug delivery. *Methods and findings in experimental and clinical pharmacology*, **19**(5), pp.335-341.
- Prasetyo, B.F., 2008. Aktivitas dan uji stabilitas sediaan gel ekstrak batang pisang ambon (*Musa paradisiaca* var *sapientum*) dalam proses persembuhan luka pada mencit (*mus musculus albinus*).
- Primasari, A, 2015. Stabilitas Fisika dan pH Sediaan Gel Anti Jerawat Menggunakan Hydroxyethyl Cellulose Dan Polyacrilamide-C13-14 Isoparaffin-Laurenth-7 Sebagai Basis Gel. *Calyptra: Jurnal Ilmiah Mahasiswa Universitas Surabaya*, **4**(2).
- Ramsden, Lawrence, 2003, "15 Plant and Algal Gums and Mucilages." *Chemical and functional properties of food saccharides*: 231.
- Ree, Y-S., Choi, J-G., Park, E-S., Chi, S-C., 2001, Transdermal Delivery of Ketoprofen Using Microemulsions, *International Journal of Pharmaceutics*, **228**: 161–170
- Sanna, V., Peana, A. T., & Moretti, M. D, 2010, Development of new topical formulations of diphenhydramine hydrochloride: in vitro diffusion and in vivo preliminary studies. *International Journal of PharmTech Research*, **2**(1), 863-869.
- Sala, Guido, et al, 2009, "Deformation and fracture of emulsion-filled gels: Effect of gelling agent concentration and oil droplet size." *Food hydrocolloids* **23**.7: 1853-1863.
- Samala ML, & Sridevi G, 2016, Role of Polymers as Gelling Agents in the Formulation of Emulgels. *Polym Sci.*, **1**:2.

- Setyaningrum, Nur Latifah, 2013, *Pengaruh Variasi Kadar Basis HPMC Dalam Sediaan Gel Ekstrak Etanolik Bunga Kembang Sepatu (Hibiscus rosa sinensis L.) Terhadap Sifat Fisik Dan Daya Antibakteri Pada Staphylococcus aureus*. Diss. Universitas Muhammadiyah Surakarta.
- Setyawan, E.I. & Nugroho, A.K., 2013. *Pengaruh Kombinasi Polimer Hidroksipropil Metilselulosa Dan Metilselulosa Terhadap Karakter Fisik, Profil Pelepasan Dan Transpor Ketoprofen Dari Matrikspatch Transdermal* (Doctoral Dissertation, Universitas Gadjah Mada).
- Singh, R.P., dkk., 2014, Emulgel: A Recent Approach For Topical Drug Delivery System, *Asian Journal of Pharmaceutical Research and Development*, **2**(2), p. 13-15
- Singla V, Saini S, Joshi B, Rana AC, 2012, Emulgel: A New Platform for topical drug delivery. *International Journal of Pharma and Bio Sciences* **3**: 485-498
- Sonneville-Aubrun, O., J-T. Simonnet, & F. L'aloret, 2004, "Nanoemulsions: a new vehicle for skincare products." *Advances in Colloid and Interface Science* **108**: 145-149.
- Subaryono, S., 2010. Alginates modification and the prospective uses of their products. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, **5**(1), 1
- Suci, SU, 2012, Formulasi dan Uji Penetrasi *In Vitro* Nanoemulsi, Nanoemulsi Gel, dan Gel Kurkumin, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Jakarta.
- Sugita, P., Achmadi, S. S., & Yundhana, Y, 2012, Perilaku Disolusi Ketoprofen Tersalut Gel Kitosan-Karboksimetilselulosa (CMC), *Jurnal Natur Indonesia*, **13**(01).
- Sulaiman, T. N. S., & Kuswahyuning, R., 2008, *Teknologi dan Formulasi Sediaan Semipadat*, Pustaka Laboratorium Teknologi Farmasi Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Sumirtapura, Y.C., Saungnage, B. & Rachmat, M., 2009. Farmakokinetik dan Ketersediaan Hayati Relatif Sediaan Kapsul, Tablet Salut Enterik dan Suppositoria Ketoprofen. *Jurnal Matematika & Sains*, **7**(1), pp.15-19.
- Tadros, T. F., 2013, Emulsion Formation, Stability, and Rheology, in Emulsion Formation and Stability, dalam Tadros, T.F., (Ed.), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany
- Tas Cetin, Yalc, Ozkan, Ayhan Savaser, Tamer Baykara, 2003, In Vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, *il farmaco* **58**: 605-611.
- Tichý, E., Žabka, M., Broska, K., Potůčková, M., Šimunková, V. & Halenářová, A., 2013. Permeation of indomethacin from semisolid preparations through various semipermeable membranes. *Drug development and industrial pharmacy*, **39**(9), pp.1273-1276.

- Tønnesen, H. H., & Karlsen, J, 2002, Alginate in drug delivery systems. *Drug development and industrial pharmacy*, **28**(6), 621-630.
- Vergote GJ, Vervaet C, Van Driessche I, Hoste S, De Smedt S, DemesteeerJ, Jain RA, Ruddy S, & Remon JP, 2002, In vivo evaluation of matrix pellets containing nanocrystalline ketoprofen. *Int J Pharm* **240**: 79–84.
- Wahyudi S, 2013, Formulasi dan Uji Transpor Transdermal In-vitro Emulsi Ketoprofen Menggunakan Hidroksipropil metilselulosa sebagai emulgator, *Tesis*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Watson, D.G., 2003, *Pharmaceutical Analysis, A Textbook for Pharmacy Students and Pharmaceutical Chemists*, Churchill Living-stone.
- Wicaksono DR, 2015, Optimasi *Rice Bran Oil*, Tween 80-propilen glikol, dan Air dalam Formulasi Nanoemulsi untuk Sediaan Nanoemulgel Ketoprofen Menggunakan CMC-Na, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Yulia, A., Esti, H, & Tutiek P., 2012, Karakteristik Sediaan dan Pelepasan Natrium Diklofenak dalam Sisten Niosom dengan Basis Gel Carbomer 940, *PharmaScientia*, **1** (1):2.
- Zats, J.L. & Gregory P.K., 1996, Gel, in Liebermen, H.A., Rieger, M.M., Banker, G.S., *Pharmaceutical Dosage Forms: Disperse Systems*, **2**, 400-403, 405-415, Marcel Dekker Inc, New York.