



## DAFTAR PUSTAKA

- [1] V. L. Miguéis, A. S. Camanho, and J. Falcão, “Expert Systems with Applications Customer data mining for lifestyle segmentation,” vol. 39, pp. 9359–9366, 2012.
- [2] M. Khajvand and M. Jafar, “Procedia Computer Science Estimating customer future value of different customer segments based on adapted RFM model in retail banking context,” *Procedia Comput. Sci.*, vol. 3, pp. 1327–1332, 2011.
- [3] Z. Ping, “Data Mining Application in Banking-Customer Relationship Management Zhao Li Ping[!],” no. Iccasm, pp. 124–126, 2010.
- [4] D. Zheng, “Application of Silence Customer Segmentation in Securities Industry Based on Fuzzy Cluster Algorithm,” *J. Inf. Comput. Sci. 10*, vol. 13, pp. 4337–4347, 2013.
- [5] K. Uzay, “Fuzzy Target Selection Using RFM Variables,” *IEEE*, vol. 00, no. C, pp. 1038–1043, 2001.
- [6] A. Sheshasayee and P. Sharmila, “Comparative Study of Fuzzy C Means and K Means Algorithm for Requirements Clustering,” *Indian J. Sci. Technol.*, vol. 7, no. June, pp. 853–857, 2014.
- [7] C. Cheng and Y. Chen, “Expert Systems with Applications Classifying the segmentation of customer value via RFM model and RS theory,” *Expert Syst. Appl.*, vol. 36, no. 3, pp. 4176–4184, 2009.
- [8] S. Mohammad, S. Hosseini, A. Maleki, and M. R. Gholamian, “Expert Systems with Applications Cluster analysis using data mining approach to develop CRM methodology to assess the customer loyalty,” *Expert Syst. Appl.*, vol. 37, no. 7, pp. 5259–5264, 2010.
- [9] A. H. Azadnia, M. Zameri, M. Saman, K. Y. Wong, and A. R. Hemdi, “Integration Model of Fuzzy C Means Clustering Algorithm and TOPSIS Method for Customer Lifetime Value Assessment,” in *Proceedings of the 2011 IEEE IEEM*, 2011, vol. 11, pp. 16–20.
- [10] M. Khajvand and Mohammad Jafar Tarokh, “Analyzing Customer Segmentation Based on Customer,” *J. Ind. Eng. Univ. Tehran*, no. Special ISsue, pp. 79–93, 2011.
- [11] R. Mohammadi, B. Bidabad, T. Nourasteh, and M. Sherafati, “Credit Ranking of Bank Customers ( An Integrated Model of,” *Eur. Online J. Nat. Soc. Sci.*, vol. 3, no. 3, pp. 564–571, 2014.



- [12] A. Gayathri and S. Mohanavalli, "Enhanced Customer Relationship Management Using Fuzzy Clustering," *IJCSET*, vol. 1, no. 4, pp. 163–167, 2011.
- [13] T. Chen and Y. Wang, "Fuzzified FCM for Mining Sales Data and Establishing Flexible Customer Clusters," *Int. J. Hybrid Inf. Technol.*, vol. 5, no. 4, pp. 79–84, 2012.
- [14] N. I. Putu, P. Yuliari, I. K. Gede, D. Putra, N. I. Kadek, and D. W. I. Rusjayanti, "CUSTOMER SEGMENTATION THROUGH FUZZY C-MEANS AND FUZZY RFM METHOD," *J. Theor. Appl. Inf. Technol.*, vol. 78, no. 3, pp. 380–385, 2015.
- [15] W. Wang and Y. Zhang, "On fuzzy cluster validity indices," *Fuzzy Sets Syst.*, vol. 158, pp. 2095–2117, 2007.
- [16] Z. Bian and H. Dong, "Suggestions on the CRM Implementation of Small and Medium-sized Enterprises Based on Data Mining □," in *Contemporary Logistics*, 2012, vol. 09, pp. 95–98.
- [17] E. W. T. Ngai, L. Xiu, and D. C. K. Chau, "Application of data mining techniques in customer relationship management: A literature review and classification," *Expert Syst. Appl.*, vol. 36, no. 2, pp. 2592–2602, 2009.
- [18] K. Tsipitsis and A. Chorianopoulos, *Data Mining Techniques in CRM: Inside Customer Segmentation*. United Kingdom: John Wiley & Sons, Ltd, 2009.
- [19] S. M. Rajeh, F. A. Koudehi, S. M. Seyedhosseini, and R. Farazmand, "A Model for Customer Segmentation Based On Loyalty Using Data Mining Approach and Fuzzy Concept in Iranian Bank," *Int. J. Bus. Behav. Sci.*, vol. 4, no. 9, pp. 118–136, 2014.
- [20] I. Yeh, K. Yang, and T. Ting, "Expert Systems with Applications Knowledge discovery on RFM model using Bernoulli sequence," *Expert Syst. Appl.*, vol. 36, no. 3, pp. 5866–5871, 2009.
- [21] J. A. McCarty and M. Hastak, "Segmentation approaches in data-mining : A comparison of RFM , CHAID , and logistic regression," *Jouranl Bus. Res.*, vol. 60, pp. 656–662, 2007.
- [22] M. Bishani, "Behavioral Segmentation of Bank ' s Point-of-Sales using RF \* M \* Approach," *IEEE*, vol. 10, pp. 81–86, 2010.
- [23] J. Wei, C. Weng, and N. Changhua, "USING RFM MODEL IN A CHILDREN ' S DENTAL CLINIC FOR MARKET SEGMENTATION Hsin-Hung Wu , National Changhua University of Education , Taiwan , " in *The 11th International DSi and the 16th APDSI*, 2011.



- [24] C. Todman, *Designing a Data Warehouse: Supporting Customer Relationship Management*. Upper Saddle River, NJ, USA: Prentice Hall PTR, 2000.
- [25] R. Swift, *Accelerating Customer Relationships: Using Crm and Relationship Technologies*, First. Upper Saddle River, NJ, USA: Prentice Hall Press, 2000.
- [26] S. A. Brown and P. W. Coopers, *Customer Relationship Management: A Strategic Imperative in the World of e-Business*, 1st ed. New York, NY, USA: John Wiley & Sons, Inc., 1999.
- [27] R. A. Soeini and E. Fathalizade, “Customer Segmentation based on Modified RFM Model in the Insurance Industry,” in *Proceedings of 2012 4th International Conference on Machine Learning and Computing*, 2012, vol. 25, pp. 101–104.
- [28] S. Pulakkazhy, “DATA MINING IN BANKING AND ITS APPLICATIONS-A REVIEW,” *J. Comput. Sci.*, vol. 9, no. 10, pp. 1252–1259, 2013.
- [29] S. Sumathi, S. N. Sivanandam, V. Lei, Z. Chen, and S. K. Nguang, *Introduction to Data Mining and its Applications*. New York: Springer, 2006.
- [30] J. Han, *Data Mining: Concepts and Techniques Second Edition*, Second. San Francisco: Diane Cerra, 2006.
- [31] A. Nadali and H. E. Nosratabadi, “Evaluating the Success Level of Data Mining Projects Based on CRISP-DM Methodology by a Fuzzy Expert System,” *IEEE*, pp. 161–165, 2011.
- [32] J. Luai Al Shalabi , Zyad Shaaban and Basel Kasasbeh , Amman, “Data Mining : A Preprocessing Engine,” *J. Comput. Sci.*, vol. 2, no. 9, pp. 735–739, 2006.
- [33] Y. K. Jain and S. K. Bhandare, “Min Max Normalization Based Data Perturbation Method for Privacy Protection,” *Int. J. Comput. Commun. Technol.*, vol. 2, no. Viii, pp. 45–50, 2011.
- [34] S. Kusumadewi, I. Guswaludin, K. Sistem, P. Keputusan, and D. Support, “FUZZY MULTI-CRITERIA DECISION MAKING,” *Media Inform.*, vol. 3, no. 1, pp. 25–38, 2005.
- [35] J. C. Dunn, “Compact Well-Separated Clusters A Fuzzy Relative of the ISODATA Process and Its Use in Detecting Compact Well-Separated Clusters,” *J. Cybern.*, no. 912873516, pp. 32–57, 1974.



- [36] S. Kusumadewi, *Analisis dan Desain Sistem Fuzzy Menggunakan Tool Box Matlab*, 1st ed. Yogyakarta: Graha Ilmu, 2002.
- [37] Y. Hu and T. Yeh, “Knowledge-Based Systems Discovering valuable frequent patterns based on RFM analysis without customer identification information,” *Knowledge-Based Syst.*, vol. 61, pp. 76–88, 2014.
- [38] M. Caber, “Using data mining techniques for profiling profitable hotel customers : An application of RFM analysis,” *Tour. Manag. Prospective*, vol. 18, pp. 153–160, 2016.
- [39] K. Wu and M. Yang, “A cluster validity index for fuzzy clustering,” *Pattern Recognit. Lett.* 26, vol. 26, pp. 1275–1291, 2005.
- [40] J. Wei, S. Lin, and H. Wu, “A review of the application of RFM model,” *African J. Bus. Manag.*, vol. 4, no. 19, pp. 4199–4206, 2010.
- [41] “IBM SPSS Direct Marketing 22,” 2013. .
- [42] D. Zumstein, “Customer Performance Measurement: Analysis of the Benefit of a Fuzzy Classification Approach in Customer Relationship Management,” University of Fribourg, Switzerland, 2007.
- [43] K. Fitri, “Tinjauan Faktor Penyebab Dormant Account (Studi Kasus Bank Syariah Mandiri Cabang Pekanbaru),” *Ekonomi*, vol. 20, pp. 1–17, 2012.