

DAFTAR PUSTAKA

- Ahmadi, S. (2008). *Faktor Risiko Kejadian Malaria di Desa Lubuk Nipis Kecamatan Tanjung Agung Kabupaten Muara Enim*. Semarang : Program Pascasarjana Universitas Diponegoro: Tesis tidak diterbitkan.
- Ali, M. (1995). Mechanisms by which garlic (*Allium sativum*) inhibits cyclooxygenase activity. Effect of raw versus boiled garlic extract on the synthesis of prostanoids. *Prostaglandins Leukot. Essent. Fatty Acids*, 53, 397-400.
- Alimudiarnis. (2009). *Manifestasi Klinis dan Penatalaksanaan Malaria Berat*. Padang: Sub Bagian Tropik Infeksi Bagian Penyakit Dalam RS M. Djamil.
- Ankri, S., Miron, T., Rabinkov, A., Wilcheck, M., & Mirelman, D. (1997). Allicin from garlic strongly inhibits cysteine proteinases and cytopathic effects of *Entamoeba Histolytica*. *Antimicrob. Agents Chemother*, 2286-2288.
- Anonim. (2006). *Pathology and Electron Microscopy of Malaria*. Mahidol: Department of Tropical Pathology, Faculty of Tropical Medicine of Mahidol University.
- Anonim. (2013). *Konsensur Penanganan Malaria*. Jakarta: PAPDI.
- Banerjee, R., & Goldberg, D. E. (2000). The Plasmodium food vacuole. In *Antimalarial Chemotherapy: Mechanism of Action, Resistance and New Directions in Drug Discovery*. (H. Press, Ed.) *Rosenthal*, 43-63.
- Banerjee, S. K., & Mauli, K. S. (2002). Effect of garlic on cardiovascular disorders: a review. *Nutrition Journal*, 1-4.
- CDC. (2016, Maret 1). *About Malaria : CDC*. Retrieved from Center For Diseases and Prevention: <http://www.cdc.gov/malaria/about/biology/>
- Charan, J., & Kantharia, N. D. (2013). How to calculate sample size in animal studies? *J Pharmacol Pharmacother*, 4(4), 303-306.

- Coppi, A., Cabinian, M., Mirelman, D., & Shinnis, P. (2005). Antimalarial Activity of Allicin, a Biologically Active Compound from Garlic Cloves. *Antimicrobial Agents and Chemotherapy*, 50(5), 1731-1737.
- Coppi, A., Pinzon-Ortiz, C., Hutter, C., & Sinnis, P. (2004). The Plasmodium Circumsporozoite Protein is proteolytically processed during cell invasion. *Experimental Medicine*, 27-33.
- Davis, T. M., Hung, T. Y., Sim, I. K., Karunajeewa, H. A., & Ileft, K. F. (2005). Piperaquine: a Resurgent Antimalarial Drug. *Drugs*, 65, 75-87.
- Delgado, Munoz-Elias, Kan Y, Gozes, Fridkin, & Breneman. (1998). Vasoactive Intestinal Peptide and Pituitary Adenylate Cyclase activating Polypeptide inhibit TNF-alfa Transcriptional Activation by Regulating Nuclear Factor kB & cAMP response Element binding Protein. *Journal Biological Chemistry*(273), 31427-36.
- Federer, W. (1991). *Statistics and Society: Data Collection and Interpretation* (2nd ed.). New York: Marcel Dekker.
- Feng, Y., Zhu, X., Wang, Q., Jiang, Y., Shang, H., Cui, L., & Cao, Y. (2012). Allicin enhances host pro-inflammatory immune responses and protects against acute murine malaria infection. *Malaria Journal*.
- Fitch, C. D. (1986). Chloroquine Resistance in Malaria. *Proc Natl Acad Sci USA*(64), 1181-87.
- Gandahusada, S., Ilahude, H., & Pribadi, W. (1998). *Parasitologi Kedokteran*. Jakarta: Balai Penerbit FKUI.
- Goldberg, D. E., Slater, A. G., Cerami, A., & Henderson, G. B. (1990). Hemoglobin degradation in the malaria parasite Plasmodium falciparum : an ordered process in a unique organelle. *Proc. Natl. Acad. Sci.*, 87, 2931-2935.
- Harijanto. (2000). *Epidemiologi, Patogenesis Manifestasi Klinis, & Penanganan*.

- Harijanto, P. N. (2007). Malaria. In *Ilmu Penyakit Dalam* (pp. 1732- 1744). Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Ho, M., & White, M. J. (1999). Molecular Mechanism of Cytoadherence in Malaria. *The American Physiological Society*, 6143(0363), C1231-C1242.
- Ho, M., & White, N. (1999). Molecular Mechanism of Cytoadherence in Malaria. *Am J Physiol Cell Physiol*, 276.
- Hodge, G., Hodge, S., & Han, P. (2002). Allium sativum (garlic) Supresses Leucocyte Inflammatory Cytokines Production in vitro : Potential Therapeutic Use in the Tretment of Inflammatory Bowel Disease. *Cytometry*, 4(48), 209-215.
- Kemenkes. (2011). *Buletin Jendela Data dan Informasi Kesehatan : Epidemiologi Malaria di Indonesia*. Jakarta: Kemenkes.
- Kemper, K. J. (2000). Garlic (Allium sativum). The Longwood Herbal Task Force and the Center for Holistic Pediatric Education and Research.
- Killick-kendrick, R. (1978). Taxonomy, Zoography, and Evolution. In W. Peters, & R. Killick-Kendrick, *Rodent Malaria* (pp. 1-48). London: Academic Press.
- Kirchgatter, K., & Del-Portillo, H. A. (2005). Clinical and Molecular Aspects of Severe Malaria. *Anais da Academia Brasileira de Ciencias*, 3(77), 455-475.
- Kuo, C. H., Lee, S. H., Chen, K. M., Lii, C. K., & Liu, C. T. (2011). Effect of Garlic Oil in Neutrofil Infiltration in the Small Intestine Endotoxin-Injected Rats and its association with Levels of Soluble and Cellular Adhesion Molecules. *J. Agrid Food Chem*, 7717-25(59).
- Leiden Malaria Research Group. (2012). *Leids Universitair Medisch Centrum*. Retrieved July 12, 2015, from <https://www.lumc.nl/org/parasitologie/research/malaria/berghei-model/>
- Leids Universitair Medisch Centrum. (2008). *General Introduction P.berghei Model*. Retrieved April 12,

2015, from
<http://www.lume.nl/con/1040/81028091348221/810281121192556/8110707401825>

- Li, M. O., Wan, Y. Y., Sanjabi, S., Robertson, A. K., & Flavell, R. A. (2006). Transforming growth factor-beta regulation of immune responses. *Annu Rev Immunol*(146), 99-146.
- Lolita, V. S. (2003). *Uji Aktivasi Antimalaria Ekstrak Metanol Herba Meniran (Phyllanthus Niruri Linn) Pada Mencit Swiss Terinfeksi Plasmodium berghei*. Surabaya: Skripsi,UNAIR.
- Londhe, V. P., Gavasane, A. T., Nipate, S. S., Bandawane, D. D., & Chaudari, P. D. (2011). Role of Garlic (*Allium Sativum*) in Various Diseases : An Overview . *Innovative Journal*, I(4), 129-134.
- Lou, J., Lucas, R., & Grau, G. E. (2001). Pathogenesis of Cerebral Malaria: Recent Experimental Data and Possible Application for Humans. *Clinical Mycrobiological Review*, 14, 810-820.
- Mackintosh, C. L., & Beeson, J. G. (2004). Clinical Features and Pathogenesis of Severe Malaria. *Trends of Parasitology*, 3(20), 597-603.
- McIntosh, H. M., & Olliaro, P. (2000). Artemisinin Derivatives for Treating Uncomplicated Malaria. *Cochrane. Database. Syst. Rev*, 2, CD000256.
- MI, P. (1993). *Spontaneous Rupture of a Malarial Spleen* (Vol. 159). Medical Journal.
- Miller, L. H., Baruch, D. I., Marsh, K., & Duombo, O. K. (2002). The Pathogenic Basis of Malaria. *Nature*(415), 673-67.
- Mohanty, S., Patel, D. K., Pati, S. S., & Mishra, S. K. (2006). Adjuvant therapy in cerebral malaria. *Indian J Med Res*, 124(3), 245-260.
- Mons, B. (1986). Intra Erythrocytic differentiation of *Plasmodium berghei*. *Acta Leiden*, 54(16), 1-124.
- Moore, K. W., de Waal Malefyt, R., Coffman, R. L., & O'Garra, A. (2001). Interleukin-10 and the interleukin-10 receptor. *Annu Rev Immunol*(12), 683-765.

- MSF. (2001). *Malaria & What Works : Artemisinin - Base Combination Therapy - the Prescription for Africa*. Retrieved Mei 22, 2015, from <http://www.msf.org/content/page.cfm?articleid=2F169856-4D66-4E90-B49E02C3EAE4F496>
- Munoz, V., Sauvain, M., Bourdy, G., Callapa, J., Bergeron, S., Rojas, I., . . . Deharo, E. (1999). A search for natural bioactive compounds in Bolivia through a multidisciplinary approach Part. I Evaluation of the antimalarial activity of plant used by the Chacobo indians. *Journal of Ethnopharmacology*, 6-7.
- Newbold, C., Craig, A., Kyes, S., Rowe, A., Fernandez-Reyes, D., & Fagan, T. (1999). Cytoadherence, pathogenesis and the infected red cell surface in *Plasmodium falciparum*. *International Journal of Parasitology*(29), 927-937.
- Pandey, A. V., Tekwani, B. L., Singh, R. L., & Chauh, V. S. (1999). Artemisinin, an Endoperoxide Antimalarial Disrupts the Hemoglobin Catabolism and Heme Detoxification Systems in Malarial Parasite. *Journal of Bio Chem*, 27(274).
- Pongponrat, E., Turner, G. H., & Day, N. P. (2000). The Discrepancy between Malaria Parasite in the Brain and Peripheral Blood Parasitemia. *Annual Report 2000*.
- Rassoul, F., Salvetter, J., & Reissig, D. (2006). The Influence of Garlic (*Allium Sativum*) extract on Interleukin 1- α Induced Expression of Endothelial Intercellular Adhesion Molecule -1 and Vascular Cell Adhesion Molecule -1. *Phytomedicine*(13), 230-5.
- Raynes, K. (1999). Bisquinoline Antimalarials: their Role in Malaria. *Int. J. Parasitol*, 29, 367-379.
- Rets, P. A., Commin, C. M., & Hermant, F. (2010). Cognitive Dysfunction in Sustained after Rescue Therapy in Experimental Cerebral Malaria, and is Reduced by addtive Antioxidant Therapy. *Plos Pathogens*, 6(VI).

- Rosenthal, P. J. (2003). Antimalarial Drugs Discovery : Old and New Approaches. *The Journal of Experimental Biology*(206), 3735-44.
- Rukmana, R. (1995). *Budidaya Bawang Putih*. Yogyakarta: Kanisius.
- Sahbaz, A., Isik, H., Aynioglu, O., Gungorduk, K., & Gun, B. D. (2014). Effect of intraabdominal administration of Allium sativum (garlic) oil on postoperative peritoneal adhesion. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 177, 44-47.
- Santhosha, S. G., Prakash Jamuna, S. N., & Prabhavathi. (2013). Bioactive components of Garlic and their physiological role in health maintenance : a review. *Fod Biosci*, III, 59-74.
- Schwarz, E., & Schwarz, K. H. (1943). The wild and commensal stocks of the house mouse, *Mus musculus* Linnaeus. *Journal of Mammalogy*, I(24), 59-72.
- Silamut, K., Phu, N. H., & Whitty, C. (1999). A quantitative Analysis of Micovascular Sequestration of Malaria Parasite in the Human Brain. *Am.J.Pathol*, II(155), 395-410.
- Strickland, G. T. (1995). *Malaria. Dalam: Hunter's Tropical Diseases* (7th ed.). Philadelphia: Harcourt Brace ovanovich, Inc.
- Sundari, Y., Sulaksono, E., Jekti, R. P., & Subahagio. (1997). *Inokulasi Plasmodium berghei pada beberapa Strain Mencit*. Jakarta: Cermin Dunia Kedokteran.
- Syamsudin. (2015). Mekanisme Kerja Obat Antimalaria. *Jurnal Ilmu Kefarmasian Indonesia*, 3(1), 37-40.
- Takhtajana, A. (1997). *Diversity and Classification of Flowering Plants*. New York: Columbia University Press.
- Tambayong, E. H. (2000). Patofisiologi Malaria. In P. N. Harijanto (Ed.), *Malaria: Epiemiologi, Patogenesis, Manifestasi Klinis dan Penanganannya*. Jakarta: Penerbit buku kedokteran EGC.
- Tarning, J., Lindegardh, N., Annerberg, A., Singtoroj, T., Day, N. P., Ashton, M., & White, N. J. (2005).

- Pitfalls in Estimating Piperaquine. *Antimicrob. Agents. Chemother*, 49, 5127-5128.
- Vyas, N., Avery, B. A., Avery, M. A., & Wyandt, C. M. (2002). Carrier Mediated Partitioning of Artemisinin into Plasmodium Falciparum-Infected Erythrocytes. *Antimicrobial Agents and Chemotherapy*, 1(46).
- Waag, T., Gelhaus, C., Rath, J., Stich, A., Leippe, M., & Schirmeister, T. (2010). Allicin and Derivates are cysteine protease inhibitors with antiparasitic activity. *Bioorg Med Chem Lett*, 20, 5541-5543.
- Wangoo, A., Laban, C., Cook, H. T., Glenville, B., & Shaw, R. J. (1997). Interleukin-10- and corticosteroid-induced reduction in type I procollagen in a human ex vivo scar culture. *Int J Exp Pathol*, 33-41.
- WHO. (2006). *Guidelines for the Treatment of Malaria*. Geneva: World Health Organization.
- WHO. (2015). *Global Technical Strategy for Malaria*. United Kingdom: WHO Press.
- Wijayanti, M. A., Herdiana, M. E., & Mardihusodo, S. Y. (2003). Efek Bee Propolis terhadap Infeksi Plasmodium berghei pada Mencit Swiss. *B.I.Ked*, 2(35), 83-84.
- Wijisaksono, D. P. (-). -. Yogyakarta: Subdivision of Tropical Medicine and Infectious Disease Internal Medicine Department Dr Sardjito General Hospital.
- Wynn, T. A. (2008, January). Cellular and molecular mechanisms of fibrosis. *Journal of Pathology*, 2(214), 199-210.
- Yagmur, Y., Kara, I. H., Aldemir, M., Büyükbayram, H., Tacyildiz, I. H., & Keles, C. (2000, Agustus 10). Spontaneous rupture of Malarial Spleen : Two case reports and review literature. *Critical Care*(4), 309-313.
- Yawan, S. F. (2006). *Analisis Faktor Risiko Kejadian Malaria di Wilayah Kerja Puskesmas Bosmik Kecamatan Biak Timur Kabupaten Biak-Numfor Papua*. Semarang: Tesis Universitas Diponegoro.



- Zhang, S., Chen, H., & Gerhard, G. S. (2010). Heme Synthesis Increases Artemisinin-Induced Radical Formation and Cytotoxicity that can be Supressed by Superoxide Scavengers. *Chemico-Biological Interaction*, 186(I), 30-35.
- Zingman, B. S., & Viner, B. L. (1993). Splenic Complications in Malaria : case report and review. *Clinical Infectious Disease*, 223-232.
- Zulkairnan, & Setiawan. (2007). Malaria Berat. In Sudoyo, Setiyohadi, Alwi, Simadibrata, & Setiati (Eds.), *Buku Ajar Ilmu Penyakit Dalam* (III ed.). Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FK UI.