



DAFTAR PUSTAKA

- Alajbegovic S, Metelko Z, Alajbegovic A, Suljic E, Resic H. 2003. Hyperglycemia and acute myocardial infarction in a nondiabetic population. *Diabetol Croat* 32-4, 2003
- Anonymous. 2014. Diagnosing Diabetes and Learning about Prediabetes. [internet], Available from: <<http://www.diabetes.org/diabetes-basics/diagnosis/?loc=db-slabnav>> (Diakses tanggal 24 Mei 2015)
- Anand SS, Islam S, Rosengren A, Franzosi MG, Steyn K, Yusufali AH et al. 2008. Risk factor of myocardial infarction in women and men: insight from the INTERHEART study. *Eur Heart J* 29(7):932-40
- Anonymous. 2015. Cardiovascular Disease. [internet], Available from: <<http://www.who.int/mediacentre/factsheets/fs317/en>> (Diakses tanggal 21 Februari 2015)
- Anonymous. 2015. Diabetes. [internet], Available from: <<http://www.who.int/mediacentre/factsheets/fs312/en>> (Diakses tanggal 21 Februari 2015)
- Bacon BR. 2012. Cirrhosis and its Complications dalam Harrison's Principles of Internal Medicine 18th ed,



eds Longo DL, Kasper DL, Jameson JL, Fauci AS,
Hauser SL, Loscalzo J, McGraw-Hill. New York pp.
2592-602

Boekholdt SM, Arsenault BJ, Hovingh GK, Mora S, Pedersen
TR, Larosa JC et al. 2013. Levels and changes of
HDL cholesterol and apolipoprotein A-I in relation
to risk of cardiovascular events among statin-
treated patients: a meta-analysis. Circulation
128(14):1504-12

Cannon CP, Brauwald E. 2012. Unstable Angina and Non-ST-
Segment Elevation Myocardial Infarction dalam
Harrison's Principles of Internal Medicine 18th ed,
eds Longo DL, Kasper DL, Jameson JL, Fauci AS,
Hauser SL, Loscalzo J, McGraw-Hill. New York pp.
2015-21

Connely FW, Poapst M, Davignon J, Lussier-Cacan S, Reeder
B, Lessard R et al. 1999. Reference values of plasma
apolipoprotein A-I and B, and association with
nonlipid risk factor in the population of two
Canadian provinces: Quebec and Saskatchewan.
Canadian Heart Health Surveys Research Group. Can
J Cardiol 15(4):409-18

Davidson MH, Ose L, Frohlich J, Scott RS, Dujoyne CA,
Escobar ID et al. 2003. Differential effects of



simvastatin and atorvastatin on high-density lipoprotein cholesterol and apolipoprotein A-I are consistent across hypercholesterolemic patient subgroups. *Clin Cardiol* 26(11):509-14

Deedwania P, Kosiborod M, Barrett E, Ceriello A, Isley W, Mazzone T et al. 2010. Hyperglycemia and acute coronary syndrome: a scientific statement from the American Heart Association Diabetes Committee of the Council on Nutrition, Physical Activity, and Metabolism. *Circulation* 117(12):1610-9

Duan Y, Wu Z, Liu B. 2001. Relation of plasma glucose levels to serum lipids and apolipoproteins levels in middle and old age males. *Hua Xi Yi Ke Da Xue Xue Bao* 32(3):382-4

Fager G, Wiklund O, Olofsson SO, Wilhelmsson C, Bondjers G. 1980. Serum apolipoprotein levels in relation to acute myocardial infarction and its risk factor. Apolipoprotein A-I levels in male survivors of myocardial infarction. *Atherosclerosis* 36(1):67-74

Ganda OP, Jumes CG, Abrahamson MJ, Molla M. 2012. Quantification of concordance and discordance between apolipoprotein-B and the currently recommended non-HDL-Cholesterol goals for cardiovascular risk assessment in patients with



diabetes and hypertriglyceridemia. *Diabetes Res Clin Pract* 97(1):51-56

Groeneveld ABJ, Beishuizen A, Visser FC. 2002. Insulin: a wonder drug in the critically ill?. *Crit Care* 6(2):102-105

Guyton AC, Hall JE. 2006. *Textbook of Medical Physiology* 11th edn. Elsevier Saunders. Philadelphia. Pennsylvania. pp. 829-31

Hamm CW, Mollmann H, Bassand JP, Van de Werf F. 2009. *Acute Coronary Syndrome: Pathophysiology, Diagnosis, and Risk Stratification*. In A. J. Camm, T. F. Luscher, & P. W. Serruys, eds. *The ESC Textbook of Cardiovascular Medicine*. New York: Oxford University Press, pp. 333-66

Hwang YC, Ahn HY, Park SW, Park CY. 2014. Association of HDL-C and apolipoprotein A-I with the risk of type 2 diabetes in subjects with impaired fasting glucose. *Eur J Endocrinol* 171(1):137-42

Hwang YC, Ahn HY, Kim WJ, Park CY, Park SW. 2012. Increased apoB/A-I ratio independently associated with Type 2 diabetes mellitus: cross-sectional study in a Korean population. *Diabet Med* 29(9):1165-70



Jameel F, Phang M, Wood LG, Garg ML. 2014. Acute effects

of feeding fructose, glucose, and sucrose on blood lipid levels and systemic inflammation. *Lipids Health Dis* 13:195

Jian ZH, Lung CC, Ko PC, Sun YH, Huang JY et al. 2013.

The association between the apolipoprotein A1/high density lipoprotein-cholesterol and diabetes in Taiwan- a cross-sectional study. *BMC Endocr Disord* 7;13:42

Keane M, O'Toole MT. 2003. Miller-Keane Encyclopedia & Dictionary of Medicine, Nursing and Allied Health, Seventh Edition. [internet], <<http://medical-dictionary.thefreedictionary.com/chronic+inflammation>>

(Diakses tanggal 30 November 2015)

Koracevic G, Petrovic S, Tomasevic M, Apostolovic S, Damjanovic M. 2006. Stress hyperglycemia in acute myocardial infarction. *Facta Univ Med Biol* 13(3):152-7

Kumar V, Abbas AK, Aster JC. 2014. Robbins and Cotran Pathologic Basis of Disease 9th Edition. Saunders. Philadelphia pp. 491-501

Libby P, Okamoto Y, Rocha VZ, Folco E. 2010. Inflammation in atherosclerosis: transition from theory to practice. *Circ J* 74(2):213-20



Liting P, Guoping L, Zhenyue C. 2015. Apolipoprotein B/apolipoprotein A1 ratio and non-high-density lipoprotein cholesterol. Predictive value for CHD severity and prognostic utility in CHD patients.

Herz 40 Suppl 1:1-7

Mann DL, Chakinala M. 2012. Heart Failure and Cor Pulmonale dalam Harrison's Principles of Internal Medicine 18th ed, eds Longo DL, Kasper DL, Jameson JL, Fauci AS, Hauser SL, Loscalzo J, McGraw-Hill. New York pp. 1901-16

Mashayekhi NR, Sadrnia S, Chehrei A, Javaheri J. 2014. The Correlation between Serum ApoA1 and B and Coronary Artery Disease as Well as Its Severity. Int Cardiovasc Res J 8(1):1-5

Munford RS. 2012. Severe Sepsis and Septic Shock dalam Harrison's Principles of Internal Medicine 18th ed, eds Longo DL, Kasper DL, Jameson JL, Fauci AS, Hauser SL, Loscalzo J, McGraw-Hill. New York pp. 2223-2231

Myerson M, Ngai C, Jones J, Holleran S, Ramakrishnan R et al. 2005. Treatment with high-dose simvastatin reduces secretion of apolipoprotein B-lipoproteins in patients with diabetic dyslipidemia. J Lipid Res 46(12):2735-44



- O'Gara P, Loscalzo J. 2012. Valvular Heart Disease dalam Harrison's Principles of Internal Medicine 18th ed, eds Longo DL, Kasper DL, Jameson JL, Fauci AS, Hauser SL, Loscalzo J, McGraw-Hill. New York pp. 1929-1951
- Oswald GA, Smith CC, Betteridge DJ, Yudkin JS. 1986. Determinants and importance of stress hyperglycemia in non-diabetic patients with myocardial infarction. Br Med J (Clin Res Ed) 293(6552):917-22
- Powers AC. 2012. Diabetes Mellitus dalam Harrison's Principles of Internal Medicine 18th ed, eds Longo DL, Kasper DL, Jameson JL, Fauci AS, Hauser SL, Loscalzo J, McGraw-Hill. New York pp. 2968-3002
- Pruzanski W, Stefanski E, de Beer FC, de Beer MC, Ravandi A, Kuksis A. 2000. Comparative analysis of lipid composition of normal and acute-phase high density lipoproteins. J Lipid Res 41(7):1035-47
- Sacco RL, Kasner SE, Broderick JP, Caplan LR, Connors JJ et al. 2013. AHA/ASA Expert Consensus Document: An Updated Definition of Stroke for the 21st Century. J Am Heart Assoc 44:2064-89



- Sachdev Y. 2009. Insulin Resistance dalam Clinical Endocrinology and Diabetes Mellitus, ed Sachdev Y. McGraw-Hill. New York. pp. 905-912
- Schmidt C, Bergstrom G. 2013. Apolipoprotein B/apolipoprotein A-I ratio and apolipoprotein B: long-term predictors of myocardial infarction in initially healthy middle-aged men—a 13-year follow-up. *Angiology* 65(10):901-5
- Sniderman AD, Williams K, Contois JH, Monroe HM, McQueen MJ, de Graaf J et al. 2011. A meta-analysis of low-density lipoprotein cholesterol, non-high-density lipoprotein cholesterol, and apolipoprotein B as markers of cardiovascular risk. *Circ Cardiovasc Qual Outcomes* 4(3):337-45
- Soendoro T. 2008. Laporan Hasil Riset Kesehatan Dasar (RISKESDAS) Nasional 2007. Badan Penelitian dan Pengembangan Kesehatan. Jakarta.
- Superko RH. 1996. Beyond LDL Cholesterol Reduction. *Circulation* 94: 2351-4
- Su-Que L, Ya-Ning M, Xing-Pu L, Ye-Lun Z, Guang-Yao S, Hui-Juan M. 2013. Effect of consumption of micronutrient enriched wheat steamed bread on postprandial plasma glucose in healthy and type 2 diabetic subjects. *Nutr J* 12:64



Tan MH, Johns D, Glazer NB. 2004. Pioglitazone reduces atherogenic index of plasma in patients with type 2 diabetes. *Clin Chem* 50(7):1184-8

Tietge UJ, Maugeais C, Cain W, Grass D, Glick JM, de Beer FC et al. 2000. Overexpression of secretory phospholipase A(2) causes rapid catabolism and altered tissue uptake of high density lipoprotein cholesteryl ester and apolipoprotein A-I. *J Biol Chem* 275(14):10077-84

Tunkel AR. 2012. Manifestation of Infection. [internet],

Available from:

<<http://www.msdmanuals.com/professional/infectious-diseases/biology-of-infectious-disease/manifestations-of-infection>> (Diakses

tanggal 17 November 2015)

Viana MV, Moraes RB, Fabbrin AR, Santos MF, Gerchman F. 2014. Assessment and treatment of hyperglycemia in critically ill patients. *Rev Bras Ter Intensiva* 26(1): 71-76

Walldius G, Jungner I. 2004. Apolipoprotein B and apolipoprotein A-I: risk indicators of coronary heart disease and targets for lipid-modifying therapy. *J Intern Med* 255(2):188-205



Walldius G, Jungner I, Holme I, Aastveit AH, Kolar W,

Steiner E. 2001. High apolipoprotein B, low apolipoprotein A-I, and improvement in the prediction of fatal myocardial infarction (AMORIS Study): a prospective study. Lancet 358(9298):2026-33

Wang W, Khan S, Blackett P, Alaupovic P, Lee E. 2012. Apolipoproteins A-I, B and C-III in young adult Cherokee with the metabolic syndrome with or without type 2 diabetes. J Clin Lipidol 7(1):38-42

Wing RR, Bunker CH, Kuller LH, Matthews KA. 1989. Insulin, body mass index, and cardiovascular risk factor in premenopausal women. Arteriosclerosis 9(4):479-84

Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, McQueen M et al. 2004. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet 364(9438):937-52