

DAFTAR PUSTAKA

- American College of Obstetricians and Gynecologists.
Hypertension in pregnancy. ACOG Technical Bulletin
No. 219. Washington DC: 1996.
- Arias F. Practical Guide to Highrisk Pregnancy and
Delivary. Ed.2 St. Louis : Mosby Year Book. 1999 :
183 - 279
- Babbette D, Lamarca, Michael J. Pathophysiology of
hipertention during preeclamsia: Role of inflammatory
cytokines. Current hipertension review, 2007, 3, 69-
74
- Baxter, J.K. & Weinstein, L., 2004. 36 CME
REVIEWARTICLE HELLP Syndrome: The State of the Art.
, 59(12), pp.838-845.
- Catov, J.M. et al., 2007. Risk of early or severe
preeclampsia related to pre-existing conditions. ,
(January), pp.412-419.
- Cunningham,F.G., et al, (2006). Obstetri william, Edisi
21, EGC, Jakarta.
- Dekker GA, Walker JJ. Maternal Assesment in Pregnancy
Induced Hypertensive Disorder : Special
Investigation and Their Pathophysiological Basis.
In : Walker JJ, Gant NF. Hypertension in pregnancy.
London : Chapman&Hall. 1997 :107 -62
- Faúndes A, Cecatti JG, Bacha AM, Pinotti JA.
Intervenções para a redução da mortalidade materna.
Rev Paul Med 1989; 107: 47-52.
- Gilbert, E.S., & Harmon, J.S. (2005) Manual of high
risk pregnancy and delivery. (Third Edition).
St.Louis: Mosby

Haram, K., Svendsen, E. & Abildgaard, U., 2009. The HELLP syndrome: clinical issues and management. A Review. *BMC pregnancy and childbirth*, 9, p.8. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2654858&tool=pmcentrez&rendertype=abstract> [Accessed October 7, 2014].

Heilmann L, Rath W, Pollow K. Hemorheological changes in women with severe pre-eclampsia. *Am J Obstet Gynecol*. 2004, 31:49-58

Hunter S, Robson SC, 1992 Adaptation of the maternal heart in pregnancy. *Br Heart J* 68: 540-543.

Martin JN, Rinehart BK, May WL. The spectrum of severe preelampsia : Comparative analysis by HELLP (hemolysis, elevated liver enzyme level, and low plateleted count) syndrome classification. *Am J Obstet Gynecol* 1999 ; 180: 1373-84

Ouzounian JG, Elkayam U, 2012 Physiologic changes during normal pregnancy and delivery. *Cardiol Clin* 30: 317-329

Qomariyah SN, Anggondowati T. New modelled estimates of maternal mortality. *Lancet*. 2010; 375(9730):1964-5

Pritchard JA, Weisman R Jr, Ratnoff OD, et al: Intravascular hemolysis, thrombocytopenia and other hematologic abnormalities associated with severe toxemia of pregnancy. *N Engl J Med* 250:87, 1954

Roberts JM : Pregnancy - Related Hypertension. Chapter 43. In: Resnik R, Creasy RK. *Maternal - Fetal Medicine. Principle and Practice*. Fifth Edition. Philadelphia, USA ; 2004 : 859-899

Roberts JM, Hubel CA, 2009 The two stage model of preeclampsia: variations on the theme. *Placenta* 30: Suppl A: S32-37.

- Santillan MK, Santillan DA, Sigmund CD, Hunter SK, 2009 From molecules to medicine: a future cure for preeclampsia? Drug News Perspect 22: 531-541.
- Savu O, Jurcut R, Giusca S, et al, 2012 Morphological and functional adaptation of the maternal heart during pregnancy. Circ Cardiovasc Imaging 5: 289-297.
- Sheehan HL, Lynch JB (eds):Cerebral lesions. In Pathology of Toxaemia of Pregnancy. Baltimore, Williams & Wilkins, 1973
- Sibai BM. The HELLP Syndrome (hemolysis, elevated liver enzymes and low trombosit counts) : AmJ Obstet Gynecol 1990 ; 162 : 311 -6
- Sibai BM, Taslimi MM, El-Nazer A, Amon E, Mabie BC, Ryan GM. Maternal-perinatal outcome related with the syndrome of hemolysis, elevated liver enzymes and low platelets in severe preeclampsia/eclampsia. Am J Obstet Gynecol 1986; 155: 501-9.
- Titaley CR, Dibley MJ, Roberts CL. Type of delivery attendant, place of delivery and risk of early neonatal mortality: analyses of the 1994-2007 Indonesia Demographic and Health Surveys. Health Policy Plan. 2011
- Valdes G, Corthorn J, 2011 Challenges posed to the maternal circulation by pregnancy. Integr Blood Press Control 4: 45-53
- Van Drongelen J, Hooijmans CR, Lotgering FK, Smits P, Spaanderman ME, 2012 Adaptive changes of mesenteric arteries in pregnancy: a meta-analysis. Am J Physiol Heart Circ Physiol 303: H639-657.

Wagner, L.K., 2004. Diagnosis and Management of
Preeclampsia. , 70(12), pp.2317-2324.

Wandabwa, J. et al., 2010. RISK FACTORS FOR SEVERE PRE
- ECLAMPSIA AND ECLAMPSIA IN MULAGO HOSPITAL ,
KAMPALA , UGANDA. , 87(10).

Wissenschafttlichen Medicin. Frankfurt AM, Meidinger
Sohn, 1856, p 778