

## DAFTAR PUSTAKA

- Ait-Khaled, N., Enarson, D. and Bousquet, J. (2001). Chronic respiratory diseases in developing countries: The burden and strategies for prevention and management. *World Health Organization*, 79, 971–979.
- Abulmeaty, M., Almajwal, A. and Hassan, H. (2015). New cutoff values for fat mass index, fat-free mass index and percent body fat in overweight and obese men living in Riyadh, SA. *International Journal Diabetes in Developing Countries*.
- Apa.org, (2015). Eating disorder. [online] Available at: <http://www.apa.org/helpcenter/eating.aspx> [Accessed 26 Nov. 2015].
- Bouchard, C., Tremblay, A., Després, J., Nadeau, A., Lupien, P., Thériault, G., Dussault, J., Moorjani, S., Pinault, S. and Fournier, G. (1990). The response to long-term overfeeding in identical twins. *New England Journal of Medicine*, 322(21), pp.1477–1482.
- Boutayeb, A. (2006). The double burden of communicable and non-communicable diseases in developing countries. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 100(3), pp.191–199.
- Brewer, E., Kolotkin, R. and Baird, D. (2003). The relationship between eating behaviors and obesity in African American and Caucasian women. *Eating Behaviors*, 4(2), pp.159–171.
- Broeder, C., Burrhus, K. and Wilmore, J. (1992). The effects of either high-intensity resistance or endurance training on resting metabolic rate. *American Society for Clinical Nutrition*, vol.55(no.4 802–810).
- Caspersen, C., Powell, K. and Christenson, G. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related research. *PubMed Central*, 100(2): 126–131.

- Comuzzie, A. (1998). The search for human obesity genes. *Science*, 280(5368), pp.1374-1377.
- Cullinen, K. and Caldwell, M. (1998). Weight training increases fat-free mass and strength in untrained young women. *Journal of the American Dietetic Association*, 98(4), pp.414-418.
- Departemen Kesehatan RI, (2007). Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Deurenberg, P. (2001). Universal cutoff BMI points for obesity are not appropriate. *British Journal of Nutrition*, 85: 135-136.
- Digna, (2011). Status kesehatan pangan, asupan makanan, dan aktivitas fisik sebagai faktor risiko terjadinya obesitas pada ibu rumah tangga miskin di kota Yogyakarta. *Universitas Gadjah Mada*.
- Elder, S. and Roberts, S. (2007). The Effects of exercise on food intake and body fatness: A summary of published studies. *International Life Sciences Institute*, 65: 1-19.
- Emedicine.medscape.com, (2015). Obesity: practice essentials, background, pathophysiology. [online] Available at: <http://emedicine.medscape.com/article/123702-overview> [Accessed 28 Aug. 2015].
- Eufic.org, (2015). Physical activity (EUFIC). [online] Available at: <http://www.eufic.org/article/en/page/BARCHIVE/expid/basics-physical-activity/> [Accessed 13 Nov. 2015].
- Garn, S., Leonard, W. and Hawthorne, V. (1986). Three limitations of the body mass index. *American Society for Clinical Nutrition*, 44:996-7.
- Hay, P., Chinn, D., Forbes, D., Madden, S., Newton, R., Sugenor, L., Touyzl, S. and Ward, W. (2014). Royal Australian and New Zealand college of psychiatrists clinical practice guidelines for the treatment of eating disorders. *Royal Australian and New Zealand College of Psychiatrists*, 48(11).

- Hays, N., Bathalon, G., McCrory, M., Roubenoff, R., Lipman, R. and Roberts, S. (2002). Eating behavior correlates of adult weight gain and obesity in healthy women aged 55-65 y. *American Journal of Clinical Nutrition*, 75:476-83.
- Heber, D., Ingles, S., Ashley, J., Maxwell, M., Lyons, R. and Elashoff, R. (1996). Clinical detection of sarcopenic obesity by bioelectrical impedance analysis. *American Journal of Clinical Nutrition*, 64:472S-7S.
- Hill, J., Wyatt, H. and Melanson, E. (2000). Genetic and environmental contributions to obesity. *Medical Clinics of North America*, 84(2), pp.333-346.
- IDF Diabetes Atlas Group, (2015). Update of mortality attributable to diabetes for the IDF diabetes atlas: Estimates for the year 2013. *Diabetes Research and Clinical Practice*, 109(3), pp.461-465.
- James, P., Leach, R., Kalamara, E. and Shayeghi, M. (2001). The worldwide obesity epidemic. *Obesity Research*, 9(S11), pp.228S-233S.
- Jecquier, E. (1983). Thermogenic responses induced by nutrients in man: Their importance in energy balance regulation. *Experientia [Suppl]*, 44: 26-44.
- Jendela Data dan Informasi Kesehatan Penyakit Tidak Menular. (2012). Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan RI, (2013). Riset Kesehatan Dasar. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan.
- Kementerian Kesehatan, (2015). Rencana Strategi Kementerian Kesehatan Tahun 2015-2019. Jakarta: Kementerian Kesehatan RI.
- Kouri, E., Pope, H., Katz, D. and Oliva, P. (1995). Fat-free mass index in users and non-users of anabolic-androgenic steroids. *Clinical Journal of Sport Medicine*, 5(4), pp.223-228.
- Kravitz, L. and Heyward, V. (2010). Getting a grip on body composition. [online] Available at: <https://www.unm.edu/~lkravitz/Article%20folder/underbodycomp.html>.

- Kyle, U., Gremion, G., Genton, L., Slosman, D., Golay, A. and Pichard, C. (2001). Physical activity and fat-free and fat mass by bioelectrical impedance in 3853 adults. *Medicine and Science in Sports and Exercise*, pp.576-584.
- Luis, G., Lyda, Z. and Gamboa, D. (2015). Overweight and obesity in Colombian college students and Its association with physical activity. [online] Available at: <http://www.ncbi.nlm.nih.gov/pubmed/25617543> [Accessed 28 Aug. 2015].
- Maes, H., Neale, M. and Eaves, L. (1997). Genetic and environmental factors in relative body weight and human adiposity. *Behavior Genetic*, 27: 325-351.
- Martinez, J. (2000). Body-weight regulation: Causes of obesity. *Proceedings of the Nutrition Society*, 59(03), pp.337-345.
- Miles, L. (2007). Physical activity and health. *British Nutrition Foundation*, 32, 314-363.
- National Health Service United Kingdom, (2013). General practice physical activity questionnaire (GPPAQ) - Publications - GOV.UK. [online] Gov.uk. Available at: <https://www.gov.uk/government/publications/general-practice-physical-activity-questionnaire-gppaq> [Accessed 4 Dec. 2015].
- Nemet, D., Barkan, S., Epstein, Y., Friedland, O., Kowen, G. and Eliakim, A. (2005). Short- and long-Term beneficial effects of a combined dietary-behavioral-physical activity intervention for the treatment of childhood obesity. *Pediatrics*, 115(4), pp.e443-e449.
- Pasco, J., Nicholson, G., Brennan, S. and Kotowicz, M. (2012). Prevalence of obesity and the relationship between the body mass index and body fat: Cross-sectional, population-based data. *PLoS ONE*, 7(1), p.e29580.

- Paul, D., Novotny, J. and Rumpler, W. (2004). Effects of the interaction of sex and food intake on the relation between energy expenditure and body composition. *American Journal of Clinical Nutrition*, 79: 385.
- Perhimpunan Dokter Spesialis Ilmu Penyakit Dalam Indonesia, (2015). Buku Ajar Ilmu Penyakit Dalam. 4th ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, p.1849.
- Popkin, B., Duffey, K. and Gordon-Larsen, P. (2005). Environmental influences on food choice, physical activity and energy balance. *Elsevier*, 86: 10.1016/j.physbeh.2005.08.051.
- Presiden Republik Indonesia, (1960). Pokok-Pokok Kesehatan. Jakarta: Lembaran Negara Nomor 131 Tahun 1960 Dan Tambahan Lembaran Negara Nomor 2068 Tahun 1960.
- Ravussin, E. and Bogardus, C. (2000). Energy balance and weight regulation: Genetics versus environment. *British Journal of Nutrition*, 83(S1).
- Reddy, K. and Yusuf, S. (1998). Emerging epidemic of cardiovascular disease in developing countries. *Circulation*, 97(6), pp.596-601.
- Risk Factors of Non-Communicable Diseases and Metabolic Syndrome. (2012). [online] Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3469019/> / [Accessed 26 Aug. 2015].
- Rosiek, A., Maciejewska, N., Leksowski, K., Rosiek-Kryszewska, A. and Leksowski, A. (2015). Effect of television on obesity and excess of weight and consequences of health. *International Journal of Environmental Research and Public Health*, 12(8), pp.9408-9426.
- Sastroasmoro, S. and Ismael, S. (1995). *Dasar-dasar metodologi Penelitian Klinis*. Jakarta: Binapura Aksara.

- Schutz, Y., Kyle, U. and Pichard, C. (2002). Fat free mass index and fat mass index percentiles in caucasians aged 18-98 y. *International Journal of Obesity*, 26, 953-960.
- Shibuya, K., Mathers, C., Boschi-Pinto, C., Lopez, A. and Murray, C. (2002). Global and regional estimates of cancer mortality and incidence by Site: II. Results for the Global Burden of Disease 2000. *BMC Cancer*. [online] Available at: <http://www.biomedcentral.com/1471-2407/2/37>. [Accessed 16 Sep. 2015].
- Sitti, (2011). Emosi dan perilaku makan hubungannya dengan kejadian berat badan lebih pada PNS di kota Ternate. *Universitas Gadjah Mada*.
- Stiegler, P. and Cunliffe, A. (2006). The role of diet and exercise for the maintenance of fat-free mass and resting metabolic rate during weight loss. *Sports Medicine*, 36(3), pp.239-262.
- Stunkard, A. (1986). A twin study of human obesity. *The Journal of the American Medical Association*, 256(1), p.51.
- Stunkard, A., Sørensen, T., Hanis, C., Teasdale, T., Chakraborty, R., Schull, W. and Schulsinger, F. (1986). An adoption study of human obesity. *New England Journal of Medicine*, 314(4), pp.193-198.
- Susan, B., Susan, S. and Robert, H. (2015). Obesity: Overview of prevalence, etiology, and treatment. [online] Available at: <http://ptjournal.apta.org/content/83/3/276>.
- Torres, S. and Nowson, C. (2007). Relationship between stress, eating behavior, and obesity. *Elsevier*.
- Vilchis-Gil, J., Galván-Portillo, M., Klünder-Klünder, M., Cruz, M. and Flores-Huerta, S. (2015). Food habits, physical activities and sedentary lifestyles of eutrophic and obese school children: a case-control study. *BioMed Central Public Health*, 15(1), p.124.
- Who.int, (2015). WHO | Obesity. [online] Available at: <http://www.who.int/topics/obesity/en/> [Accessed 26 Aug. 2015].

- Who.int, (2015). WHO | Obesity and overweight. [online] Available at: <http://www.who.int/mediacentre/factsheets/fs311/en/> [Accessed 26 Aug. 2015].
- Weinheimer, E., Sands, L. and Campbell, W. (2010). A systematic review of the separate and combined effects of energy restriction and exercise on fat-free mass in middle-aged and older adults: Implications for sarcopenic obesity. *Nutrition Reviews*, 68(7), pp.375-388.
- Willett, W. (1998). Is dietary fat a major determinant of body fat?. *American Journal of Clinical Nutrition*, 67, 556-562S.
- Wilmore, J. (1996). Increasing physical activity: Alterations in body mass and composition. *American Journal of Clinical Nutrition*, 63(suppl), PP.456S-60S.
- Yusuf, S., Reddy, S., Ounpuu, S. and Anand, S. (2001). Global burden of cardiovascular diseases: Part I: General considerations, the epidemiologic transition, risk factors, and impact of urbanization. *Circulation*, 104(22), pp.2746-2753.