

REFERENSI

- Anon, FGFR2 fibroblast growth factor receptor 2 [Homo sapiens (human)] - Gene - NCBI. *NCBI*. Available at: http://www.ncbi.nlm.nih.gov/gene?cmd=Retrieve&dopt=full_report&list_uids=2263 [Accessed March 7, 2015].
- Badve, S. et al., 2011. Basal-like and Triple-negative Breast Cancers. *Medscape*. Available at: http://www.medscape.com/viewarticle/736911_3 [Accessed February 22, 2016].
- Canadian Cancer Society, 2016. Triple negative and basal-like breast cancers. *Canadian Cancer Society*. Available at: <http://www.cancer.ca/en/cancer-information/cancer-type/breast/breast-cancer/malignant-tumours/triple-negative-breast-cancer/?region=on> [Accessed January 1, 2016].
- Colditz, G., 2013. Breast Cancer Epidemiology and Risk Factor. *Medscape*. Available at: <http://emedicine.medscape.com/article/1697353-overview#aw2aab6b4> [Accessed March 3, 2015].
- Fu, F. et al., 2012. Polymorphisms in Second Intron of the FGFR2 Gene Are Associated with the Risk of Early-Onset Breast Cancer in Chinese Han Women. *The Tohoku Journal of Experimental Medicine*, 226, pp.221-229.
- Geer, R.. & Messersmith, D.J., 2002. Introduction to Molecular Biology Resources. Available at: <http://www.ncbi.nlm.nih.gov/Class/MLACourse/>. [Accessed March 7, 2015].
- Han, W. et al., 2011. Common genetic variants associated with breast cancer in Korean women and differential susceptibility according to intrinsic subtype. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 20, pp.793-798.



HapMap, Reference SNP Cluster Report. Available at:
http://www.ncbi.nlm.nih.gov/SNP/snp_ref.cgi?rs=2981582

Harris, J.R. *et al.*, 2010. *Disease of the Breast* 4th ed., Philadelphia: Lippincott Williams & Wilkins.

Informasi, P.D.D., 2013. *Profil Kesehatan Indonesia 2012*, Available at: <http://www.kemkes.go.id>.

Jia, C. *et al.*, 2010. Quantitative assessment of the effect of FGFR2 gene polymorphism on the risk of breast cancer. *Breast Cancer Research and Treatment*, 124, pp.521-528.

Liang, J. *et al.*, 2008. Genetic variants in fibroblast growth factor receptor 2 (FGFR2) contribute to susceptibility of breast cancer in Chinese women. *Carcinogenesis*, 29(12), pp.2341-2346.

Liu, C. *et al.*, 2013. Breast Cancer Case-Control Study on the Fibroblast Growth Factor Receptor 2 Gene Polymorphisms Associated with Breast Cancer in Chinese Han Women. , 16(4), pp.366-371.

Murillo-Zamora, E. *et al.*, 2013. Association between rs2981582 polymorphism in the fgfr2 gene and the risk of breast cancer in Mexican women. *Archives of Medical Research*, 44(6), pp.459-466.

Parsa, S. *et al.*, 2008. Terminal end bud maintenance in mammary gland is dependent upon FGFR2b signaling. *Developmental Biology*, 317, pp.121-131.

Peng, S. *et al.*, 2011. Genetic polymorphisms and breast cancer risk: Evidence from meta-analyses, pooled analyses, and genome-wide association studies. *Breast Cancer Research and Treatment*, 127, pp.309-324.



- Purnomosari, D. *et al.*, 2007. BRCA1 and BRCA2 germline mutation analysis in the Indonesian population. *Breast Cancer Research and Treatment*, 106, pp.297-304.
- Rebbeck, T.R. *et al.*, 2009. Hormone-dependent effects of FGFR2 and MAP3K1 in breast cancer susceptibility in a population-based sample of post-menopausal African-American and European-American women. *Carcinogenesis*, 30(2), pp.269-274.
- Reeves, G.K. *et al.*, 2010. Incidence of breast cancer and its subtypes in relation to individual and multiple low-penetrance genetic susceptibility loci. *JAMA : the journal of the American Medical Association*, 304(4), pp.426-434.
- Samil, R. & Wishnuwardhani, R., 1994. Health of Indonesian women city-dwellers of Perimenopausal Age. *Maturitas*.
- Samson, M. *et al.*, 2009. CYP17 (T-34C), CYP19 (Trp39Arg), and FGFR2 (C-906T) polymorphisms and the risk of breast cancer in south Indian women. *Asian Pacific Journal of Cancer Prevention*, 10, pp.111-114.
- Stopeck, A., 2015. Breast Cancer. *Medscape*. Available at: <http://emedicine.medscape.com/article/1947145-overview> [Accessed March 7, 2015].
- Sun, C., Olopade, O. & Rienzo, A. Di, 2010. NIH Public Access. *Cancer Genet Cytogenet*, 29(2), pp.997-1003.
- Tocris Bioscience, FGFR | Fibroblast Growth Factor Receptor. Available at: <http://www.tocris.com/pharmacologicalBrowser.php?ItemId=223283&Information=True#.VPpX0tKUfcw>.
- Twyman, R., 2003. Mutation or polymorphism? Available at: http://genome.wellcome.ac.uk/doc_WTD020780.html [Accessed March 7, 2015].
- Uniprot, FGFR2 - Fibroblast growth factor receptor 2 precursor - Homo sapiens (Human). Available at:



http://www.uniprot.org/uniprot/P21802#section_comments

.

Wang, H., Yang, Z. & Zhang, H., 2013. Assessing interactions between the associations of fibroblast growth factor receptor 2 common genetic variants and hormone receptor status with breast cancer risk. *Breast Cancer Research and Treatment*, 137, pp.511-522.

WHO, 2014. Cancer Country Profiles. WHO. Available at: <http://www.who.int/cancer/country-profiles/en/> [Accessed March 7, 2015].

Zhang, J. et al., 2010. Current evidence on the relationship between three polymorphisms in the FGFR2 gene and breast cancer risk: a meta-analysis. *Breast cancer research and treatment*, 124, pp.419-424.