

## DAFTAR PUSTAKA

- Adam, I, Ahmed, S, Mahmoud, MH, & Yassin, MI 2012, 'Comparison of HemoCue hemoglobin-meter and automated hematology analyzer in measurement of hemoglobin levels in pregnant women at Khartoum hospital, Sudan', *Diagnostic Pathology*, vol.7.
- Allen, D, Cooksey, C, & Tsai, B 2009, *Physical Measurement Laboratory*. Retrieved November 24, 2015, from National Institute of Standards and Technology:  
<http://www.nist.gov/pml/div685/grp03/spectrophotometry.cfm>
- Bahadur, S, Jain, S, & Jain, M 2010, 'Estimation of Hemoglobin in Blood Donors: A comparative study using hemocue and cell counter', *Transfusion and Apheresis Science*, vol.43, pp.155-157.
- Budiningsih, A 2011, *Gambaran Faktor - Faktor yang Memengaruhi Motivasi Pendonor Sukarela untuk Mendonorkan Darah di UTD-PMI Kota Medan tahun 2010*, Skripsi, Medan, Fakultas Kesehatan Masyarakat, Universitas Sumatera Utara.
- Cancado, R, Chiatton, C, Alonso, F, Laghi Junior, D, & Sila Alves, R 2001, 'Iron deficiency in blood donors', *San Paulo Med J*, vol.119, no.4, pp.132-134.
- Chakravarthy, VK, Chandra, DN, Prasanna, BS, Rao, DR, & Rao, TJ 2012, 'Haemoglobin Estimation by Non-cyanide Methods', *Journal of Clinical and Diagnostic Research*, vol.6, pp.955-958.
- Febianty, N, Sugiarto, C, & Sadeli, L 2013, *Perbandingan pemeriksaan kadar hemoglobin dengan menggunakan metode Sahli dan autoanalyzer pada orang normal*, Skripsi, Bandung, Fakultas Kedokteran, Universitas Kristen Maranatha.
- Gandosoebrata, R 2010, *Penuntun laboratorium klinik*, Dian Rakyat, Jakarta.
- Guyton, AC, & Hall, JE 2006, *Textbook of Medical Physiology*, 11 edn, Elsevier Saunders, Philadelphia.
- International Committee for Standardization in Haematology 1967, 'Recommendations for haemoglobinometry in human blood', *Br J Haematol*, vol.13, pp.71-5.
- Janice, 2009. *Hubungan Pengetahuan dan Sikap Tentang Donor Darah dengan Tindakan Berdonor Darah pada Mahasiswa Fakultas Kedokteran Universitas*

- Sumatera Utara, Skripsi, Medan, Fakultas Kedokteran, Universitas Sumatera Utara.
- Kementerian Kesehatan Republik Indonesia 2014, *situasi donor darah di Indonesia*, diakses pada 26 Agustus 2015, Pusat Data dan Informasi Kementerian Kesehatan RI
- Mast, AE 2014, 'Low hemoglobin deferral in blood donors', *Transfus Med Rev*, pp.18-22.
- McPherson, RA, & Pincus, MR 2011, *Henry's clinical diagnosis and management by laboratory methods*, vol. 22, Elsevier Saunders, Philadelphia.
- Mimoz, O, Frasca, D, Medard, A, Soubiron, L, Debaene, B, Dahyot-Fizelier, C 2011, 'Reliability of the HemoCue Hemoglobinometer in Critically Ill Patients: A Prospective Observational Study', *Minerva Anestesiologica*, vol.77, pp.979-985.
- Palang Merah Indonesia 2013, *Apa dan bagaimana donor darah itu?*, PMI, diakses pada 28 Desember 2015, <<http://www.ayodonor.pmi.or.id>>
- Radtke, H, Polat, G, Kalus, U, Salama, A, & Kieseewetter, H 2005, 'Hemoglobin screening in prospective blood donors: Comparison of different blood samples and different quantitative methods', *Transfusion and Apheresis Science*, vol.33, pp.31-35.
- Sanchis-Gomar, F, Cortell-Ballester, J, Pareja-Galeano, H, Banfi, G, & Lippi, G 2012, 'Hemoglobin Point-of-Care-Testing: The HemoCue System', *Journal of Laboratory Automation*, vol.18, no.3, pp.198-205.
- Sari, M, de Pee, S, Martini, E, Herman, S, Sugiatmi, Bloem, MW, et al. 2001, 'Estimating the prevalence of anaemia: a comparison of three methods', *Bulletin of the World Health Organization*, vol.79, no.6, pp.506-510.
- Sastroasmoro, S 2011, *Dasar-dasar metodologi penelitian klinis*, 4 edn, Bagian Ilmu Kesehatan Anak, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Seguin, P, Kleiber, A, Chanavaz, C, Morcet, J, & Malledant, Y 2011, 'Determination of capillary hemoglobin levels using the HemoCue system in intensive care patients', *Journal of Critical Care*, vol.26, pp.423-427.
- Shahshahani, HJ, Meraat, N, & Mansouri, F 2013, 'Evaluation of the validity of a rapid method for measuring high and low haemoglobin levels in whole blood donors', *Blood Transfus*, vol.11, pp.385-390.
- Srivastava, T, Negandhi, H, Neogi, SB, Sharma, J, & Saxena, R 2014, 'Methods for Hemoglobin

- Estimation: A Review of "What Works", *Journal of Hematology & Transfusion*, vol.2, no.3, pp.1028.
- Susilo, J, Asep, M, Utami, R 2008, *Donor darah sukarela ayo siapkan dirimu!!!*, 2 edn, Palang Merah Indonesia Pusat, Jakarta.
- Threatte, GA, & Schexneider, KI 2011, 'Point-of-Care and Physician Office Laboratories', in McPherson, RA, & Pincus, MR (eds), *Henry's clinical diagnosis and management by laboratory methods*, 22 edn, Elsevier Saunders, Philadelphia, pp.73-79.
- Vajpayee, N, Graham, SS, & Bem, S 2011, 'Basic Examination of Blood and Bone Marrow', in McPherson, RA, & Pincus, MR (eds), *Henry's clinical diagnosis and management by laboratory methods*, 22 edn, Elsevier Saunders, Philadelphia, p.510.
- Van Kampen E, Zijlstra WG 1961, 'Standardization of hemoglobi- nometry. II. The hemiglobincyanide method', *Clin Chem Acta*, vol.6, pp.538-44.
- World Health Organization 2007, *Assesing the iron status of populations*, diakses pada 23 Januari 2016,  
[http://www.who.int/nutrition/publications/micronutrients/anaemia\\_iron\\_deficiency/9789241596107.pdf](http://www.who.int/nutrition/publications/micronutrients/anaemia_iron_deficiency/9789241596107.pdf)
- World Health Organization 2015, *Blood safety and availability*, diakses pada 26 Agustus 2015, WHO Global Database on Blood Safety,  
<http://www.who.int/mediacentre/factsheets/fs279/en>