

## DAFTAR PUSTAKA

- Ahmad, S & Khalid, R 2014, Blood glucose levels in neonatal sepsis and probable sepsis and its association with mortality, *J Coll Physicians Surg Pak*, vol. 22, no. 1, pp. 15-8.
- Arya, VB, Senniappan, S, Guemes, M & Hussain, K 2013, Neonatal hypoglycemia, *Indian J Pediatr*, vol. 81, no. 1, pp. 58-65.
- Basu, P, Som, S, Choudhuri, N & Das, H 2009, Contribution of the blood glucose level in perinatal asphyxia, *Eur J Pediatr*, vol. 168, pp. 833-8.
- Bhat, MA, Kumar, P, Bhansali, A, Majumdar, S & Narang, A 2000, Hypoglycemia in small for gestational age babies, *Indian J Pediatr*, vol. 67, no. 6, pp. 423-7.
- Bussey, ME, Finley, S, LaBarbera, A & Ogata, ES 1985, Hypoglycemia in the newborn growth-retarded rat: delayed phosphoenolpyruvate carboxykinase induction despite increased glucagon availability, *Pediatr Res*, vol. 19, no. 4, pp. 363-7.
- Campos, DP, Silva, MV, Machado, JR, Castellano LR, Rodrigues, V & Barata, CH 2010, Early-onset, neonatal sepsis: cord blood cytokine levels at diagnosis and during treatment, *J Pediatr (Rio J)*, vol. 86, no. 6, pp. 509-14.
- Chacko, B & Sohi, I 2005, Early onset neonatal sepsis, *Indian J Pediatr*, vol. 72, no. 1, pp. 23-6.
- Charan, J & Biswas, T 2013, How to calculate sample size for different study designs in medical research?, *Indian J Psychol Med*, vol. 35, no. 2, pp. 121-126.
- Chiabi A, Nguetack S, Nodem S, Mbuagbwa L, Doh A et al. 2013, Risk Factors for birth asphyxia in an urban health facility in Cameroon, *Iran J Child Neurol*, vol. 7, no. 3, pp. 46-54.

- Cornblath, M, Hawdon, JM, Williams, AF, Aynsley-Green, A, Ward-Platt, MP, Kalhan, SC *et al.* 2000, Controversies regarding definition of neonatal hypoglycemia: Suggested operational thresholds, *Pediatrics*, vol. 105, no.5, pp. 1141-5.
- Costello, AML, Pal, DK, Manandhar, DS, Rajbhandari, S, Land, JM & Patel, N 2000, Neonatal hypoglycaemia in Nepal 2. Availability of alternative fuels, *Arch Dis Child Fetal Neonatal Ed*, vol. 82, pp. F52-F58.
- Davis, DJ, Creery, WD & Radziuk, J 1999, Inappropriately high plasma insulin levels in suspected perinatal asphyxia, *Acta Paediatr*, vol. 88, pp. 76-81.
- De, AK, Biswas, R, Samanta, M & Kundu, CK 2011, Study of blood glucose level in normal and low birth weight newborns and impact of early breast feeding in a tertiary care center, *Ann Nigerian Med*, vol. 5, no. 2, pp. 53-8.
- DePuy, AM, Coassolo, KM, Som, DA & Smulian, JC 2009, Neonatal hypoglycemia in term, nondiabetic pregnancies, *Am J Obstet Gynecol*, pp. e45-e51.
- Esakof, TF, Cheng, YW, Sparks, TN & Caughey, AB 2009, The association between birthweight 4000 g or greater and perinatal outcomes in patients with and without gestational diabetes mellitus, *Am J Obstet Gynecol*, vol. 200, pp. 672.e1-672.e4.
- Femitha, P & Bhat, BV 2012, Early neonatal outcome in late preterm, *Indian J Perdiatr*, vol. 79, no. 8, pp. 1019-1024.
- Harris, DL, Weston, PJ & Harding, JE 2012, Incidence of neonatal hypoglycemia in babies identified as at risk, *J Paediatr*, vol. 161, pp. 787-91.
- Jansen, RD, Hayden, MK & Ogata, ES 1984, Effects of asphyxia at birth on postnatal glucose regulation in the rat, *J Dev Physiol*, vol. 6, no. 6, pp. 473-83.

- Kattwinkel, J 2011, *Textbook of Neonatal Resuscitation*, 6<sup>th</sup> edn, American Academy of Pediatrics and American Heart Association, United States of America.
- Kerstjens, JM, Bocca-Tjeertes, IF, de Winter, AF, Reijneveld, SA & Bos, AF, 2012, Neonatal morbidities and developmental delay in moderately preterm-born children, *Pediatrics*, vol. 130, no. 2, pp. e265-e272.
- Kliegman, RM, Behrman, RE, Jenson, HB & Stanton, BF 2007, *Nelson textbook of pediatrics*, 18<sup>th</sup> edn, Saunders Elsevier, Philadelphia.
- Laptook, A & Jackson, GL 2006, Cold stress and hypoglycemia in the late preterm ("near term") infant: impact on nursery of admission, *Semin Perinatol*, vol. 30, pp. 24-7.
- Leuthner, SR & Das, UG 2004, Low Apgar scores and the definition of birth asphyxia, *Pediatr Clin N Am*, vol. 51, pp. 737-45.
- Liu, J, Wang, XF, Wang, Y, Wang, HW & Liu, Y 2014, The incidence rate, high-risk factors, and short- and long-term adverse outcomes of fetal growth restriction, *Medicine*, vol. 93, no. 27, pp. 1-5.
- MacDonald, MG, Seshia, MMK & Mullett, MD 2005, *Avery's neonatology*, 6<sup>th</sup> edn, Lippincott Williams & Wilkins, Philadelphia.
- Marrocchella, S, Sestilli, V, Indraccolo, U, de Rosario, F, Castellana, L, Matteo, M et al. 2014, Late preterm births: a retrospective analysis of the morbidity risk stratified for gestational age, *SpringerPlus*, vol. 3, pp. 114.
- McCowan, L & Horgan, RP 2009, Risk factor for small for gestational age infants, *Best Pract Res Clin Obstet Gynaecol*, vol. 23, no. 6, pp. 779-93.

- Mir, NA, Faquih, AM & Legnain, M 1989, Perinatal risk factors in birth asphyxia: relationship of obstetric and neonatal complications to neonatal mortality in 16,365 consecutive live births, *Asia Oceania J Obstet Gynaecol*, vol. 15, no. 4, pp. 351-7.
- Morales, P, Bustamante, D, Espina-Marchant, P, Neira-Peña, T, Gutiérrez-Hernández, MA, Rojas-Mancilla, E et al. 2011, Pathophysiology of perinatal asphyxia: can we predict and improve individual outcomes? *EPMA J*, vol. 2, pp. 211-230.
- Nadeem, M, Murray, DM, Boylan, GB, Dempsey, EM & Ryan, CA 2011, Early blood glucose profile and neurodevelopmental outcome at two years in neonatal hypoxic-ischaemic encephalopathy, *BMC Pediatrics*, vol. 11, pp. 10.
- Onal, EE, Hirfanoglu, IM, Beken, S, Altunas, N, Turkeyilmaz, C, Camurdan, AY et al. 2012, Are the neonatal outcomes similar in large-for-gestational age infants delivered by woman with or without gestational diabetes mellitus?, *World J Pediatr*, vol. 8, no. 2, pp. 136-9.
- Pal, DK, Manandhar, DS, Rajbhandari, S, Land, JM, Patel, N, de L Costello, AM 2000, Neonatal hypoglycaemia in Nepal 1. Prevalence and risk factors, *Arch Dis Child Fetal Neonatal Ed*, vol. 82, pp. F46-F51.
- Perlman, JM & Risser, R 1996, Can asphyxiated infants at risk for neonatal seizures be rapidly identified by current high-risk markers?, *Pediatrics*, vol. 97, no. 4, pp. 456-62.
- Rai, S, Bhatiyani, KK & Kaur, S 2015, Effect of birth asphyxia on serum calcium and glucose level: a prospective study, *Int J Sci Stud*, vol. 3, no. 7, pp. 3-6.
- Salhab, WA, Wyckoff, MH, Laptook, AR & Perlman, JM 2004, Initial hypoglycemia and neonatal brain injury in term infants with severe fetal acidemia, *Pediatrics*, vol. 114, no. 2, pp. 361-366.

- Sasidharan, CK, Gokul, E & Sabitha, S 2004, Incidence and risk factors for neonatal hypoglycaemia in Kerala, India, *Ceylon Med J*, vol. 49, no. 4, pp. 110-3.
- Singhal, PK, Singh, M, Paul, VK, Deorari, AK, Ghorpade, MG & Malhotra, A 1992, Neonatal hypoglycemia-clinical profile and glucose requirements, *Indian Pediatr*, vol. 29, no. 2, pp. 167-71.
- Stevenson, DK, Benitz, WE & Sunshine, P 2003, *Fetal and Neonatal Brain Injury*, 3<sup>rd</sup> edn, Cambridge University Press, New York.
- Thornberg, E, Thiringer, K, Odeback, A & Milsom, I 1995, Birth asphyxia: incidence, clinical course and outcome in a Swedish population, *Acta Paediatrica*, vol. 84, no. 8, pp. 927-32.
- Tsai, ML, Lien, R, Chiang, MC, Hsu, JF, Fu, RH, Yang, PH et al. 2012, Prevalence and morbidity of late preterm infants: current status in a medical center of Northern Taiwan, *Pediatr Neonatol*, vol. 5, pp. 171-177.
- Üzel, H, Kelekçi, S, Devecioglu, C, Günes, A, Yolbas, I & Sen, V 2013, Neonatal asphyxia: A study of 210 cases, *JCEI*, vol. 3, no. 2, pp. 194-198.
- World Health Organization 2012, *Guidelines on Basic Newborn Resuscitation*, World Health Organization, Geneva.
- Williams, AF 1997, Hypoglycaemia of the newborn: a review, *Bull World Health Organ*, vol. 75, no. 3, pp. 261-290.
- Yamaguchi, K, Mishina, J, Mitsuishi, C, Takamura, T & Nishida, H 1997, Follow-up study of neonatal hypoglycemia, *Acta Paediatr Jpn*, vol. 39, no. 1, pp. S51-3.
- Yap, F, Högler, W, Vora, A, Halliday, R & Ambler, G 2004, Severe transient hyperinsulinaemic hypoglycaemia: two neonates without predisposing factors and a review of the literature, *Eur J Pediatr*, vol. 163, pp. 38-41.



Yaseen, HA, Al-Najashi, SS, Adel, AA, Bahnassy, AA, Al-Umran, KU & Al-Faraidy, AA 1999, Predictive factors and incidence of complications in apparently healthy full term infants of diabetic mothers, *J Family Community Med*, vol. 6, no. 2, pp. 37-42.