AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR
TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbey, T.K., Essiah, J.W. 1990. *Physic for Senior Secondary School,* Macmillan Education Ltd.

Adanan, C., Zairi, J. And Ng, K. (2005). Efficacy and Sublethal Effects of Mosquito Mats on *Aedes Aegypti* and Culex Quinquefasciatus. Vector Control Research Unit, School Of Biological Sciences, Universiti Sains Malaysia, Penang, Malaysia, Pp.265-269.

Agoes, R. 2009. *Parasitologi Kedokteran Ditinjau dari Organ Tubuh yang Diserang*. Penerbit Buku Kedokteran EGC: Jakarta.

Agromedia. 2008. *Buku Pintar Tanaman Obat*. Jakarta: tanggal akses 10 Agustus 2015. Dikutip dari www.google.book.co.id.

Badriyah, S. 2016. Uji Daya Insektisidal Daun Tahi Kotok (Tagetes erecta L.) Sebagai Bahan Dasar Obat Anti Nyamuk Elektrik Terhadap Mortalitas Nyamuk *Aedes aegypti*. FK UGM

Becker, N. (2010). *Mosquitoes and their control*. Berlin: Springer.

Bhatt, B. (2013). Comparative analysis of larvicidal activity of essential oils of Cymbopogon flexeous (Lemon grass) and Tagetes erecta (Marigold) against Aedes aegypti larvae. *European Journal of Experimental Biology*, 3(5), pp.422-427.

Blanco, F.M., Gambar diakses 9 Agustus 2015, dari https://commons.wikimedia.org/wiki/Tagetes_erecta

Buhler, W. (2015). *Insecticide Resistance Mechanisms*. [online] Pesticidestewardship.org. Available at: http://pesticidestewardship.org/resistance/Insecticide/Pages/Insecticide-Resistance-Mechanisms.aspx [Accessed 12 Dec. 2015].

Center for Disease Control and Prevention 2013, Lymphatic Filariasis - Epidemiology & Risk Factors, diakeses 1 Juli 2015, dari

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

http://www.cdc.gov/parasites/lymphaticfilariasis/epi.html

Chandra, D. (2006). *Pengantar Kesehatan Lingkunagan*. Jakarta: ECG, p.28.

Ciota, A., Matacchiero, A., Kilpatrick, A. and Kramer, L. (2014). The Effect of Temperature on Life History Traits of Culex Mosquitoes. *Journal of Medical Entomology*, 51(1), pp.55-62.

Clark, J., Bloomquist, J. and Kawada, H. (2009). *Advances in human vector control*. Washington, DC: American Chemical Society, p.171.

Costa, E., Santos, E., Correia, J. and Albuquerque, C. (2010). Impact of small variations in temperature and humidity on the reproductive activity and survival of Aedes aegypti (Diptera, Culicidae). *Revista Brasileira de Entomologia*, 54(3), pp.488-493.

Cummins, B., Cortez, R., Foppa, I., Walbeck, J. and Hyman, J. (2012). A Spatial Model of Mosquito Host-Seeking Behavior. *PLoS Comput Biol*, 8(5), p.e1002500.

Dalimartha, S. 2003. *Atlas tumbuhan obat Indonesia*. Jakarta: Trubus Agriwidya

Das, A., Jain, A. and Pant, A. (2008). Study on the liquid flow behaviour of cotton wick. *Fibers Polym*, 9(2), pp.176-186.

Departemen Kesehatan Republik Indonesia, 2006, Epidemiologi Filariasis, Jakarta.

Diptyanusa, A. 2013. Uji Minyak Mimba (Azadirachta indica) Sebagai Bahan Dasar Obat Nyamuk Elektrik Cair terhadap Mortalitas Nyamuk Aedes aegypti Dewasa. Skripsi. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.

Djojosumarto, P. 2008. *Panduan Lengkap Pestisida & Aplikasinya*. Jakarta: Agromedia Pustaka.

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Dumbleton, L. (1968). A Synopsis of the New Zealand Mosquitoes (Diptera Culicidae) and a Key to the Larvae. *Entomology Division, Department of Scientific and Industrial Research, Christchurch.* [online] 16(3), p.174. Available at: http://nzetc.victoria.ac.nz/tm/scholarly/tei-Bio16Tuat03-t1-body-d1.html [Accessed 25 Jan. 2016].

Elango, G., Rahuman, A., Kamaraj, C., Bagavan, A. and Zahir, A. (2012). Adult emergence inhibition and adulticidal activity of leaf crude extracts against Japanese encephalitis vector, Culex tritaeniorhynchus. *Journal of King Saud University - Science*, 24(1), pp.73-80.

Federer, W. 1991. Statistics and Society: data collection and interpretation, 2nd edition. New York: Marcel Dekker.

Gerberg, E.J., Bamard, D.R., Ward, R. 1994, Manual for Mosquito Rearing Technique for Larval Anopheles albimanus : Use of Dried Mosquito Eggs and Electrical Heating Tapes, Mosq News 38:68-74.

Goeldi, E.A., Gambar diakses 10 Agustus 2015, dari https://commons.wikimedia.org/wiki/File:Culex_quinquefasciatus_E-A-Goeldi_1905.jpg

Grosso, S. 2012. 'Mosquitoes Host-Seeking Behaviour'. Flipper.diff.org. N. p., 2012. Diakses tanggal 2 September 2015) dari http://flipper.diff.org/app/items/info/5006

Guenther, E. 1987. Minyak Atsiri. Diterjemahkan oleh S. Kateren. Universitas Indonesia Press, Jakarta. p.19, 130- 134.

Guomin, J., Xiaolin, Y., Rongchang, C. 2003, *The Handbook of Insecticide Formulations and Its Technologies for Household and Pulic Health Uses*, Jin Tai Printing Ltd., Hon Kong.

Harbone, J.B. 1996. Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Terbitan ke-2. Penerbit ITB Bandung.

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Hariana, H. (2004). *Tumbuhan obat dan khasiatnya*. Jakarta: Penebar Swadaya

Hartati, W.M.S., Wahyuono, S., Khasanah, N. 1999. *Identifikasi Senyawa Antimikroba Minyak Atsiri Daun Tagetes (Tagetes erecta L, fam(Compositae*). Majalah farmasi Indonesia 10 (1) 40-47 (1999).

Hill, S. and Connelly, R. (2013). *Southern House Mosquito - Culex quinquefasciatus Say*. [online] Entnemdept.ufl.edu. Available at: http://entnemdept.ufl.edu/creatures/aquatic/southern_house_mosquito.htm [Accessed 29 Jun. 2015].

Holownia, D., Kwiatkowska, I. and Hupka, J. 2008. An Investigation on Wetting of Porous Materials. Physicochemical Problems of Mineral Processing.42:251-262

Hudayya, A. Jayanti, H. 2012. *Pengelompokan Pestisida Berdasarkan Cara Kerjanya (Mode of Action),* Yayasan Bina Tani Sejahtera, Bandung.

ICPMR (Institute of Clinical Pathology and Medical Research). 2002. Gambar diakses 15 Agustus 2015, dari http://medent.usyd.edu.au/arbovirus/mosquit/photos/mosquitophotos_culex.htm

Insecticide Resistance Action Committee (IRAC). (2007). Resistance Management for Sustainable Agriculture and Improved Public Health. Croplife international.

Iskandar, A. 1985. Pemberantasan Serangga dan Binatang Pengganggu, Depkes RI, Jakarta.

Iswara, A. 2009. *Pengaruh Pemberian Antioksidan Vitamin C dan E terhadap Kualitas Spermatozoa Tikus Putih Terpapar Allethrin*, FK MIPA UNNES, Semarang.

Jansen, P. (2005). *Dyes and tannins*. Wageningen, Netherlands: PROTA Foundation.

Kardinan, A., 2005. Tanaman Penghasil Minyak Atsiri Komoditas Wangi Penuh Potensi. Agro Media Pustaka, Jakarta. 2005. p:1, 14.

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Kemenkes (kementrian kesehatan RI). (2012). P*edoman Penggunaan Insektisida (Pestisida) dalam Pengendallian Vektor*. Jakarta: Kementrian kesehatan RI, p.1

Kementerian Kesehatan RI. 2010, Filariasis di Indonesia, Buletin Jendela Volum: I, Juli 2010, Jakarta

Kesetyaningsih, T.W. 2008. Khasiat Obat Nyamuk Bakar Berbahan Aktif Pyrethroid terhadap Culex quinquefasciatus Pada Berbagai Kondisi Ruangan, *Mutiara Medika*, 8(2):67-76.

Krestini, E.H., Setiawati, W., Sulastrini, I. 2011. *Pengaruh Ekstrak Tumbuhan Babadotan (Ageratum Conyzoides), Kirinyuh (Eupatorium odoretum), dan Tagetes (Tagetes erecta) Terhadap Mortalitas Hama Myzus Persicae, Trialeurodes vapoariorum, dan Predator Kumbang Cocci Menochillus sexmaculatus,* Semnas Pesnab IV, Jakarta 15 Oktober 2011.

Manimegalai, K. and Sukanya, S. (2014). Biology of the filarial vector, Culex quinquefasciatus (Diptera: Culicidae). International Journal of Current Microbiology and Applied Sciences, 3(4), pp.718-724.

Marques, M., Morais, S., Vieira, Í., Vieira, M., Silva, A., De Almeida, R. and Guedes, M. (2011). Larvicidal Activity of *Tagetes erecta* Against *Aedes aegypti*. *Journal of the American Mosquito Control Association*, 27(2), pp.156-158.

Matsunaga, T.M. Makita, A. Higo, I. Nishibe, K. Dohara and G. Shinjo. Studies on prallethrin, a new synthetic pyrethroid for indoor applications. I. The insecticidal activities of prallethrin. Jpn. J. Sanit. Zool., 38, 219-223 (1987).

Mohtar. 2008. Tegangan Permukaan. http://mohtar.staff.uns.ac.id. [26 Januari 2016].

Nikkon, F., Habib, M., Saud, Z. and Karim, M. (2011). Tagetes erecta Linn. And its mosquitocidal potency againts Culex quinquefasciatus. Asian Pacific Journal of Tropical Biomedicine, 1(3), pp.186-188.

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Pavitha, P. and Poornima, S. (2014). Repellent Potential of Tageteserecta L. and Callistemon brachyandrus Lindl. Against Mosquito Larvae for Formulation of Herbal Repellent Compounds. *International Journal of Innovative Research in Science, Engineering and Technology*, 3(5).

Priyanka, D., salini, T. and kumar navneet, v. (2013). A Brief Study on Marigold (Tagetes species): A Review. *International Research Jounal of Pharmacy*.

Raini, M. 2009. Toksikologi Insektisida Rumah Tangga dan Pencegahan Keracunan. Media Peneliti dan Pengembang Kesehatan. Vol: XIX, Suplemen II.

Rahmah, T. (2013). Efektivitas Ekstrak Etanol Daun Tagetes ereta L. terhadap Mortalitas Larva dan Imago Serangga Vektor Demam Berdarah Aedes aegypti. [Yogyakarta]: Universitas Gadjah Mada.

Rozendaal, J. (1997). Vector control. Geneva: World Health Organization.

Salinas-Sánchez, D., Aldana-Llanos, L., Valdés-Estrada, M., Gutiérrez-Ochoa, M., Valladares-Cisneros, G. and Rodríguez-Flores, E. (2012). Insecticidal Activity of Tagetes erecta Extracts on Spodoptera frugiperda (Lepidoptera: Noctuidae). Florida Entomologist, 95(2), pp.428-432.

Salaki,C., Paendong, E. and Palealu, J. (2012). Biopestisida Dari Ekstrak Daun Pangi (Pangium sp.) Terhadap Serangga Plutella xylostella di Sulawesi Utara. *Eugenia*, 18(3), pp.171-177.

Scialò, F., Hansson, B., Giordano, E., Polito, C. and Digilio, F. (2012). Molecular and Functional Characterization of the Odorant Receptor2 (OR2) in the Tiger Mosquito Aedes albopictus. *PLoS ONE*, 7(5), p.e36538.

Service,M. 2008,Medical Entomology for Students 4th Edition, Cambridge University Press.

Setshogo, M.P. (2005). Tagetes erecta (PROTA) - PlantUse.[online] Plant Resources of Tropical Africa. Available at: http://uses.plantnet-

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

project.org/en/Tagetes_erecta_%28PROTA%29 [Accessed 2 Aug 2015].

Shanghai Jiao Tong University School of Medicine, 'Insecta'- 15 Januari 2016, - diakses 26 Januari 2016, dari http://cc.shsmu.edu.cn:8090/G2S/Template/View.aspx?courseId=5240&topMenuId=27449&action=view&type=&name=&menuType=1&curfolid=57082

Stoetzel. 1996. *Culex quinquefasciatus* Say, 1823, diakses 10 Agustus 2015, dari http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=126490.

Sudarmo, S. (1991). *Pestisida*. [Yogyakarta]: Kanisius

Sudarmo, S. and Mulyaningsih, S. (2014). *Mudah Membuat Pestisida Nabati Ampuh*. Jakarta Selatan: PT AgroMedia Pustaka, pp.50-51.

Sudarto. 2011, Medical Handbook of Parasitology. CV Sagung seto, Jakarta, Indonesia

Supargiyono. 1998. Pengaruh Asap Obat Nyamuk Bakar Terhadap Lama Hidup, Kemampuan Bertelur, Daya Tetas Telur, dan Daya Tetas Larva Aedes aegypti. B.I.Ked. Fakultas Kedokteran UGM, 20:61-68.

Syamsuhidayat, S. and Hutapea, J. (1991). *Inventaris tanaman obat Indonesia (I)*. [Jakarta]: Departemen Kesehatan RI, Badan Penelitian dan Pengembangan Kesehatan.

USDA (United State Department of Agriculture). 2015. P*lants Profile for Tagetes erecta (Aztec marigold)*. Retrieved from Natural Resources Conservarion Service, diakses 27 Juni 2015 dari http://plants.usda.gov/core/profile?symbol=TAER

U.S.Department of Health and Human Services, (2003). *103*. [online] Available at: http://www.atsdr.cdc.gov/toxprofiles/tp155.pdf [Accessed 26 Jan. 2016].

Vasudevan, P., Kashyap, S. and Sharma, S. (1997). Tagetes: A multipurpose plant. *Bioresource Technology*, 62(1-2), pp.29-35.

UNIVERSITAS GADJAH MADA
AKTIVITAS DAUN TAHI KOTOK (Tagetes erecta L.) SEBAGAI BAHAN DASAR OBAT ANTI NYAMUK ELEKTRIK CAIR TERHADAP MORTALITAS NYAMUK Culex quinquefasciatus DEWASA
NIKA ISTIYANA, dr. Tridjoko Hadianto, DTM&H, M.Kes ; dr. Tri Baskoro Tunggul Satoto, M.Sc, Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, G., Qiu, Y., Lu, T., Kwon, H., Jason Pitts, R., Van Loon, J., Takken, W. and Zwiebel, L. (2009). Anopheles gambiae TRPA1 is a heat-activated channel expressed in thermosensitive sensilla of female antennae. *European Journal of Neuroscience*, 30(6), pp.967-974.

Wei, X., Juan, C., Yang, Q. and Ping, S. (2012). Phytochemicals and Their Biological Activities of Plants inTagetes L. Chinese HerbalMedicines, pp.103-117.

World Health Organization 2015, Lymphatic Filariasis, dalam World Health Organzation Fact Sheet 102, diakses 8 Agustus 2015, dari http://www.who.int/mediacentre/factsheets/fs102/en/html/

WHO, 2009. Guidelines for Efficacy Testing of Household Insecticide Products, Gineva: World Health Organization.

WHO, 2005. *Guidelines for Laboratory and Field Testing of Long-Lasting Insecticidal Mosquito Nets*.

World Health Organization Geneva, (2015). *WHO Specifications and Evaluation for Public Health Pesticides, diakeses 7 September 2015, dari* http://www.who.int/whopes/quality/en/prallethrin_spec_eval_Nov_2004.pdf

WHO, 1997. Vector Control. Method for Use by Individual and Communities. WHO, Geneva.)

Yuliani, S. and Satuhu, S. (2012). *Panduan Lengkap Minyak Atsiri*. Jakarta: Penebar Swadaya, pp.43-44.

Zequi, J. and Lopes, J. (2007). Morphometry of eggs and immatures of Culex (Culex) saltanensis Dyar (Diptera, Culicidae) obtained in the laboratory and on the field. *Revista Brasileira de Zoologia*, 24(1), pp.169-174.