

DAFTAR PUSTAKA

- Babu, N., Babu, D. S. S., & Das, P. N. M. (2007). Impact of tsunami on texture and mineralogy of a major placer deposit in southwest coast of India. *Environmental Geology*, 52(1), 71–80.
- Bondevik, S., Svendsen, J. I., & Mangerud, J. A. N. (1997). Tsunami sedimentary facies deposited by the Storegga tsunami in shallow marine basins and coastal lakes, western Norway.
- Dawson, A. G. (2000). Tsunami Deposits. *Pure and Applied Geophysics*, 157, 875–897.
- Dominey-Howes, D. (2004). A re-analysis of the Late Bronze Age eruption and tsunami of Santorini, Greece, and the implications for the volcano-tsunami hazard. *Journal of Volcanology and Geothermal Research*, 130(1-2), 107–132.
- Engel, M., & Brückner, H. (2011). The identification of palaeo-tsunami deposits – a major challenge in coastal sedimentary research. *Coastline Reports*, 17, 65–80.
- Folk, R. L. (1974). Petrology of Sedimentary Rock. Hemphill, Austin, Texas.
- Fujiwara, O., Masuda, F., Sakai, T., Irizuki, T., & Fuse, K. (2000). Tsunami deposits in Holocene bay mud in southern Kanto region, Pacific coast of central Japan. In *Sedimentary Geology* (Vol. 135, pp. 219–230).
- Gelfenbaum, G., & Jaffe, B. (2003). Erosion and sedimentation from the 17 July, 1998 Papua New Guinea tsunami. *Pure and Applied Geophysics*, 160(10-11), 1969–1999.
- Goff, J., Chagué-Goff, C., Nichol, S., Jaffe, B., & Dominey-Howes, D. (2012). Progress in palaeotsunami research. *Sedimentary Geology*. Elsevier B.V.
- Goff, J., Dudley, W. C., DeMaintenon, M. J., Cain, G., & Coney, J. P. (2006). The largest local tsunami in 20th century Hawaii. *Marine Geology*, 226(1-2), 65–79.
- Goff, J., McFadgen, B. G., & Chagué-Goff, C. (2004). Sedimentary differences between the 2002 Easter storm and the 15th-century Okoropunga tsunami, southeastern North Island, New Zealand. *Marine Geology*, 204(1-2), 235–250.
- Hall, R. (2002). Cenozoic geological and plate tectonic evolution of SE Asia and the SW Pacific, *Journal of Asian Earth Sciences*, 20, 353–431.
- Hanifa, N. R. (2014). *Interplate Earthquake Potential off Western Java, Indonesia, based on GPS data*. Nagoya University.
- Hawkes, A. D., Bird, M., Cowie, S., Grundy-Warr, C., Horton, B. P., Shau Hwai, A. T., Aik, L. W. (2007). Sediments deposited by the 2004 Indian Ocean Tsunami along the Malaysia-Thailand Peninsula. *Marine Geology*, 242(1-3), 169–190. doi:10.1016/j.margeo.2007.02.017
- Hayashizaki, R., and M. Shirai, 2012, Report on the Tsunami Deposits Caused by the 2011 off the Pacific Coast of Tohoku Earthquake in the Soma Region, Fukushima Prefecture, Northeast Japan: Geographical report of Tokyo Metropolitan University, v. 47.

- Higman, B., & Bourgeois, J. (2008). Deposits of the 1992 Nicaragua Tsunami. In *Tsunamiites - Features and Implications* (pp. 81–103).
- Jaffe, B. E., & Gelfenbaum, G. (2007). A simple model for calculating tsunami flow speed from tsunami deposits. *Sedimentary Geology*, 200(3-4), 347–361.
- Jagodźński, R., Sternal, B., Szczuciński, W., Chagué-Goff, C., & Sugawara, D. (2009). Heavy minerals in the 2011 Tohoku-oki tsunami deposits-insights into sediment sources and hydrodynamics. *Sedimentary Geology*, 73(1-2), 70–79.
- Jagodźński, R., Sternal, B., Szczuciński, W., & Lorenc, S. (2009). Heavy minerals in 2004 tsunami deposits on Kho Khao Island, Thailand. *Polish Journal of Environmental Studies*, 18(1), 103–110.
- Maxcia, Claudia. (2007). Boulder transport caused by the 1883 Krakatau tsunami. [unpublished M.Eng thesis]: Thailand, Asian Institute of Technology, 49 p.
- McCaffrey, R. (2008). Global frequency of magnitude 9 earthquakes. *Geology*, 36(3), 263–266.
- Morton, R. A., Gelfenbaum, G., & Jaffe, B. E. (2007). Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. *Sedimentary Geology*, 200(3-4), 184–207.
- Morton, R. A., Gelfenbaum, G., & Jaffe, B. E. (2009). Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. *Sedimentary Geology*, 73(3-4), 70–79.
- Morton, R. A., Goff, J. R., & Nichol, S. L. (2008). Hydrodynamic implications of textural trends in sand deposits of the 2004 tsunami in Sri Lanka. *Sedimentary Geology*, 207(1-4), 56–64.
- Nanayama, F., and K. Shigeno, 2006, Inflow and outflow facies from the 1993 tsunami in southwest Hokkaido: *Sedimentary Geology*, v. 187, no. 3-4, p. 139–158, doi:10.1016/j.sedgeo.2005.12.024.
- Nanayama, F., Furukawa, R., Shigeno, K., Makino, A., Soeda, Y., & Igarashi, Y. (2007). Nine unusually large tsunami deposits from the past 4000??years at Kiritappu marsh along the southern Kuril Trench. *Sedimentary Geology*, 200(3-4), 275–294.
- Nanayama, F., Shigeno, K., Satake, K., Shimokawa, K., Koitabashi, S., Miyasaka, S., & Ishii, M. (2000). Sedimentary differences between the 1993 Hokkaido-nansei-oki tsunami and the 1959 Miyakojima typhoon at Taisei, southwestern Hokkaido, northern Japan. *Sedimentary Geology*, 135(1-4), 255–264.
- Nichol, S. L., Goff, J. R., Devoy, R. J. N., Chagué-Goff, C., Hayward, B., & James, I. (2007). Lagoon subsidence and tsunami on the West Coast of New Zealand. *Sedimentary Geology*, 200(3-4), 248–262.
- Nishimura, Y., Miyaji, N., & Suzuki, M. (1999). Behavior of historic tsunamis of volcanic origin as revealed by onshore tsunami deposits. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 24(11-12), 985–988.
- Palma, R. M., López-Gómez, J., & Piethé, R. D. (2007). Oxfordian ramp system (La Manga Formation) in the Bardas Blancas area (Mendoza Province)

- Neuquén Basin, Argentina: Facies and depositional sequences. *Sedimentary Geology*, 195(3-4), 113–134.
- Phantuwongraj, S., & Choowong, M. (2012). Tsunamis versus storm deposits from Thailand. *Natural Hazards*, 63.
- Porrenga, D.H. (1966). Glauconite and Chamosite as Depth Indicators in the Marine Environment. *Marine Geology*. 495-501
- Rahmawan, S. H., Ibrahim, G., Mustofa, M. A., & Ahmad, M. (2012). Studi Potensi Bahaya Tsunami di Selatan Jawa. Prodi Meteorologi Fakultas Ilmu dan Teknologi Kebumihan Institut Teknologi Bandung
- Reid, A. (2012). Historical Evidence for Major Tsunamis in the Java Subduction Zone. Asia Research Institute Working Paper Series, no. 178, p. 1–9.
- Sam Boggs Jr. (2006). *Principles of Sedimentology and Stratigraphy* (4 edition.). New Jersey: Prentice Hall.
- Santisteban, J. I., Mediavilla, R., Lopez-Pamo, E., Dabrio, C. J., Zapata, M. B. R., Garcia, M. J. G., Martinez-Alfaro, P. E. (2004). Loss on ignition: a qualitative or quantitative method for organic matter and carbonate mineral content in sediments? *Journal of Paleolimnology*, 32(3), 287–299.
- Shishikura, M., Sawai, Y., & Namegaya, Y. (2011). Reconstruction of the 869 Jogan earthquake , the predecessor of the 2011 Tohoku earthquake , by geological evidence combined with tsunami simulation.
- Sugawara, D., Minoura, K., & Imamura, F. (2008). Tsunamis and Tsunami Sedimentology. In *Tsunamiites - Features and Implications* (pp. 9–49).
- Szczuciński, W., Chaimanee, N., Niedzielski, P., Rachlewicz, G., Saisuttichai, D., Tepsuwan, T., Siepak, J. (2006). Environmental and geological impacts of the 26 December 2004 tsunami in coastal zone of Thailand - Overview of short and long-term effects. *Polish Journal of Environmental Studies Vol 15, No. 5 (2006)*.
- Van Den Bergh, G. D., W. Boer, H. De Haas, T. C. E. Van Weering, and R. Van Wijhe, 2003, Shallow marine tsunami deposits in Teluk Banten (NW Java, Indonesia), generated by the 1883 Krakatau eruption: *Marine Geology*, v. 197, no. 1-4, p. 13–34, doi:10.1016/S0025-3227(03)00088-4.
- Whitlow, K. F. (2008). *The 2004 and 1861 Tsunami Deposits on Simeulue Island, Western Sumatra. The Graduate Faculty Central Washington University*.
- Yawsangratt, S., Szczuciński, W., Chaimanee, N., Chatprasert, S., Majewski, W., & Lorenc, S. (2012). Evidence of probable paleotsunami deposits on Kho Khao Island, Phang Nga Province, Thailand. *Natural Hazards*, 63(1), 151–163.
- Yudhita, C., Amijaya, D. H., Yulianto, E. (2009). Identification of paleotsunami deposit in Cikembulan Area, Pangandaran, West Java, based on Granulometry Analysis. Proceeding Abstract in Annual Meeting of Indonesian Geologist (PIT-IAGI 38, 2009)
- Yudhicara, Yahdi, Z., Y., R., Aswan, R., T., U., S., & D., H. (2013). Characteristics of Paleotsunami Sediments , A Case Study in Cilacap and Pangandaran Coastal Areas , Jawa , Indonesia Ciri-ciri Sedimen Paleotsunami , Studi Kasus di Wilayah Pantai Cilacap dan. *Indonesian Journal on Geoscience*, 8(4), 163–175. <http://ijog.bgl.esdm.go.id>