

DAFTAR PUSTAKA

- Anonym 2014. *Statistic perkembangan ekspor impor Indonesia 2012-2014* Kementerian perindustrian RI, www.kemenperin.go.id, diakses pada tanggal 26 oktober 2015 jam 09.25.
- Anggraeni, F.D., 2011, Karakterisasi Edible Film Dan Kapsul Berbahan Dasar Pati Sagu Dengan Penambahan Gliserol dan Karaginan, *Tesis*, Program Studi Ilmu dan Teknologi Pangan, Universitas Gadjah Mada, Yogyakarta.
- Angka, S.L. dan Suhartono, M.T., 2000, *Bioteknologi Hasil Laut, Pusat Pengkajian Sumberdaya dan Pesisir Lautan*, IPB, Bogor.
- Ansel, H.C., 2005, *Pengantar Bentuk Sediaan Farmasi*, Edisi Keempat, UI Press, Jakarta, Hal. 217-218.
- Aranaz, I., Mengibar, M., Harris, R., Panos, I., Miralles, B., Acosta, N., and Heras, A., 2009, Functional Characterization of Chitin and Chitosan, *Curr. Chem. Biol.*, 3,203-230.
- Aslan, L.M., 1998, *Budidaya Rumput Laut*, Penerbit Kanisius, Yogyakarta.
- Bae, H.J., D.S. Cha., W.S. Whiteside dan H. J. Park, 2008, Film And Pharmaceutical Formation Properties Of Mungbean, Waterchesnut, and Sweet Potato Starches, *Food Chem.*, 106: 96-105.
- Baxter, A., Dillon, M., Taylor, K.D.A., and Robert, G.A.F., 1992, Improved Method For Ir Determination of Degree of N-Acetylation of Chitosan, *Int. J. Biol. Macromol.*, 14, 166-169.
- Berger, J., Reist, M., Mayer, J.M., Felt, O., Peppas, N.A. and Gurny, R., 2004, Structure and Interactions in Covalently and Ionically Crosslinked Chitosan Hydrogels for Biomedical Applications, *Eur. J. Pharm. Bio.*, 57, 19-34.
- Brugnerotto, J., Lizardi, J., Goycoola, F.M., Arguelles-Monal, W., Desbrieres, J. And Rinaudo, M., 2001, An Infrared Investigation in Relation with Chitin and Chitosan Characterization, *Polymer*, 42, 3569-3580.
- Butler, B.L., Vergano, P.J., Testin, R.F., Bunn, J.M., and Willes J.L., 1996, Mechanical and Barrier Properties of Edible Chitosan Films as Affected by Composition and Storage, *J. Food Sci.*, Vol. 61, No. 5, 953-956.
- Campo, V.L, Kawano, D.F, Silva Junior, D.B., and Carvalho, I., 2009, Carrageenans: Biological Properties, Chemical Modifications and Structural Analysis, *Carbohyd. Polym.*, 77,167-180.

- Carneiro, T.N., Novaes, D.S., Rabelo, R.B., Celebi, B., Chevalier, P., Mantovani, D., and Vieira, R.S., 2013, BSA and Fibrinogen Adsorption on Chitosan/ κ -Carrageenan Polyelectrolyte Complexes, *Macromol. Biosci.*, 13, 1072-1083.
- Chang, K.L.B., Tsai, G., Lee, J., and Fu, W., 1997, Heterogeneous N-Deacetylation of Chitin in Alkaline Solution, *Carbohydr. Res.*, 303, 327-332.
- Chopin, T. and Whalen, E., 1993, A New and Rapid Method For Carrageenan Identification by FTIR Diffuse Reflectance Spectroscopy Directly on Dried, Ground Algal Material, *Carbohydr. Res.*, 246, 51-59.
- Damanik, A., 2005, Gelatin Halal Gelatin Haram, *Jurnal Halal LP POM MUI*, No. 36 Maret 2001, Jakarta.
- Distantina, S., Rochmadi, R., Fahrurrozi, M., and Wiratni, W., 2013, Preparation and Characterization of Glutaraldehyde-cross linked κ -Carrageenan Hydrogel, *Eng. J.*, Vol 17, 57-66.
- Domszy, J.G., And Robert, G.A.F., 1985, Evaluation on Infrared Spectroscopic Techniques For Analyzing Chitosan, *Macromol. Chem.*, 186, 1671-1677.
- Dragan, E.S., Dinu, M.V., Timpu, D., 2010, Preparation and Characterization of Novel Composite Based on Chitosan and Clinoptilolite with Enhanced Adsorption Properties For Cu^{2+} , *Bioresources Technol.*, 101, 812-817.
- Eldin, M.S.M., Soliman, E.A., Hashem, A.I., and Tamer, T.M., 2008, Antibacterial Activity of Chitosan Chemically Modified with New Technique, *Trends Biomater. Artif. Organs.*, 22,3,121-123.
- Fernandez-Kim, S.O., 2004, Physicochemical And Functional Properties Of Crawfish Chitosan As Affect By Different Processing Protocols, *Thesis*, Department of Food Science, Soul National University.
- Fessenden, R.J. and Fessenden, J.S., 1986, *Kimia Organik*, Edisi Ketiga, Jilid 2, Erlangga, Jakarta.
- Fisher, G.J., Quan, T., Purohit, T., Shao, Y., Cho, M.K. and He, T., 2009, Collagen Fragmentation Promotes Oxidative Stress and Elevates Matrix Metalloproteinase 1 in Fibroblasts in Aged Human Skin. *Am. J. Phys.*, Vol. 174, No. 1.
- Ganji, F., Vasheghani-Farahani, S., dan Vasheghani-Faharani, E., 2010, Theoretical Description of Hydrogel Swelling: A Review, *Iran. Polym. J.*, 19 (5), 2010, 375-398.
- Gennadios, A., 2002, *Protein-Based Films and Coatings*, CRC Press, New York.

- George, M., and Abraham, T.E., 2007, pH Sensitive Alginate-Guar Gum Hydrogel for the Controlled Delivery of Protein Drugs, *Int. J. Pharm.*, 335, 123-129.
- Glicksman, M., 1983, *Food Hydrocolloid*, Volume II, CRC Press, New York.
- Goosen, M.F.A., 1997, *Application of Chitin and Chitosan*, Technomic, USA.
- Grobben, A.H., P.J Steele, R.A. Somerville and D.M. Taylor, 2004, Inactivation of the Bovine Spongiform-Encephalopathy (Bse) Agent by the Acid and Alkali Processes Use the Manufacture of Bone Gelatin. *Biotechnol. Appl. Bioc.*, 39: 329-338.
- Gupta, R. K., 2000, *Polymer and Composite Rheology*, Marcel Dekker Inc, Switzerland.
- Hamidi, M., Azadi, A., dan Rafiei, P., 2008, Hydrogel Nanoparticles in Drug Delivery, *Adv. Drug Deliver. Rev.*, 60, 1638-1649.
- Hamman, J.H., 2010, Chitosan Based Polyelectrolyte Complexes as Potential Carrier Materials in Drug Delivery Systems, *Mar. Drugs*, 8, 13-22.
- Hayden, H.W., Moffat, W.G., Dan Wulff, J., 1966, *The Structure And Properties of Materials*, John Willey and Sons, New York.
- Hoffman, A.S., 2002, Hydrogel For Biomedical Applications, *Adv. Drug Deliver. Rev.*, 43, 3-12.
- Hoeffler, A.C. 2001, *Introduction to Food Gums Chemistry, Functionality and Application*, Hercules Incorporated, Food Gums Group.
- Hussain, M.R., Iman, M., and Maji, T.K., 2013, Determination of Degree of Deacetylation of Chitosan and Their Effect on the Release Behavior of Essential Oil From Chitosan and Chitosan Gelatin Complex Microcapsules, *Int. J. Adv. Eng. Appl.*, 2(4):4-12.
- Imeson, A., 2010, *Handbook of Food Stabilisers, Thickeners, and Gelling Agents*, Willey-Blackwell A John Wiley & Sons, Ltd, Publication.
- Jongjareonrak, A., S, Benjakul., W, Vissessanguan., T, Prodpran and M, Tanaka, 2006 Characterization of Edible Film From Skin Gelatin of Brownstripe Red Snapper and Bigeye Snapper, *Food Hydrocolloid*, 20 :492-501.
- Kara, S., Tamerler, C., Hakan Bermek, H., Pekcan, O., 2003, Cation Effects on Sol-Gel and Gel Sol Phase Transitions of K-Carrageenan-Water System, *Int. J. Biol. Macromol.*, 31, 177-185.

- Karim, A.A. and Bath, R., 2009, Fish Gelatins: Properties, Challenges, and Prospects as an Alternative to Mammalian Gelatins, *Food Hydrocolloid*, 23: 563-576.
- Kartikasari, N.P., 2015, Sorpsi Dan Pelepasan Kurkumin dari Beads Karaginan-Kitosan dengan Emulsifier Asam Stearat, *Skripsi*, Program Studi S1 Kimia, Universitas Gadjah Mada, Yogyakarta.
- Khan, T.A., Peh, K.K., and Ch'ng, H.S., 2002, Reporting Degree of Deacetylation Values of Chitosan: the Influence of Analytical Methods, *J. Pharm Pharm. Sci.*, 5 (3), 205-212
- Kittur, F.S., Kumar, K.R., and Tharanathan, R.N., 1998, Functional Packaging Properties of Chitosan Film, *Z. Lebensm Unters. F. A.*, 206, 44-47.
- Kizilay, E., Kayitmazer, A.B., and Dubin, P.L., 2011 Complexation and Coacervation of Polyelectrolytes with Oppositely Charged Colloid, *Adv. Colloid Interfac.*, 167, 24-37.
- Knorr, D., 1982, Function Properties Chitin and Chitosan, *J. Food Sci.*, 48, 36-41.
- Kolodziejaska, I., Wojtasz-Pajak, A., Ogonowska, G., Dan Sikorski, Z.E., 2000, Deacetylation of Chitin In Two-Stage Chemical and Enzymatic Process, *Bull Sea Fish Inst.*, 150, 15-24.
- Krajewska, B., 2001, Diffusion Properties of Chitosan Hydrogel Membranes, *J. Chem. Tech.*, 76(6), 636-642.
- Krajewska, B., and Olech, A., 1996, Pore Structure of Gel Chitosan Membranes. Solute Diffusion Measurements, *Polym.Gels Netw.*, Vol 4, 33-43.
- Krochta, J.M., 1997, Edible And Biodegradable Polymer Films:Challenges and Opportunities, *Food Technol.*, 51:61.
- Krochta, J. M., E.A. Baldwin Dan M. O. Nisperos-Carriedo. 1994, *Edible Coating and Film to Improve Food Quality*, Technomic Publishing Company, New York.
- Krochta, J.M., And C.M. Johnston, 1997, Edible and Biodegradable Film: Challenges an Opportunities, *Food Technol.*, 51 (2): 61-74.
- Kumar, M.N.V.R., 2000, Chitin and Chitosan Fibres: an Overview on Chitin and Chitosan Application, *Reac. Funct. Polym.*
- Kususmaningrum, I., 2011, Optimasi Ekstraksi dan Karakterisasi Gelatin dari Kulit Ikan Tenggiri, *Skripsi*, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

- Li, C., Hein, S., Dan Wang, K., 2013, Chitosan-Carrageenan Polyelectrolyte Complex for the Delivery of Protein Drugs, *Isrn Biomat.*, 1-6.
- Mayachiew, P., And Devahastin, S., 2008, Comparative Evaluation of Physical Properties of Edible Chitosan Films Prepared by Different Drying Method, *Dry. Technol.*, 26, 176-185.
- Montero, P; and M.C. Gomez-Guillen, 2000, Extracting Condition for Merigin (Lepidorhombus Boscii) Skin Collagen Affect Functionoal Properties of Resulting Collagen, *J. Food Sci.*, 55(2) 1 –5.
- Muzzarelli, R.A.A., 1985, *Chitin in G.O.Aspinall, The Polysaccharides*, (Vol 3) (Pp. 417-450), New York, Academic Press.
- Nadarajah, K., 2005, Development and Characterization of Antimicrobial Edible Film from Crawfish Chitosan, *Desertation In Department of Food Science*, University of Paradeniya.
- Nickerson, M.T., Paulson, A.T., F.R. and Hallet, F.R., 2004, Dilute Solution Properties of K-Carrageenan Polysaccharides: Effect Of Potassium and Calcium Ions on Chain Conformation, *Carbohyd.. Polym.*, 58, 25-33.
- Norland, R.E., 1997, *Fish Gelatin: Technical Aspects And Applications*, London, Royal Photographic Society. 266–281.
- Nugroho, P.S.A., 2014, Pelepasan Kurkumin dari Nanopartikel Kitosan-Karboksimetil Selulosa-Glutaraldehyd, *Tesis*, Program Studi S2 Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta.
- Nunez-Santiago, M.C., Tecante, A., Garnier, C., and Doublier, J.L., 2011, Rheology and Microstructure of K-Carrageenan Under Different Conformations Induced by Several Concentrations of Potassium Ion, *Food Hydrocolloid*, 25, 32-41
- Pal, K., Banthia, A.K. and Mujamdar, K., 2009, Polymeric Hydrogels: Characterization and Biomedical Application-A Mini Review, *Des. Monomers Polym.*, 12, Pages 197-200.
- Park, S.Y., Lee, B.I., Jung, S.T., and Park, H.J., 2001, Biopolymer Composite Films Based on (K)-Carrageenan And Chitosan, *Mater. Res. Bull.*, 36(3-4), 511-519.
- Pereira, L., A.Sousa, H. Coelho, A.M. Amado, and P.J.A. Ribeiro-Claro, 2003, Use of Ftir, Ft Raman And ¹³C NMR Spectroscopy For Identification of Some Seaweed Phycocolloids, *Biomol. Eng.*, 20 :223-228.
- Pereira, L., Amado, A.M., Critley, A.T. Van De Velde, F., and Ribeiro-Calro, P.J.A., 2009, Identification of Selected Seaweed Polysaccharides

(Phycocolloids) By Vibrational Spectroscopy (FTIR-ATR And FT-Raman), *Food Hydrocolloid*, 1-7.

Petzold, G., dan Swarcz, S., 2014, Polyelectrolyte Complexes in Flocculation Application, *Adv. Polym. Sci.*, 256, 25-66.

Phillips, G.O., and P.A Williams, P.A., 2000, *Handbook of Hydrocolloids*, Pp. 1-19, Woodhead Publishing Limited, Cornwall.

Pollack, S.V., 1990, Silicone, Fibrel and Collagen Implantation for Facial Lines and Wrinkles, *J. Dermatol. Surg. Onc.*, 16, 957-961.

Poppe, J. 1999. *Gelatin in Thickening and Gelling Agent For Food*, Second Edition, Edited by Alan Imeson. Aspen Publisher. Maryland. 144-168.

Rachmaniar, 1999, Karaginan Tipe Lambda Dalam K Karagenofit Euchema Alvarezii Yang Dibudidayakan di Indonesia, *Prosiding Pra Kipnas VII Forkom IIFI*, 8 September Puspitek, Serpong, Jakarta.

Roberts, M.A. and B. Quemener, 1999, Measurement of Carrageenans in Food: Challenges, Progress, and Trends In Analysis, *Trends Food Sci. Tech.*, 10:169-181.

Sabnis, S. And Block, L.H., 1997, Improved Infrared Spectroscopic Method for the Analysis of Degree of N-Acetylation of Chitosan, *Polym. Bull.*, 39, 67-71

Sadar, L.N., 2004, Rheological and Textural Characteristics of Copolymerized Hydrocolloidal Solutions Containing Curdlam Gum, *Thesis*, Department of Nutrition and Food Science. University of Maryland, College Park.

Saetcher, V.H., Holme, H.K., Maurstad, G., Smidsrød, O., and Stokke, B.T., 2008, Polyelectrolyte Complex Formation Using Alginate and Chitosan, *Carbohydr. Polym.*, 74, 813-821.

Sahidi, F., Arachchi, J.K.V., and Y.J. Jeon, 1999, Food Application of Chitin and Chitosans, *Trends Food Sci. Tech.*, 10, 37-51.

Sakiyama, T., Chu, C.-H., Fujii, T., D and Yano, T., 1993, Preparation of A Polyelectrolyte Complex Gel From Chitosan and K-Carrageenan and Its pH-Sensitive Swelling, *J. Appl. Polym. Sci.*, 50, 2021-2025.

Samchenko, Y., Ulberg, Z., and Korotych, O., 2011, Multipurpose Smart Hydrogel System, *Adv. Colloid. Interface Sci.*, 168, 247-262.

Sankalia, M.G., Mashru, R.C., Sankalia, J.M., and Sutariya, V.B., 2007, Reversed Chitosan-Alginate Polyelectrolyte Complex for Stability Improvement of

- Alpha-Amylase Optimization Physicochemical characterization, *Eur. J. Pharm. Biopharm.*, 65, 215-32.
- Santo, E., Mano, F., Grenha, A., Gomes, M.E., Neves, N.M. and Reis, R.L., 2009, Development of New Chitosan / Carrageenan Nanoparticles for Drug Delivery Application, *J. Biomed. Mater. Res. Part A.*, 1265-1272.
- Schipunov, Y.A., and Postnova, I.V., 2009, Water Soluble Polyelectrolyte Complex of Oppositely Charged Polysaccharides, *Compos. Interface*, 16,251-279.
- Shovsky, A., 2011, Polyelectrolyte Complexes of Bottle Brush Copolymer: Solution and Adsorption Properties, *Doctoral Thesis*, Chemical Science and Engineering, Royal Institute of Technology Stockholm, Sweden.
- Sopyan, I., 2007, *Kimia Polimer* (diterjemahkan dari Stevens M.P., 2001, *Polimer Chemistry*, Oxford University Press, Inc, England), Pradnya Pramita, Jakarta.
- Suryaningrum, D.T.H., J, Basmal dan Nurochmawati, 2005, Studi Pembuatan Edible Film dari Karaginan, *J. Penelitian Perikanan Indonesia*, 11(4): 1-13.
- Suyatma, N.E., Tighzert and Copinet, A., 2005, Effect of Hydrophilic on Mechanical, Thermal and Surface Properties of Chitosan Films, *J. Agr. Food Chem.*, 53, 3950-3957.
- Tambunan, U.S.F., M.G. Subiyakto, dan A. Intan, 1987, *Isolasi Dan Identifikasi K Karaginan dari Rumput Laut Euchema Cottoni*, Jurusan Kimia. Fmipa UI. Lanjutan (Procidings) Seminar Kajian Kimiawi Pangan, 15-17 September, PAU Pangan dan Gizi Ugm, Yogyakarta.
- Thakhiew, W., Devahastin, S., and Soponronnarit, S., 2010, Effect of Drying Methods and Plasticizer Concentration on Some Physical and Mechanical Properties of Edible Chitosan Films, *J. Food Eng.* Vol. 19 pages 140-149
- Walstra, P., 2003, *Physical Chemistry of Foods*, Marcel Dekker,
- Winarno, F.G 1996, *Teknologi Pengolahan Rumput Laut*, Cetakan Kedua, Pustaka Sinar Harapan, Jakarta.
- Van De Velde., F., Knutsen, S.H., Usov, A.I., Romella, H.S., and Carezo, A.S., 2002, ¹H and ¹³C High Resolution NMR Spectroscopy of Carrageenans: Application in Research and Industry, *Trends Food Sci. Tech.*, 13, 73-92
- Vasconez, M.B.S., K. Flores, C., A. Campos, J., Alvarado and L.N. Gerschenson, 2009, Antimicrobial Activity and Physical Properties of Chitosan-Tapioca Starch Based Edible Films and Coatings, *Food Res. Int.*, 42, 762-769.

- Walstra, P. 2003. *Physical Chemistry of Foods*. Marcel Dekker, Inc. New York
- Wu, H., Zheng, B., Zheng, X., Wang, J., Yuan, W., and Jiang, Z., 2007, Surface-Modified Y-Zeolite-Filled Chitosan Membrane For Direct Methanol Fuel Cell, *J. Power Sources*, 178, 9-19.
- Yustitia, D., 2014, Preparasi Membrane Kompleks Polielektrolit Kitosan/K-Karaginan Dan Aplikasinya Untuk Transport Kreatinin, *Tesis*, Program Studi S2 Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta.
- Wahyuningtyas, D., 2015, Pengaruh Gliserol Terhadap Karakteristik Edible Film Dari Pektin Sebagai Drug Delivery System, *Tesis*, Program Studi Teknik Kimia, Universitas Gadjah Mada.