

DAFTAR PUSTAKA

- Biagi, P. F. (2010). Frequency and Severrity of Earthquake: Earthquake and Volcanic Event Prediction. *Geophysics and Geochemistry-Vol.II*, 3-5.
- BMKG. (2014). Katalog gempabumi-Reository Gempabumi. <http://repogempa.bmkg.go.id>.
- Breiner, S. (2006). Geomagnetic indications of apparent deep crustal deformation. *Physics and Chemistry of the Earth*.
- Budiyanto, J. (2009). Fisika Medan Magnet . Dalam *Fisika: Untuk SMA/MA Kelas XII* (hal. 298). Jakarta: Departemen Pendidikan Nasional.
- C.H. Chen, W. L. (2013). Surface displacement in Japan before the 11 March 2011 Mw 9.0 Tohoku Oki earthquake . *Asian Earth Science*, 80.
- Caffrey, M. (2009). The tectonic framework of Sumatran subduction zone. *annual review earth planet science*, 346-366.
- Chen, H. W. (2013). Surface displacements in Japan before the 11 March 2011 M 9.0 Tooku Oki earthquake. *Journal Asian Earth Scence*, 165-171.
- Febriani, H. Y. (2014). Ultra low frequency electromagnetic anomalies associated with large earthwuake in Java Island, Indonesia by using wavelet transform and detrended fluctuation anaysis. *National Hazards Earth*.
- Fenoglio, M. (1995). Generation of ULF Elecromagnetic emissions by microfracturing. 3091-3094.
- Freund, F. (2002). Charge generation and propagation in igneous rocks. *Geodynamics*, 545-570.
- Freund, F. (2013). Earthquake forewarning- A multidisciplinary challenge from the ground up to space. *Acta Geophysica*, 775-807.

- Friendmann Freund, A. T. (2007). Electric currents streaming out of stressed igneous rocks- A step towards understanding pre-earthquake low frequency EM emissions. *Physics Chemistry Earth*, 7-16.
- Gunawan, S. A. (2012). Karakteristik Sinyal ULF yang Berhubungan dengan Prekursor Gempabumi di Sumatera, Studi Kasus: Gempabumi Padang 2009 dan Gempabui Mentawai 2010.
- Han, H. Q. (2011). Evaluations of ULF electromagnetic phenomena associated with the 2000 Izu Island earthquake swarm by wavelet transform analysis. *Hazard Earth System*, 965-970.
- Hattori, K. (2004). ULF Geomagnetic Changes Associated with Large Earthquake. *Atmospheric and Oceanic Sci*, 329-360.
- Hattori, K. H. (2012). Global variation of ULF Geomagnetic field and detection of anomalous changes at a certain observatory using reference data. *Electromagnetic-Japan*, 9-18.
- Hattori, K. S. (2006). Singular Spectral Analysis and Principal Component Analysis for Signal Discrimination of ULF Geomagnetic Data associated with 2000 Izu Island Earthquake Swarm. *Physics-Chemistry-Earth*, 281-291.
- Hattori, T. H. (2011). ULF Geomagnetic Changes Possibly Associated with the 2008 Iwate-Miyagi Nairiku earthquake. *Journal of Asian Earth Sciences*, 442-449.
- Hayakawa, H. Y. (2012). Possible as seen by subionospheric very low frequency propagation. *Annal Geophysics*, 55.
- Hayakawa, M. K. (1996). Result of Ultra-Low Frequency Magnetic Field Measurements during the Guam Earthquake of 8 August 1993. *Geophys. Res. Lett.*, 23(3), 241-244.

- Hayakawa, T. (2012). Possible precursor to the March 11, 2011. *Japan Earthquake: Ionospheric perturbations as seen by subionospheric very low frequency/low frequency propagation*, 95-99.
- Hirano, H. (2010). ULF geomagnetic changes possibly associated with the 2008 Iwate-Miyagi Nairiku earthquake. *Journal Asian Earth Science*, 442-449.
- Johnston, M. J. (2002). Electromagnetic Field Generated by Earthquake. *US Geological Survey, USA*, 38.
- Jouniaux, J. P. (1995). Streaming potential and permeability of saturated sandstones under triaxial stress. 100.
- Kato, O. I. (2012). Propagation of slow slip leading up to the 2011 Mw 9.0 Tohoku-Oki Earthquake. *Science*, 335.
- Kamiyama, M. S. (2014). on the precursors to the 2011 Tohoku earthquake : crustal movements and electromagnetic signatures. *Geomagnetic, Natural Hazard and Risk*.
- Kato, O. I. (2012). Propagation of slow slip leading up to the 2011 Mw 9.0 Tohoku-Oki Earthquake. *Science*. 335.
- Kopytenko, I. A. (1999). Magnetic Disturbances in ULF Range Connected with Seismic Sources. *International Conference on Marine Electromagnetics (MARELEC 99)*, 435-445.
- Kopytenko, M. V. (2001). Result of ULF magnet field measurements near the epicenter of the Spitak ($M_s=6.9$) and Loma Prieta ($M_s=7.1$) earthquake. 19.
- Masci, F. (2011). On the seismogenic increase of the ratio of the ULF geomagnetic field components. *Physics of the Earth and Planetary Interiors*, 19-32.
- Michael Dentith, S. T. (2014). Magnetic methods. Dalam S. T. Michael Dentith, *Geophysics for the Mineral Exploration Geoscientist* (hal. 114). London: University of Cambridge.

- Mizutani, T. I. (1976). Electrokinetic phenomena associated with earthquake. 365-368.
- Mogi. (1985). Earthquake prediction. *academic press*, 355.
- Mogi, T. W. (2000). Geoelectric potential difference monitoring in southern Sumatera, Indonesia Co-Seismic Change. *Earth Planet Science*.
- Molchanov, H. (1998). On the generation mechanism of ULF Seismogenic electromagnetic emissions. *Physics Earth Planet*, 201-210.
- Molchanov, S. F. (2002). Preeismic ULF Electromagnetic effect from observation at Kamchatka. *Natural Hazards Earth System*, 203-209.
- Nagao, T. d. (2011). A new algorithm for detection of seismic quiescence: introduction of RTM algorithm, a modified RTL algorithm. *Earth Planets Space*, 182-183.
- Natawidjaja, D. (2000). Neotectonic of the Sumatera fault, Indonesia. *Journal of Geophysical Research*, Vol. 105, 295.
- Ouzounov, P. R. (2011). Atmosphere-Ionosphere response to the M9 Tohoku earthquake revealed by multi instrument space borne and ground observations. *Earthquake Science*, 24.
- Rossignol, J. (1982). Magnetoc field anomalies associated with geodynamic phenomena. 435-454.
- Sarlis, S. V. (2013). Minimum of the order parameter fluctuations of seismicity before major earthquake in Japan. *Proceeding of the National Academy of Sciences USA*, 110.
- Saroso, K. H. (2009). ULF geomagnetic anomalous changes possibly associated with 2004-2005 Sumatera earthquake. *Physics and Chemistry of the Earth*, 343-349.

- Suadi Ahadi, N. T. (2014). Anomalous ULF emissions and Their Possible Association with the strong earthquakes in Sumatera, Indonesia during 2007-2012. *Matheatic Fundamental Scinece, Vol. 47*, 84-103.
- Takla, K. Y. (2012). Geomagnetic variatons possibly associated with the Pisco earthquake on 15 August 2007, Peru. *Tectonophysics*, 29-36.
- Telford, L. P. (2004). Magnetic Methods. Dalam *Applied Geophysics Second Edition* (hal. 62-63). Cambridge University Press.
- Tsuboi, W. H. (1962). *Pediction of earthquake progress to date and plans for further developement*. Tokyo: Tokyo University.
- Tsuboi, W. H. (1962). Prediction Earthquake-Progress to Date and Plans for Further Development. *Earthwuake Prediction Research Group, Tokyo University*.
- Thomas, J. L. (2009). On the reported magnetic precursor of the 1989 Loma Prieta earthquake. *physics of the earth and planetary interiors*, 207-215.
- Thomas, J. M. (2009). On the reported magnetic percursors of the 1993 Guam earthquake. *Geophysics research letters*, 1-5.
- Uozomi, Y. K. (2008). A new Index to monitor temporal and long-term variations of the equitorial electroject by MAGDAS/CPMN real time data. *Earth Planets Space*, 60.
- Xu, H. H. (2013). Anomalous behaviors of geomagnetic diurnal variations prior to the 2011 off the Pasific coast of Tohoku earthquake . *Asian Earth Science*, 77.
- Yamazaki, K. (2011). Enhancement of co-seismic piezomagnetic signals near the edges of magnetization anomalies in the Earth's crust. *Earth Planet Space*.
- Yamazaki, K. (2011). Enhancement of co-seismic piezomgnetic signls near the edges of magnetization anomalies in the Earth's crust. *Earth Planet Space*, 111-118.

Yumoto, S. I. (2009). A new ULF wave analysis for seismo-electromagnetic using CPMN/MAGDAS data. *Physics and Chemistry of the Earth*, 360-366.

<http://hyperphysics.phy-str.gsu.edu/hbase/magnetic/biosav.html>, diakses pada 22 September 2015, pukul 22.30 WIB

Indeks DST, <http://wdc.kugi.kyoto.u.ac.jp/dstae/index.html>, diakses pada 16 Oktober 2014, pukul 09.00 WIB