

DAFTAR PUSTAKA

- Abiodun, O.A. and Adeleke, R.O., 2010, Comparative Studies on Nutritional Composition of Four Melon Seeds Varieties, *Pak. J. Nutr.*, 9(9), 905-908.
- Anonim (a), 1985, *Energy and Protein Requirements*, World Health Organization, Tech. Report Series, 522.
- Anonim (b), 2008, Cantaloupe, <http://www.newworldencyclopedia.org/entry/Cantaloupe>, 10 November 2015.
- Anonim (c), 2015, Scientific Classification of Cantaloupe, <http://www.fruitvs.com/en/scientific-classification-of-cantaloupe/model-38-5>, 10 November 2015.
- AOAC, 2005, *Official Methods of Analysis*, 16th Edition, Association of Official Analytical Chemist, Washington DC.
- Arrieta, M.P. and Prats-Moya, M.S., 2012, Free Amino Acids and Biogenic Amines in Alicante Monastrell Wine, *Food Chem.*, 135, 1511-1519.
- Banat, F., Pal, P., Jwaied, N., and Al-Rabadi, A., 2013, Extraction of Olive Oil from Olive Cake using Soxhlet Apparatus, *Am. J. Oil Chem. Technol.*, 1, 1-8.
- Batista, I., 1999, Recovery of Protein from Fish Waste Products by Alkaline Extraction, *Eur. Food Res. Tech.*, 210, 84989.
- Bidlingmeyer, B.A., Cohen, S.A., and Tarvin, T.L., 1984, Rapid Analysis of Amino Acids Using Pre-Column Derivatization, *J. Chromatogr.-Biomed. Appl.*, 336, 93-104.
- Carey, F.A, 2000, *Organic Chemistry*, 4th Edition, McGraw Hill, Amerika.
- Dorland, W.A., 1981, *Medical Dictionary*, 26th Ed., Saunders international, Philadelphia.
- Egbebi, A.O., 2014, Comparative Studies on The Three Different Species Melon Seed; (*Citrulus vulgaris*, *Cucumeropsis manni*, and *Leganaria siceraria*), *Sky J. Food Sci.*, 3(1), 001-004.
- Ensminger, A., 1994, *Foods and Nutrition Encyclopedia*, 2nd Edition, CRC Press LLC, Boca Raton.
- Fitriani, N., 2013, Identifikasi Asam Amino Fraksi pI 7 dan 8 Protein Hati Ayam Menggunakan *High Performance Liquid Chromathography* (HPLC), *Skripsi*, Universitas Gadjah Mada, Yogyakarta.

- Foh, M.B.K., Wenshui, X., Amadou, I., and Jiang, Q., 2011, Influence of pH Shift on Functional Properties of Protein Isolated of Tilapia (*Oreochromis niloticus*) Muscles and of Soy Protein Isolate, *Food Bioprocess Technol.*, 5, 2192-2200.
- Gehring, C.K., Davenport, M.P., and Jaczynski, J., 2009, Functional and Nutritional Quality of Protein and Lipid Recovered from Fish Processing by-Products and Underutilized Aquatic Species Using Isoelectric Solubilization/Precipitation, *Curr. Nutr. Food Sci.*, 5, 17-39.
- Gopakumar, K., 1998, Utilization of by Catches and Low-Value Fish in India, *Proceedings of the APFIC Symposium*, Sept. 24-26, RAP Publication (FAO), 29-48.
- Holme, D.J. and Peck, H., 1998, *Analytical Biochemistry*, 3rd Edition, Prentice Hall, Inggris.
- Horwitz, W., 2000, *Official Methods of Analysis of AOAC International*, 17th Edition, AOAC International, Gaithersburg.
- Hui, Y.H., 2006, *Handbook of Food Science Technology and Engineering*, Taylor & Francis Group, Boca Raton.
- Hultin, H.O., Kristinsson, H.G., Lanier, T.C., and Park, J.W., 2005, Process for Recovery of Functional Proteins by pH Shifts. In: Park, J.W., editor, *Surimi and Surimi Sea Food*, Boca Raton: Taylor and Francis Group, 107-139.
- Ingale, S. and Shrivastava, S.K., 2011, Amino Acid Profile of Some New Varieties of Oil Seeds, *Adv. J. Food Sci. Technol.*, 3(2), 111-115.
- Issaq, H.J., Conrads, T.P., Janini, G.M., and Veenstra, T.D., 2002, Methods for Fractionation, Separation, and Profiling of Proteins and Peptides, *Electrophoresis*, 23, 3048-3061.
- Kahraman, O. and Ustunol, Z., 2012, Effect of Zinc Fortification on Cheddar Cheese Quality, *J. Dairy Sci.*, 95, 2840-2847.
- Kamal, M., 1998, *Rangkuman Nutrisi Ternak I*, Laboratoruim Makanan Ternak, Fakultas Peternakan UGM, Yogyakarta.
- Kristinsson, H.G., Theodore, A.E., Demir, N., and Ingadottir, B., 2005, A Comparative Study between Acid-aided and Alkali-aided Processing and Surimi Processing for the Recovery of Proteins from Channel Catfish Muscle, *J. Food Sci.*, 70, 298-306.
- Kumalaningrum, A.N., 2015, Isolasi Protein Fraksi pI 5 dan pI 6 Biji Trembesi (*Samanea saman*) dengan Ekstraksi Basa dan Studi Potensinya Sebagai Bahan Fortifikasi Makanan, *Sripsi*, Universitas Gadjah Mada, Yogyakarta.

- Lehninger, A.L., 2005, *Principles of Biochemistry*, 4th Edition, Freeman, Meksiko.
- Luque de Castro, M.D. and Garcia-Ayuso, L.E., 1998, Soxhlet Extraction of Solid Materials: An Outdated Technique with a Promising Innovative Future, *Anal. Chim. Acta*, 369, 1-10.
- Magomya, A.M., Kubmarawa, D., Ndahi, J.A., and Yebpella, G.G., 2014, Determination of Plant Proteins via The Kjeldahl Method and Amino Acid Analysis: A Comparative Study, *Int. J. Sci. Technol. Res.*, 3, 68-72.
- Martianto, D., 2012, *Fortifikasi Pangan*, Departemen Gizi Masyarakat Fakultas Ekologi Manusia, Bogor.
- McCarthy, A.L., O'Callaghan, Y.C., and O'Brien, N.M., 2013, Protein Hydrolysates from Agricultural Crops-Bioactivity and Potential for Functional Food Development, *Agric.*, 3, 112-130.
- Milovanović, M. and Jovanović, K.P., 2005, Characteristics and Composition of Melon Seed Oil, *J. Agr. Sci.*, 50, 41-47.
- Nolsøe, H. and Undeland, I., 2009, The Acid and Alkaline Solubilization Process for the Isolation of Muscle Proteins: State of the Art, *Food Bioprocess Technol.*, 2, 1-27.
- Nurnadia, A.A., Azrina, A., and Amin, I., 2011, Proximate Composition and Energetic Value of Selected Marine Fish and Shellfish from The West Coast of Peninsular Malaysia, *Int. Food Res. J.*, 18, 137-148.
- Ogunbusola, E.M., Fagbemi, T.N., and Osundahunsi, O.F., 2010, Amino Acid Composition of *Lagenaria siceraria* Seed Flour and Protein Fractions, *J. Food Sci. Technol.*, 47(6), 656-661.
- Omobolanle, O., Michael, I., Adefunke, B., and Adeola, A., 2014, Chemical Phytochemical and Functional Properties of Selected Seeds Flours, *Int. J. Nutr. Food Sci.*, 3(6), 572-578.
- Oshodi, A.A., Esuoso, K.O., and Akintayo, E.T., 1998, Proximate and Amino Acid Composition of Some Underutilized Nigerian Legume Flour and Protein Concentrates, *La Riv Taliana Sostanze Grass*, 75, 409-412.
- Ovissipour, M., Benjakul, S., Safari, R., and Motamedzadegan, A., 2010, Fish Protein Hydrolysates Production from Yellowfin Tuna *Thunnus albacares* Head Using Alcalase and Protamex, *Int. Aquat. Res.*, 2, 87-95.
- Poletti, S., Gruissem, W., and Sautter, C., 2004, The Nutritional Fortification of Cereals, *Curr. Opinion Biotech.*, 15 (2), 162-165.

- Pomeranz, Y. and Meloan, C.E., 1994, *Food Analysis: Theory and Practice*, 3rd Edition, Chapman and Hall, New York.
- Primer, A., 2001, *HPLC for Food Analysis*, Agilent Technology Company, Jerman.
- Rezig, L., Chibani, F., Chouaibi, M., Dalgarrondo, M., Hessini, K., Guéguen, J., and Hamdi, S., 2013, Pumpkin (*Cucurbita maxima*) Seed Proteins: Sequential Extraction Processing and Fraction Characterization, *J. Agric. Food Chem.*, 7715-7721.
- Ritu and Gupta, A., 2014, Fortification of Foods with Vitamin D in India, *J. Nutrients*, 6, 3601-3623.
- Rodríguez-Ambriz, S.L., Martínez-Ayala, A.L., Millaín, F., and Da'vila-Ortiz, G., 2005, Composition and Functional Properties of *Lupinus campestris* Protein Isolates, *Plant Food Hum. Nutr.*, 60, 99-107.
- Rohman, A., dan Sumantri, 2007, *Analisis Makanan*, Gadjah Mada University Press, Yogyakarta.
- Ryan, K.O., 2009, *Protein: Element of Human Nutrition*, Learning Seed, Chicago.
- Sgarbieri, V.C., 1987, *Alimentacao e Nutricao Fator de Saude e Desenvolvimento*, UNICAMP Campinas, Brazil.
- Subaryono, Irianto, H.E., dan Indriati, N., 2003, Fortifikasi Ikan pada Emping Melinjo, *J. Perikanan*, 9(5), 85-94.
- Sudarmadji, 1989, *Teknik Analisa Biokimia*, Pusat Antar Universitas Pangan dan Gizi, Universitas Gadjah Mada, Yogyakarta.
- Sudarmadji, S., Haryono, dan Suhardi, 1997, *Prosedur untuk Uji Analisa Makanan dan Pertanian*, Liberty, Yogyakarta.
- Suliman, M.A., El-Tinay, A.H., and Elkhalifa, A.E.O., 2006, Solubility as Influenced by NaCl Concentration and Functional Properties of Lentil Protein Isolate, *Pak. J. Nutr.*, 5(6), 589-593.
- Sultana, R. and Gulzar, T., 2012, Proximate Analysis of *Adenanthera pavonina L.* Seed Oil, A Source of Lignoceric Acid Grown in Pakistan, *J. Am. Oil. Chem. Soc.*, 89, 1611-1618.
- Tacon, G.J., 1994, *Feed Ingredients for Carnivorous Fish Species Alternative to Fishmeal and Other Fishery Resources*, FAO Fisheries Circular, Roma.
- Triyono, A., 2010, *Mempelajari Pengaruh Penambahan Beberapa Asam Pada Proses Isolasi Protein Terhadap Tepung Protein Isolat Kacang Hijau*

(*Phaseolus radiates L.*), Balai Besar Pengembangan Teknologi Tepat Guna-LIPI, Subang.

UNICEF, 2012, *The State of The World's Children 2012 Children in an Urban World*, Brodock Press Inc., New York.

Vidotti, R.M., Viegas, E.M.M., and Carneiro, D.J., 2003, Amino Acid Composition of Processed Fish Silage Using Different Raw Materials, *Anim. Feed Sci. Technol.*, 105, 199-204.

Wu, J.G., Shi, C.H., and Zhang, X.M., 2002, Estimating The Amino Acid Composition in Milled Rice by Near-Infrared Reflectance Spectroscopy, *Field Crop. Res.*, 75, 1-7.

Yang, X.S., Wang, L.L., Zhou, X.R., Shuang, S.M., Zhu, Z.H., Li, N., Li, Y., Liu, F., Liu, S.C., Lu, P., Ren, G.X., and Dong, C., 2013, Determination of Protein, Fat, Starch, and Amino Acids in Foxtail Millet [*Setaria italica (L.) Beauv.*] by Fourier Transform Near-Infrared Reflectance Spectroscopy, *Food Sci. Biotechnol.*, 22(6), 1495-1500.

Yuliana, M., Truong, C.T., Huynh, L.H., Ho, Q.P., and Ju, Y.H., 2014, Isolation and Characterization of Protein Isolated from Defatted Cashew Nut Shell: Influence of pH and NaCl on Solubility and Functional Properties, *J. Food Sci. Technol.*, 55(2), 621-26.