

## TABLE OF CONTENT

	Page
COVER PAGE .....	i
APPROVAL SHEET .....	ii
PREFACE .....	iii
TABLE OF CONTENT .....	iv
LIST OF TABLES .....	v
LIST OF FIGURES .....	vi
INTISARI .....	vii
ABSTRACT .....	viii
 I. INTRODUCTION .....	 1
1.1. Backgorund .....	1
1.2. Aim of Research .....	1
1.3. Use of Research.....	2
 II. LITERATURE REVIEW .....	 4
 III. METHOD .....	 8
3.1. Insect rearing .....	8
3.2. Effect of temperature to egg hatchability .....	9
3.3. Effect of temperature to egg hatchability of eggs infested into fruits .....	9
3.4. Effect of temperature to survivorship of imature stages of <i>B. albistrigata</i> .....	11
3.4.1. Egg stage .....	11
3.4.2. Larval stage .....	11
3.4.3. Pupal stage .....	12
3.4.4. Data recording .....	12
 IV. RESULTS AND DISSCUSSION.....	 13
4.1 Effect of temperature to egg hatchability .....	13
4.2 Effect of temperature to development and survival of <i>B. albistrigata</i> .....	16
 V. CONCLUSION .....	 25
 REFERENCES.....	 26

## LIST OF TABLE

### Page

Table. 4.1 Effect of temperature to egg hatchability in laboratory conditions .....	13
Table 4.2 Effect of temperature to survivorship (mean±SD) and development time (mean±SD) of <i>B. albistrigata</i> in laboratory conditions.....	16
Table 4.3 Survivorship and sex ratio of <i>B. albistrigata</i> at several temperature..... in laboratory conditions.....	20

## LIST OF FIGURES

### Page

Figure 3.1 (a) Holes in guavas were made using a template (b) A circle cutting made on top of the hole (c) Measuring depth of holes (d) <i>B. albistigata</i> eggs infested into guavas (e) Black cloths putted on top of eggs (f) Infested guavas putted into plastic boxes .....	10
Figure 3.2 (a) Infested artificial diets placed in plastic boxes (b) Artificial diets placed on petridishes .....	11
Figure 4.1 (a) Egg hatching at temperature of 28°C (b) Egg hatched observed at temperature of 34°C shows brown color .....	14
Figure 4.2 Dry pupa from temperature of 34°C due to the lost of moisture at high temperature .....	18
Figure 4.3 (a) Number of egg hatch per 3 hour interval (b) Pupa formation each day (c) Imago emergence each day .....	19