

DAFTAR PUSTAKA

- Achanzar, WE., Diwan, BA., Liu, J., Quader, ST., Webber, MM., and Waalkes, MP. Cadmium-induced Malignant Transformation of Human Prostate Epithelial Cells. *Cancer Res.* 2001;61:455-8
- Arlen PM, Fernando B, William LD, D'AmicoA, William DF, Stephen JF, et al.. Prostate Specific Antigen Working Group Guidelines on Prostate Specific Antigen Doubling Time. *The Journal of Urology.* 2008;179: 2181-6
- Arriazu R, Pozuelo JM, Henriques-Gil N, Perucho T, Martin R, Rodriguez R, et al. Immunohistochemical Study of Cell Proliferation, BCl-2, p53, and Caspase-3 Expression on Preneoplastic Changes Induced by Cadmium and Zinc Chloride in the Ventral Rat Prostate. *J Histochem Cytochem.* 2006;54(9):981-90
- Baillargeon J. Brad HP, Alan RK., Patrick B, Javier H, Joseph B, et al. The Association of Body Mass Index and Prostate-Specific Antigen in a Population-Based Study. *Cancer.* 2005;103: 1092-5
- Bhasin, S. and Jameson, JL. Disorders of the testes and male reproductive system. In Kasper DL., Fauci AS., Longo DL., Braunwald E., Hauser SL., Jameson JL. *Harrison's Endocrinology.* The McGraw-Hill Companies, Inc.2006:173-6
- Borofsky ND., Vogelman JH., Krajcik RA., Orentreich N. Utility of insulin-like growth factor-1 as a biomarker in epidemiologic studies. *Clin Chem.* 2002 Dec;48(12):2248-51.
- Brabant G and Wallaschofsi H. Normal levels of serum IGF-I: determinants and validity of current reference ranges. *Pituitary* 2007;10 : 129-33
- Burns, DK. Sistem Genitalia Laki-laki. Dalam eds Kumar, V; Cotran, RS; Robbins, SL; alih bahasa Pendit, BU; ed edisi bahasa Indonesia Hartanto H; Darmaniah N; Wulandari N. *Buku Ajar Patologi Robbins.* ed 7. EGC. Jakarta. 2007:746-9
- Burton, A.J., Martin, R.M., Donovan, J.L., Lane, J.A., Davis, M., Hamdy, F.C., et al. Associations of lifestyle factors and anthropometric measures with repeat PSA levels during active surveillance/monitoring. *Cancer Epidemiol Biomarkers Prev.* 2012 Oct;21(10):1877-85

- Chen, Ying Ying, Jin Yong Zhu, King Ming Chan. Effects of Cadmium on Cell Proliferation, Apoptosis, and Proto-oncogene Expression in Zebrafish Liver Cells. *Aquatic Toxicology*. 2014; 157 : 196-206
- Cho YA, Kim J, Woo HD, Kang M. Dietary cadmium intake and the risk of cancer: a meta-analysis. *PLoS One*. 2013 Sep 17;8(9):e75087
- Chokkalingam, AP., Pollack, M., Fillmore, CM., Gao, YT., Stanckzyk, FZ., Deng, J., Sesterhenn, IA., Mostofi, FK., Fears, TR., Madigan, MP., Ziegler, RG., Fraumeni Jr, JF. and Hsing, AW. Insulin-like Growth Factors and Prostate Cancer : A Population-based Case-Control Study in China. *Cancer Epidemiol Biomarkers Prev*, 2001;10(5):421-7
- Clemmons DR. Modifying IGF-1 Activity : An Approach to treat Endocrine Disorder, Atherosclerosis, and Cancer. *Drug Discovery*. 2007;(6) : 821-33
- Coric, J., Mujic, J., Kucukalic, E. and Ler, D. Prostate-Specific Antigen (PSA) and Prostate Volume: Better Predictor of Prostate Cancer for Bosnian and Herzegovina Men. *Open Biochem J*. 2015 May 15;9:34-6
- Cramer, SD., Chang, BL., Rao, A., Hawkins, GA., Zheng, SL., Wade, AN., Cooke RTA., Thomas, LN., Bleecker, ER., Catalona, WJ., Sterling, DA., Meyers, DA., Ohar, J. and Xu, J. Association Between Genetic Polymorphisms in the Prostate-Specific Antigen Gene Promoter and Serum Prostate Antigen Levels. *J Natl Cancer Inst*. 2003;95(14):1044-53
- Cramer SD, Sun J, Zheng SL, Xu J and Peehl DM. Association of Prostate-Specific Antigen Promoter Genotype with Clinical and Histopathologic Features of Prostate Cancer. *Cancer Epidemiol Biomarkers Prev*. 2008;17(9):2451-7
- De Coster S, Koppen G, Bracke M, Schroyen C, Den Hond E, Nelen V, et al. Pollutant Effects on Genotoxic Parameters and Tumor-associated Protein Levels in Adults : a Cross Sectional Study. *Environ Health*. 2008;7:26
- Depkes RI. Kajian kondisi kerja pada sektor/UKM dan dampaknya pada kesehatan pekerja. Jakarta: Departemen Kesehatan. 2008
- Djavan, B., Bursa, B., Seitz, C., Soeregi, G., Remzi, M., Basharkhah, A., et al. Insulin-like growth factor 1 (IGF-1), IGF-1 density, and IGF-1/PSA ratio for prostate cancer detection. *Urology*. 1999 Oct;54(4):603-6.

- El-Atta HM, El-Bakary AA, Attia AM, Lotfy A, Khater SS, Elsamanoudy AZ, Abdalla HA. DNA fragmentation, caspase 3 and prostate-specific antigen genes expression induced by arsenic, cadmium, and chromium on nontumorigenic human prostate cells. *Biol Trace Elem Res*. 2014 Dec;162(1-3):95-105
- Fernandez M, Sanchez-Franco F, Palacios N, Sanchez I, Cacicedo L. IGF-1 Inhibits Apoptosis through the Activation of the Phosphatidylinositol 3-kinase/ Akt Pathway in Pituitary Cells. *Journal of Molecular Endocrinology*, 2004;33 : 155-63
- Golbabaie F., Seyedsomea M., Ghahri A., Shirkhanloo H., Khadem M., Hassani H., et al. Assessment of welders exposure to carcinogen metals from manual metal arc welding in gas transmission pipelines, Iran. *Iran J Public Health*. 2012;41(8):61-70
- He, P., Lu, Y., Liang, Y., Chen B, Wu, M., Li, S., et al. Exposure assessment of dietary cadmium: findings from Shanghainese over 40 years, China. *BMC Public Health*. 2013 Jun 18;13:590
- Heald, A. H., Anderson S. G., Ivison F., Laing I., Gibson J. M., Cruickshank K.. 2003. C-reactive protein and the insulin-like growth factor (IGF)-system in relation to risk of cardiovascular disease in different ethnic groups. *Atherosclerosis* 170:79–86
- Hoyo, C., Grubber, J., Demark-Wahnefried, W., Lobaugh, B., Jeffreys, A.S., Grambow, S.C., et al. Predictors of variation in serum IGF1 and IGFBP3 levels in healthy African American and white men. *J Natl Med Assoc*. 2009 Jul;101(7):711-6.
- Huang, YT., Lin, X., Liu, Y., Chirieac, L.R., McGovern, R., Wain, J., et al. Cigarette smoking increases copy number alterations in nonsmall-cell lung cancer. *Proc Natl Acad Sci U S A*. 2011 Sep 27;108(39):16345-50
- Hulley SB and Cummings SR. *Designing Clinical Research*. Williams and Wilkins. Baltimore USA.1988.
- Huncharek M, Haddock KS, Reid R, Kupelnick B. Smoking as a risk factor for prostate cancer: a meta-analysis of 24 prospective cohort studies. *Am J Public Health*. 2010 Apr;100(4):693-701
- Idham, M. *Studi tentang Pemaparan Fume Kadmium dan Penggunaan Alat Pelindung Diri dengan Kadar Kadmium dalam Darah Pekerja di Bagian*

Pengelasan PT. YIMM tahun 2004. Thesis. Program Sudi Magister Kesehatan dan Keselamatan Kerja Fakultas Kesehatan Masyarakat Universitas Indonesia.2004.

Jenny-Burri, J., Haldimann, M., Brüscheiler, B.J., Bochud, M., Burnier, M., Paccaud, F., Dudler V. Cadmium body burden of the Swiss population. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2015 Aug;32(8):1265-72

Jesser C, Mucci L, Farmer D, Moon C, Li H, Gaziano JM, Stampfer M, Ma J, Kantoff P. Effects of G/A polymorphism, rs266882, in the androgen response element 1 of the PSA gene on prostate cancer risk, survival and circulating PSA levels. *Br J Cancer.* 2008 Nov 18;99(10):1743-7

Jeyaratnam, J., David K. *Buku Ajar Praktik Kedokteran Kerja.* EGC, Jakarta. 2010:35-36.

Kadiyala, S. Are US Cancer Screening Test Patterns Consistent with Guideline Recommendations with Respect to the Age of Screening Initiation. *BMC Health Services Research*, 2009;9:185

Kirzkova S, Marketa R, Jaromir G, Michal M, Vojtech A, Petr M. Electrophoretic Fingerprint Metallothionein Analysis as A Potential Prostate Cancer Biomarker. *Electrophoresis.* 2011;23:1952-61

Ketelslegers, HB., Gottschalk, RWH., Koppen, G., Schoeters, G., Baeyens, WF., van Larebeke, NA., van Delft, JHM. and Kleinjans, JCS. Multiplex Genotyping as a Biomarker for susceptibility to Carcinogenic Exposure in the FLEHS Biomonitoring Study. *Cancer Epidemiol Biomarkers Prev.* 2008;17(8): 1902-12

Koliakos G, Chatzivasilou D, Dimopoulos T, Trachana V, Paschalidou K, Galiamoutsas V, et al. The significance of PSA/IGF-1 ratio in differentiating benign prostate hyperplasia from prostate cancer. *Dis Markers.* 2000;16(3-4):143-6.

Kucera, R., Treskova, I., Vrzalova, J., Svobodova, S., Topolcan, O., Fuchsova, R., et al. Evaluation of IGF1 serum levels in malignant melanoma and healthy subjects. *Anticancer Res.* 2014 Sep;34(9):5217-20.

Lacorte LM, Delella FK, Porto Amorim EM, Justulin LA Jr, Godinho AF, Almeida AA, et al. Early Changes Induced by Short-term Low-dose Cadmium Exposure

in Rat Ventral and Dorsolateral Prostates. *Microsc Res Tech.* 2011; 75(11):988-97

Lafuente A, Gonzalez-Carracedo A, Marquez N, et al. Oral cadmium exposure throughout puberty does not inhibit secretion of prolactin, GH and ACTH through dopamine metabolism changes in male rat, *J. Trace Elements Med. Biol.* 2002;16(4), 249–54

Lei LJ, Chen L, Jin TY, Nordberg M and Chang XL. Estimation of Benchmark Dose for Pancreatic Damage in Cadmium-Exposed Smelters. *Toxicol Sci.* 2007; 97(1):189-95.

Lilja H, David U, Andrew JV. Prostate-Specific Antigen and Prostate Cancer: Prediction, Detection, and Monitoring. *Nature Reviews Cancer.* 2008;8: 268-278.

Loprinzi PD and Manish K. Effect of Physical Activity and Sedentary Behaviour on Serum Prostate-Specific Antigen Concentrations: Results From the National Health and Nutrition Examination Survey (NHANES), 2003-2006. *Mayo Clinic Proceedings.* 2013;88: 11-21.

Martin, MB., Voeller, HJ., Gelmann, EP., Lu, J., Stoica, EG., Hebert, EJ., Reiter, R., Singh, B., Danielsen, M., Pentecost, E. and Stoica, A. Role of Cadmium in the Regulation of AR gene Expression and Activity. *Endocrinology.* 2002;143(1):263-75

Mazaris E., Tsiotras A. Molecular pathways in prostate cancer. *Nephrourol Mon.* 2013 Jul 1;5(3):792-800

Medeiros R, Morais A, Vasconcelos A, et al. Linkage between polymorphisms in the prostate specific antigen ARE1 gene region, prostate cancer risk, and circulating tumor cells. *Prostate.* 2002;53:88-94

Moitra, S., Brashier, B.B., and Sahu, S. Occupational cadmium exposure-associated oxidative stress and erythrocyte fragility among jewelry workers in India. *Am J Ind Med.* 2014 Sep;57(9):1064-72

Mok, Y., Kimm, H., Shin, SY., Jee, S.H. and Platz, E.A. Screening Prostate-specific Antigen Concentration and Prostate Cancer Mortality: The Korean Heart Study. *Urology.* 2015 May;85(5):1111-6

- Mohmand J, Eqani SA, Fasola M, Alamdar A, Mustafa I, Ali N, Liu L, Peng S, Shen H. Human exposure to toxic metals via contaminated dust: Bio-accumulation trends and their potential risk estimation. *Chemosphere*. 2015 Aug;132:142-51
- Morris JK, George LM, Wu T, Wald NJ. Insulin-like Growth Factors and Cancer: No Role in Screening. Evidence from the BUPA Study and Meta-Analysis of Prospective Epidemiological Studies. *Br J Cancer*. 2006 ; 95 (1) : 112-7
- Mulawan, U. dan Arizal, A. Evaluasi Hasil Pemeriksaan Colok Dubur pada Pasien Pembesaran Prostat untuk Mendeteksi Kanker Prostat. *JURI*. 2007;Jan:14(1):10-2
- Nair AR, Degheselle O, Smeets K, Van Kerkhove E, Cuypers A. Cadmium-Induced Pathologies: Where Is the Oxidative Balance Lost (or Not)? *Int J Mol Sci*. 2013 Mar 18;14(3):6116-43
- Nam, RK., Zhang, WW., Trachtenberg, J., Seth, A., Klotz, LH., Stanimirovic, A., et al. Utility of Incorporating genetic Variants for the Early Detection of prostate Cancer. *Clin Cancer Res*. 2009;15(5):1787-93
- Nasar, IM. Saluran Kemih Bagian Distal dan Alat Kelamin Pria. Dalam Himawan, S. *Kumpulan Kuliah Patologi*. Bagian Patologi Anatomi Fakultas Kedokteran Universitas Indonesia. Jakarta, 1979:304-7
- National Research Council (US) Subcommittee on Zinc Cadmium Sulfide. *Toxicologic Assessment of the Army's Zinc Cadmium Sulfide Dispersion Tests*. Washington (DC): National Academies Press (US); 1997.
- Neslund-Dudas C, Kandegedara A, Kryvenko ON, Gupta N, Rogers C, Rybicki BA, Dou QP, Mitra B. Prostate tissue metal levels and prostate cancer recurrence in smokers. *Biol Trace Elem Res*. 2014 Feb;157(2):107-12
- Nogué S., Sanz-Gallén P., Torras A., Boluda F. Chronic overexposure to cadmium fumes associated with IgA mesangial glomerulonephritis. *Occup Med (Lond)*. 2004 Jun;54(4):265-7
- Palar, H. *Pencemaran dan Toksikologi Logam Berat*. Jakarta : PT RINEKA CIPTA.2008.

- Palmiter, R.D., Norstedt, G., Gelinas, R.E., Hammer, R.E. and Brinster RL. Metallothionein-human GH fusion genes stimulate growth of mice. *Science*. 1983 Nov 18;222(4625):809-14.
- Park, S.Y., Haiman, C.A., Cheng, I., Park, S.L., Wilkens, L.R., Kolonel, L.N., et al. Racial/ethnic differences in lifestyle-related factors and prostate cancer risk: the Multiethnic Cohort Study. *Cancer Causes Control*. 2015 Oct;26(10):1507-15
- Pashayan, N., Pharoah, P., Neal, DE., Hamdy, F., Donovan, J., Martin, RM., Greenberg, D., Duffy, SW. Stage Shift in PSA Detected Prostate Cancers-Effect Modification by Gleason Score. *J Med Screen*. 2009;16(2) : 98-101
- Piscator, M. Role of Cd in Carcinogenesis with Special Reference to Cancer of the Prostate. *Environ Health Perspect*. 1981; 40:107-20
- Pizent A, olak B, Kljakovi Ga pi Z and Teli man S. Prostate-specific Antigen in Serum in Relation to Blood Lead Concentration and Alcohol Consumption in Men. *Arh Hig Rada Toksiko*. 2008;60(1):69-78
- Qadri Q, Sameer AS, Shah ZA, Hamid A, Alam S, Manzoor S, et al. Genetic Polymorphism of the Glutathione-S-Transferase P1 gene (GSTP1) and Susceptibility to Prostate Cancer in the Kashmiri Population. *Genetic and Molecular Research*. 2011;10(4):3038-45
- Qu, W., Ke, H., Pi, J., Broderick, D., French, JE., Webber, MM. and Waalkes, MP. 2007. Acquisition of Apoptotic Resistance in cadmium-Transformed Human Prostate Epithelial Cells : Bcl-2 Overexpression Blocks the Activation of JNK Signal Transduction Pathway. *Environ Health Perspect*. 2007;115(7):1094-100
- Renehan AG, Zwahlen M, Minder C, O'Dwyer ST, Shalet SM, Egger M. Insulin-like growth factor (IGF)-I, IGF binding protein-3, and cancer risk: systematic review and meta-regression analysis. *Lancet*. 2004 Apr 24;363(9418):1346-53
- Roith, Derek Le. 1997. Insuline-like Growth Factor. *The New England Journal of Medicine, February, 1997*. Vol. 336 (9) : 633-640
- Roberts, C.T.Jr. IGF-1 and prostate cancer. *Novartis Found Symp*. 2004;262:193-9
- Rumahlatu, D. Kontaminasi Logam Berat Kadmium Pada Air, Sedimen, dan Deadema setosum (Echinodermata, Echinoidea) di Perairan Pulau Ambon. *Ilmu Kelautan*. 2011;16: 78-85.

Samzadeh M, Hasanazad M, Jamaldini SH, Haghdooost AA, Afshari M and Ziaee SAM. Association of G/A Polymorphism, rs 266882, in AREI Region of the Prostate-Specific Antigen Gene with prostate Cancer and Clinicopathological Features. *Urology Journal*.2012;9(4):691-9

Said NI. *Teknologi Pengelolaan Air Minum “Teori dan Pengalaman Praktis”*. Badan Pengkajian dan Penerapan Teknologi, Jakarta. 2008

Sarkar A, Geethanjali R, Vishnuvardhan K. 2013. A Brief Review on the Effect of Cadmium Toxicity : From Cellular to Organ Level. *International Journal of Bio-Technology and Research*, 2013, Vol 3 (1) : 17-35

Schneider HJ, Saller B, Klotsche J, März W, Erwa W, Wittchen HU, Stalla GK. Opposite associations of age-dependent insulin-like growth factor-I standard deviation scores with nutritional state in normal weight and obese subjects. *Eur J Endocrinol*. 2006 May;154(5):699-706

Severi G, Hayes VM, Neufing P, Padilla EJD, Tilley WD, Eggleton SA, et al. Variants in the Prostate-Specific Antigen (PSA) Gene and prostate Cancer Risk, Survival and Circulating PSA. *Cancer Epidemiol Biomarkers Prev*. 2006;15(6): 1142-7

Skottner, A. Biosynthesis of Growth Hormon and Insuline-like Growth Factor-1 and the Regulation of their Secretion. *The Open Endocrinology Journal*. 2012 (6) : 3-12

Song J, Park H and Lee G. Contribution of Genetic Variation rs266882 to Prostate Spesific Antigen Levels in Healthy Control with Serum PSA Below 2.0 ng/ml. *Biochem Genet*. 2013;51(3-4):264-74

Teas J, Joan EC, Jay HF, Daniela N, Kanwat CP, Boulware RJ, Daniel WS, Thomas GH, James RH. Urinary Estrogen Metabolites, Prostate Specific Antigen, and Body Mass Index among African-American Men in South Carolina. *Cancer Detection and Prevention*. 2005;29: 494-500.

Turgut S., Kaptanoglu B., Turgut G., Emmungil G., Genç O. Effects of Cadmium and Zinc on Plasma Levels of Growth Hormone, Insulin-like Growth Factor I, and Insulin-like Growth Factor-Binding Protein 3. *Biological Trace Element Research Vol*. 2005;108 : 197-204

Umbas R. Pengukuhan Guru Besar UI Prof. Raainy Umbas dan Prof. Benny S. Latief. www.ui.ac.id/id/news/archive/4320. access 20 April 2013

Ungvari, Zoltan, Sosnowska D, Podlutsky A, Koncz P, Sonntag WE, Csiszar A. Free Radical Production, Antioxidant Capacity, and Oxidative Stress Response

- Signatures in Fibroblasts From Lewis Dwarf Rats: Effects of Life Span-Extending Peripubertal GH Treatment. *J Gerontol A Biol Sci Med Sci*. 2011; 66A(5) : 501–10
- Vaessen N, Heutink P, Janssen JA, Witteman JC, Testers L, Hofman A, Lamberts SW, Oostra BA, Pols HA, van Duijn CM. A polymorphism in the gene for IGF-I: functional properties and risk for type 2 diabetes and myocardial infarction. *Diabetes* 2001;50(3):637–42
- van Wijngaarden E., Eric AS., Ganesh SP. Prostate-Specific Antigen Levels in Relation to Cadmium Exposure and Zinc Intake: Results From the 2001 – 2002 National Health and Nutrition Examination Survey. *The Prostate*. 2008;68: 122-128
- Waalkes, MP., Rehn, S., Riggs, CW., Bare, RM., Devor, DE., Poirier, LA., Wenk, ML., Henneman, JP. and Balaschak, MS. Cadmium Carcinogenesis in Male Wistar (CrI:(WI)BR) Rats : Dose-Response Analysis of Tumor Induction in the Prostate and Testes and at the Injection Site. *Cancer Res*. 1988;48 : 4656-4663
- Waalkes, MP., Anver, M. and Diwan, BA. Carcinogenic Effects of Cadmium in the Noble (NBL/Cr) Rat : Induction of Pituitary, Testicular, and Injection Site Tumors and Intraepithelial Proliferative Lesions of the Dorsolateral Prostate. *Toxicol Sci*. 1999;52(2):154-61
- Wang Y, Hailey J, Williams D, Wang Y, Lipari P, et al.. Inhibition of Insulin-like Growth Factor-I Receptor (IGF-IR) Signaling And Tumor Cell Growth By A Fully Human Neutralizing Anti-IGF-IR Antibody. *Molecular Cancer Therapeutic*. 2005;4(8)
- Widowati W, Sastiono A, Jusuf RR. *Efek Toksik Logam Pencegahan dan Penanggulangan Pencemaran*. Penerbit Andi, Yogyakarta. 2008
- Wirjosumarto, Harsono dan Okumura, T. 2000. *Teknologi Pengelasan Logam*. Jakarta:Pradnya Paramita.
- Wittman R and Hu H. Cadmium Exposure and Nephropathy in a 28-Year-Old Female Metals Worker. *Environmental Health Perspectives*. 2002;110 (12) : 1261-1266
- Wu, C., Yeong S. P., Hsi-Chin W., Chun-Yuh Y., Yi-Chun C.. 2011. Reversed Association between Levels of Prostate Specific Antigen and Levels of Blood Cadmium and Urinary Cadmium. *Chemosphere*. 83: 1188-1191.

- Xue WM, Coetzee GA, Ross RK, et al. Genetic determinants of serum prostate-specific antigen levels in healthy men from a multiethnic cohort. *Cancer Epidemiol Biomarkers Prev.* 2001;10:575-9
- Yu M., Humio T., Masashi T. *Environmental Toxicology–Biological and Health Effects of Pollutants*. CRC Press, New York. 2011: 204-213.
- Yusuf A., Taufeq M., Andi WI. 2013. Aspek Kesehatan dan Keselamatan Kerja (K3) pada Pekerja yang Terpapar Kadmium di Bengkel Las dan Konstruksi Besi Surya Teknik Makassar. *Laporan Penelitian*. Fakultas Kedokteran. Universitas Hasanuddin, Makassar. (Tidak dipublikasikan).
- Zeng, X., Jin, T., Jiang, X., Kong, Q., Ye, T. and Nordberg, GF. Effects on the Prostate of Environmental Cadmium Exposure – A Cross-sectional Study Population Study in China. *Biometals*. 2004;17:559-65