

## DAFTAR PUSTAKA

- Al Dallal, F.H., Grant, I.N. (2012). Postnatal Depression among Bahraini Women: Prevalence of Symptoms & Psychosocial Risk Factors. *Eastern Mediterranean Health Journal*. Vol. 18, No. 5.
- Alkar, O.Y., Gencoz, T. (2005). Critical factors associated with early postpartum depression among Turkish women. *Contemporary Family Therapy* 27(2).
- American College of Obstetricians & Gynecologists. (2007). *Strategies for Adolescent Pregnancy Prevention*. Women's health Physicians. Diakses dari [www.acog.org](http://www.acog.org).
- American Psychiatric Association. (2005). *Diagnostic & statistical manual of mental disorders fourth edition*. Washington, DC.
- Andersen, S. M., Chen, S. (2002). The relational self: An interpersonal social-cognitive theory. *Psychological Review*, 109, 619–645.
- Arikunto, S. (2010). *Prosedur penelitian suatu pendekatan praktik*. Edisi revisi cetakan ke-14. Jakarta: Rineka Cipta.
- Badan Pusat Statistik (BPS). (2007). *Gunung Kidul dalam angka*. Yogyakarta.
- Barr, J.A. (2006). Postpartum depression, delayed maternal adaptation, & mechanical caring infant: A phenomenological hermeuneutic study. *International Journal of Nursing Studies*. 45. 362-369.
- Baum, A., Revenson, T.A., Singer, J. (2012). *Handbook of health psychology*. Second Edition. Taylor & Francis Group : New York.
- Biekeland, R., Thompson, J., Kevin., Phares, V. (2005). Adolescent motherhood & postpartum depression. *Journal of clinical child & Adolescent Psychology*. Vol. 34, No. 2, 292-300.
- Chaaya, M., Campbell, O.M.R., Kak, F.E., Shaar, D., Harb, H., Kaddour, A. (2002). Postpartum depression: prevalence & determinants in Lebanon. *Archives of Women's Mental Health* 5 (2), 65–72.
- Chee, C.Y.I., Lee, D.T.S., Chong, Y.S., Tan, L.K., Ng, T.P., Fones, C.S.L. (2005). Confinement & other psychosocial factors in perinatal depression: a transcultural study in Singapore. *Journal of Affective Disorders* 89 (1), 157–166.
- Chen, C.H. (1996). Postpartum depression among adolescent mothers & adultmothers. *Kaohsiung J Med Sci*;12:10.
- Chien, L.Y., Tai, C.J., Ko, Y.L., Huang, C.H., Sheu, S.J. (2006). Adherence to Doing-the-month practices is associated with fewer physical & depressive symptoms among postpartum women in Taiwan. *Research in Nursing & Health* 29 (5), 374–383.

- Cox, J. L., Holden, J. M., Sagovsky, R. (1987). Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782–786.
- deCastro, F., Ayala, N.H., Prado, B.H. (2011). Risk & protective factors associated with postnatal depression in Mexican adolescents. *Journal of Psychosomatic Obstetrics & Gynecology*. 32(4); 210-217.
- Deng, Ai-Wen., Xion, Ri-Bo., Jiang, Ting-Ting., Luo, Ying Ping., Chen, Wang-Zhong. (2014). Prevalence & risk factors of postpartum depression in a population-based sample of women in Tangxia community, Guangzhou. *Asian Pacific Journal of Tropical Medicine*. 244-249.
- Dinas Kesehatan Kabupaten Gunung Kidul. (2013). *Data Rekap Tahun 2013 Kabupaten Gunung Kidul*.
- Edhborg, M., Matthiesen, A.S., Lundh, W., Widstrom, A.M. (2005). Some early indicators for depressive symptoms & bonding 2 months postpartum-a study of new mothers & fathers. *Archives of Women's Mental Health* (8); 221-231.
- Edwards, G.D., Shinfuku, N., Gittelman, M., Ghozali, E.W., Hnaiman, F., Wibisono, S., Yamamoto, K., Miyaji, N.T., Rappe, P. (2006). Postnatal depression in Surabaya, Indonesia. *International Journal of Mental Health*, vol. 35, no. 1, pp.62-74.
- Elvira, S.D. (2006). *Depresi pasca melahirkan*. EGC: Jakarta.
- Evans, M., Donelle, L., Hume-Loveland, L. (2012). Social support and online postpartum depression discussion groups: A content analysis. *Patient Education and Counseling*. 405-410.
- Family Planning & Contraceptive Research. (2011). Relationships between adolescent mothers and their peers during the transition to parenthood. Department of Obstetrics & Gynecology, The University of Chicago. Diakses tanggal : 14 Januari 2016, Pukul: 9.48 PM, Website : <http://familyplanning.uchicago.edu/research/studies-by-topic/postpartum-abcs/Peers.pdf>
- Figuciredo, B., Pacheco, A., Costa, R. (2007). Depression during pregnancy & the postpartum period in adolescent & adult portuguese mothers. *Archives Womens Mental Health*. 10: 103-109.
- Fisher, J.R.W., Morrow, M.M., Ngoe, N., Anh, H. (2004). Prevalence, nature, severity, & correlates of postpartum depressive symptoms in Vietnam. *International Journal of Obstetrics & Gynaecology* 111 (12), 1353–1360.
- Grace, J., Lee, K.K., Ballard, C., Herbert, M. (2001). The relationship between post-natal depression, somatisation, & behaviour in Malaysian Women. *Transcultural Psychiatry* 38 (1), 27–34.
- Haryanti, P. (2010). *Hubungan Kesiapan Menjadi Orang Tua Baru dengan Tingkat Depresi Post Partum pada Pasien Primipara dengan Tindakan*

*Sectio Caesarea di Rumah Sakit Bethesda Yogyakarta.* Skripsi, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.

- Halbreich, U., Karkun, S., 2006. Cross-cultural and social diversity of prevalence of postpartum depression and depressive symptoms. *Journal of Affective Disorders* 91 (2), 97–111.
- Herguner, S., Cicek, E., Annagur, A., Herguner, A., Ors, R. (2014). Association of delivery type with postpartum depression, perceived sosial support & maternal attachment. *The Journal of Psychiatry & Neurological Sciences.* 27;15-20.
- Herlina. (2008). *Hubungan Tingkat Dukungan Sosial dengan Tingkat Depresi pada Ibu Postpartum di Ruang Anggrek 2 RSUP DR. Sardjito Yogyakarta.* Skripsi, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Horberg, E.J., Chen, S. (2010). *Significant others* and contingencies of self-worth: activation and consequences of relationship-specific contingencies of self-worth. *Journal of Personality and Social Psychology.* Vol. 98, No.1, 77-91.
- Hutagaol, E.T. (2010). *Efektivitas Intervensi Edukasi pada Depresi Postpartum.* Tesis. Universitas Indonesia.
- Ibrahim, F., Rahma. Ikhsan, M. (2012). *Faktor-faktor yang berhubungan dengan depresi postpartum di RSIA Pertiwi Makassar tahun 2012.* Fakultas Kesehatan Masyarakat Universitas Hassanudin.
- James, S.R., Ashwill, J.W. (2007). *Nursing care of children: principles & practices.* Third Edition, Saunders Elseveir.
- Jeong, H.G., Lim, J.S., Lee, M.S., Kim, S.H., Jung.I.K., Joe, S.H. (2013). The association of psychosocial factors and obstetric history with depression in pregnant women: focus on the role of emotional support. *General Hospital Psychiatry.* 36: 354-358.
- Kaplan, H.I., Sadock. B.J. (1997). *Sinopsis psikiatri.* Edisi Ketujuh. Binatupa Aksara: Jakarta.
- Klainin, P., Arthur, D.G. (2009). Postpartum depression in Asian cultures: A literature review. *International Journal of Nursing Studies.* 46:1355-1373.
- Koo, V., Lynch, J., Copper, S. (2003). Risk of postnatal depression after emergency delivery. *Journal of Obstetrics & Gynaecology Research* 29 (4), 246-250.kim, et al
- Lara, M.A., Berenzon, S., Garcia, F.J., Mora, M.E., Rey, G.N., Velazquez, J.A., Lopez, M. (2012). Population study of depressive symptoms & risk factors in pregnant & parenting Mexican adolescents. *Rev Panam Salud Publica.* 31(2): 102-8.
- Leahy;Warren, P., McCarthy, G., Corcoran, P. (2011). Postnatal depression in first-time mothers: prevalence and relationships between functional and

- structural social support at 6 and 12 weeks postpartum. *Archives of Psychiatric Nursing*. Vol. 25, No. 3 (June): pp 174-184.
- Leung, S.S., Arthur, D., Marinson, I.M. (2005a). Perceived stress & support of the Chinese postpartum ritual “doing the month”. *Health Care for Women International* 26 (3), 212–224.
- Leung, S.S., Marinson, I.M., Arthur, D. (2005b). Postpartum depression & related psychosocial variables in Hong Kong Chinese women: findings from a prospective study. *Research in Nursing & Health* 28 (1), 27–38.
- Loaiza, E., Liang, M. (2013). *Adolescent pregnancy; a review of the evidence*. UNFPA. New york
- Miyake, Y., Sasaki, S., Tanaka, K., Yokoyama, T., Ohya, Y., Fukushima, W. (2006a). Dietary folate & vitamins B12, B6, & B2 intake & the risk of postpartum depression in Japan: the Osaka maternal & child health study. *Journal of Affective Disorders* 96 (1-2), 133–138.
- Miyake, Y., Sasaki, S., Yokoyama, T., Tanaka, K., Ohya, Y., Fukushima, W. (2006b). Risk of postpartum depression in relation to dietary fish & fat intake in Japan: the Osaka maternal & child health study. *Psychological Medicine* 36 (12), 1727–1735.
- Miyake, Y., Tanaka, K., Sasaki, S., Hirota, Y. (2011). Employment, income, & education & risk of postpartum depression: The Osaka Maternal & Child Health Study. *Journal of Affective Disorders*. 130: 133-137.
- Murray, L., Cooper, P.J. (1997). Effects of postnatal depression on infant development. *Department of Psychology. The University of reading, Whiteknights*.
- Narendra, M.B., Sularyo, T.S., Soetjningsih, Suyitno, H., Ranuh, IG.N.G., Wiradisuka, S. (2008). *Tumbuh Kembang Anak dan Remaja*. Sagung Seto: Jakarta.
- National Childbirth Trust. (2011). *Postnatal depression-the impact for woman & children & intervention to enhance the mother-infant relationship*. Diakses dari [www.nctprofessional.co.uk](http://www.nctprofessional.co.uk)
- Nunes, A.P., Phipps, M.G. (2013). Postpartum depression in adolescent & adult mothers; comparing prenatal risk factors & predictive models. *Matern Child Health J* 17;1071-1079.
- Notoatmodjo. (2012). *Metode Penelitian Kesehatan*. Rineka Cipta: Jakarta.
- Nugroho, I. P. S. (2008). *Hubungan Dukungan Keluarga dengan Kejadian depresi Post Partum pada Ibu pasca Melahirkan di Puskesmas Tegalrejo, Yogyakarta*. Skripsi, Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- O'Hara, M., Swain, A. (1996). Rates & risk of postpartum depression - a meta-analysis. *International Review of Psychiatry*, 8, 37-54.

- Ogden, J. (2012). *Health Psychology*. Fifth Edition. The McGraw-Hill companies.
- Park, Jeong-hwan, Karmaus, W., Zhang, H. (2015). Prevalence of and risk factors for depressive symptoms in Korean women throughout pregnancy and in postpartum period. *Asian Nursing Research*. 9: 219-225.
- Potter, P.A., Perry, A.G. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik*. Edisi Keempat. Vol. 1. EGC: Jakarta.
- Rahman, A., Creed, F. (2007). Outcome of prenatal depression and risk factors associated with persistence in the first postnatal year: prospective study from Rawalpindi, Pakistan. *Journal of Affective Disorders*. 100: 115-121.
- Rodríguez, M., Patel, V., Jaswel, S., Souza, N. (2003). Listening to mothers: qualitative studies on motherhood & depression from Goa, India. *Social Science & Medicine* 57 (10), 1797–1806.
- Rokhanawati, D. (2009). *Dukungan Sosial Suami dan Perilaku Pemberian ASI Eksklusif di Kabupaten Bantul Yogyakarta*. Tesis, Ilmu Kesehatan Masyarakat Universitas Gadjah Mada, Yogyakarta.
- Segre, L.S., O'Hara, M.W., Arndt, S., Stuart, S. (2007). The prevalence of postpartum depression: The relative significance of three social status indices. *Social Psychiatry Psychiatr Epidemiology*. 42:316-321.
- Setyowati, D.L. (2007). *Perbedaan depresi postpartum ditinjau dari status sosial ekonomi*. Fakultas Psikologi dan Ilmu Sosial Budaya Universitas Islam Indonesia.
- Silva, R., Jensen, K., Souza, L., Quevedo, L., Barbosa, L., Moraes, I., Horta, B., Pinheiro, R. (2012). Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. *Journal of the Brazilian Psychiatric Association*. 34:143-148.
- Stewart, D.E., Robertson, E., Dennis, C.L., Grace, S.L., Wallington, T. (2003). Postpartum Depression: Literature Review of Risk Factors & Interventions. *Toronto Public Health*.
- Stuchbery, M., Matthey, S., Barnett, B. (1998). Postnatal depression and social supports in Vietnamese, Arabic, and Anglo-Celtic mothers. *Soc Psychiatry Psychiatr Epidemiol*. 33: 483-490.
- Sugaryamah, D. (2013). "Hmm, masa si? Tapi, makasih...!" The study of compliment responses of Indonesian young adults and teenagers. *Jurnal Al-Tsaqafa* volume 10, No. 1.
- Sugiyono. (2009). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Alfabeta: Bandung.
- Sumantri, A. (2013). *Metodologi Penelitian Kesehatan*. Cetakan Pertama. Kencana: Jakarta.
- Suryaningrum, M.A. (2009). *Analisis Status Ekonomi sebagai Salah Satu Faktor Resiko Pengambilan Keputusan menikah Usia Dini Remaja Puteri di*

*Kecamatan Nglipar Kabupaten Gunungkidul*. Tesis. Fakultas Kedokteran  
Universitas Gadjah Mada.

Taylor, S.E. (1995). *Health Psychology Third Edition*. McGraw-Hill, Inc., New  
York

Thurgood, S., Avery, D.M., & Williamson, H. Spring (2009). Postpartum  
depression (PPD). *American Journal of Clinical Medicine*. Volume six. No.  
2

Townsend, M.C. (2008). *Essentials of psychiatric mental health nursing*. Fourth  
edition. F.A. Davis Company: Philadelphia.

Udayani. (1998). *Gambaran Depresi pada Wanita Postpartum Primipara di  
RSUP Dr. Sardjito Yogyakarta*. Skripsi, Fakultas Kedokteran Universitas  
Gadjah Mada. Yogyakarta.

UNICEF. (2008). *Young people & family planning: Teenage Pregnancy*.

Ward, S. L., Hisley, S. M. (2009). *Maternal-Child Nursing Care: Optimizing  
Outcomes for Mothers, Children, & Families*. F A Davis Company;  
Philadelphia.

Webster, J, Nicholas, C., Velacott, C., Cridland, N., Fawcett, L. (2011). Quality of  
life & depression following childbirth: impact of social support. *Midwifery*  
27: 745-749.

Wojnar, D.M., Swanson, K.M. (2007). Phenomenology: An Exploration. *Journal  
of Holistic Nursing* 25: 172.

World Health Organization (WHO). (2008). *Adolescent Pregnancy*. Department  
of Making Pregnancy Safer. Volume 1, No. 1.

World Health Organization (WHO). (1996). *Creating Supportive Enviroments for  
Health*. The Third International Conference on Health Promotion, Sweden.

World Health Organization (WHO). (2012). *Early marriages, adolescent & young  
pregnancies*. Sixty-Fifth World Health Assembly. A65/13.

Wu, M., Li, X., Feng, B., Wu, H., Qiu, C., Zgang, W. (2014). Poor sleep quality  
of third-trimester pregnancy is a risk for postpartum depression. *Med Sci  
Monit*. 20: 2740-2745.

Xie, Ri-hua., He, G., Koszycki, D., Walker, M., Wen, S.W. (2009). Prenatal social  
support, postnatal social support, and postpartum depression. *AEP* Vol. 19,  
No. 9: 637-643.

Xie, Ri-hua., He, G., Liu, A., Bradwejn, J., Walker, M., Wen, S.W. (2007). Fetal  
gender & postpartum depression in a cohort of chinese. *Socal Sciences &  
Medicine* 65: 680-684.

Yoshida, K., Yamachita, H., Ueda, M., Tashiro, N. (2001). Postnatal depression in  
Japanese mothers & the reconsideration of “Satogaeri bunben”. *Pediatric  
International* 43 (2), 189–193.



**GAMBARAN DUKUNGAN SIGNIFICANT OTHERS PADA REMAJA YANG BERESIKO MENGALAMI  
DEPRESI POSTPARTUM DI  
KABUPATEN GUNUNG KIDUL**

AKHIRIL FATIYA ISNAENIL LAILY, Widyawati, S.Kp., M.Kes ; Wiwin Lismidiati, S.Kep., Ns., M.Kep., Sp.Kep.Mat

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yusuf, S. (2009). *Psikologi Perkembangan Anak dan Remaja*.