



## DAFTAR PUSTAKA

- Anonim. 2011. Morphology and Development of the Rice Plant. <<https://beaumont.tamu.edu/elibrary/studyricecontest/2011/rice%20plant%20morphology.pdf>>. Diakses tanggal 23 Juni 2014.
- Arikado H. and Y. Adachi. 1955. Anatomical and ecological responses of barley and some forage crops to the flooding treatment. *Bull. Fac. Agric. Mie University. Tsu Mie* 11: 1-29.
- Arsana, D., S. Yahya, A. P. Lontoh, H. Pane. 2003. Hubungan antara penggenangan dini dan potensi redoks, produksi etilen, dan pengaruhnya terhadap pertumbuhan dan hasil padi (*Oryza sativa*) sistem tabela. *Buletin agronomi* 31:37-41.
- Boru, G, T.T. Van Toai. J. Alves, D. Hua. M. Knee. 2003. Response of soybeans to oxygen deficiency and elevated root-zone carbondioxide concentration. *Annals of Botany* 91:447-453.
- Catling, D. 1992. Rice in Deepwater. International Rice Research Institute, Manila.
- Chang, T., E. A. Bardenas. 1965. The Morphology and Varietal Characteristics of the Rice Plant. Technical buletin, Manila.
- Colmer, T.D. 2003. Aerenchyma and an inducible barrier to radial oxygen loss facilitate root aeration in upland, paddy and deep-water rice. *Annals of Botany* 91:301-309.
- Dennis, ES, R. Dolferus, M. Ellis, M. Rahman, Y. Wu, F.U. Hoeren, A. Grover, K.P. Ismond, A.G. Good, and W.J. Peacock. 2000. Molecular strategies for improving waterlogging tolerance in plants. *Journal Experimental Botany* 51(342):89-97.
- Dewi, N. 2009. Respon bibit sawit terhadap lama penggenangan dan pupuk pelengkap cair. *Jurnal agronobis* 1: 117-129.
- Djufry, F. 2013. Seminar Nasional Inovasi Teknologi Pertanian: Penampilan Pertumbuhan dan Produksi Varietas Unggul Baru Padi Rawa pada Lahan Rawa Lebak di Kabupaten Merauke Papua. Balai Pengkajian Teknologi Pertanian Sulawesi Selatan.
- Drew, M.C. and A. Fourcy. 1986. Radial movement of cations across aerencyimatous roots of *Zea mays* measured by electron probe x-ray analysis. *Journal of Experimental Botany*. 37: 823–831.
- Evans. D. E. 2003. Aerenchyma formation. *New Phytology*. 161: 35–49.



- Fox, G.G., N.R. McCallan and R.G. Ratcliffe. 1995. Manipulating cytoplasmic pH under anoxia: a critical test of the role of pH in the switch from aerobic to anaerobic metabolism. *Planta* 195:324-330.
- Gardner, F. P., R. B. Pearce. 1991. Physiology of Crop Plants. Alih bahasa: Herawati S. UI Press, Jakarta.
- Gibbs, J., S. Morrell, A. Valdez, T.L. Setter and H. Greenway. 2000. Regulation of alcoholic fermentation in coleoptiles of two rice cultivars differing in tolerance to anoxia. *Journal Experimental Botany* 51:785-796.
- Glaz, B., D.R. Morris, S.H. Daroub. 2004. Periodic flooding and water table effects on two sugarcane genotypes. *Agronomy Journal* 96:832-838.
- Griest, D.H. 1960. Rice. Longman, Singapore.
- Gunawardena, A., D.M. Pearce, M.B. Jackson, C.R. Hawes, and D.E. Evans. 2001. Characterisation of programmed cell death during aerenchyma formation induced by ethylene or hypoxia in roots of maize (*Zea mays L.*). *Planta* 212: 205–214.
- Hapsari, R, T., M. M. Adie. 2010. Peluang perakitan dan pengembangan kedelai toleran genangan. *Jurnal Litbang Pertanian* 26:50-57.
- Holidi, E. safriyani, Sutejo. 2013. Pertumbuhan Bibit Karet Okulasi Berbagai Umur pada Media Tergenang. *Jurnal lahan suboptimal* 2:190-196.
- IRRI. 2006. Breeding for submergence tolerance. <[http://www.knowledgebank.irri.org/ricebreedingcourse/Breeding\\_for\\_submergence\\_tolerance.htm](http://www.knowledgebank.irri.org/ricebreedingcourse/Breeding_for_submergence_tolerance.htm)>. Diakses pada tanggal 15 Juni 2014.
- Ismunadji, M. Partohardjono, S. Syam, M dan Widjono, A. 1988. Padi. Buku I Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor.
- Jackson, MB. 2002. Long-distance signalling from roots to shoots assessed: the flooding story. *Journal Experimental Botany* 53:175-181.
- Jackson, M.B., and P.C. Ram. 2003. Physiological and molecular basis of susceptibility and tolerance of rice plants to complete submergence. *Annals of Botany* 91:227-241.
- Kasim, M. 2004. Manajemen penggunaan air:meminimalkan penggunaan air untuk meningkatkan produksi padi sawah melalui sistem intensifikasi padi (*the system of rice intensification-SRI*). Pidato Pengukuhan Sebagai Guru Besar Tetap dalam Bidang Ilmu Fisiologi Tumbuhan pada Fakultas Pertanian Universitas Andalas Padang. 42 hal.



- Kawano, N., Ito, O., & Sakagami, J. 2009. Morphological and physiological responses of rice seedlings to complete submergence (flash flooding). Annals of Botany. 103: 161-169.
- Kusumadewi, S. 2014. Skripsi: Pengaruh Tinggi dan Lama Genangan terhadap Ketahanan, Status Karbohidrat dan Pertumbuhan Padi (*Oryza sativa L.*). Universitas Gadjah Mada, Yogyakarta.
- Mallik S., S.N. Sen, S.D. Chatterjee, S. Nandi, A. Dutta, S.Sarkarung. 2004. Sink improvement for deepwater rice. Curr. Science 87:1042-1043.
- Mohanty, H. K., B, Suprihatno, G. S Khush, W. R. Coffman, B. S. Vergara. 1982. Inheritance of submergence tolerance in deepwater. International Deepwater Rice Workshop:121-124.
- Mursida. 2005. Skripsi: Pengaruh Pemberian Beberapa Dosis Kompos Jerami Padi Hasil Pelapukan *Trichoderma harzianum* Terhadap Pertumbuhan Dan Hasil Tanaman Cabai (*Capsicum annum*). Universitas Andalas, Padang.
- Rafaralahy, S, 2002. An NGO Perspective on SRI and Its Origins in Madagascar. Assessments of The System of Rice Intensification (SRI) :Proceeding of an International Conference held in Sanya, China, April 1-4 2002. Ithaca NY : Cornell International Institute for Food, Agriculture and Development.
- Rathnayake, N. R. M. K. N. D., A. P. Bentota, D. M. N. Dissanayake, K. L. N. S. Perera, S. D. S. S. Sooriyapathirana5, G. A. U. Jayasekera. 2012. DNA markers rm 464a and rm 219 haplotypes are effective in selecting *sub-1* locus for the introgression of submergence tolerance into new rice varieties. Ceylon Journal of Science 41:125-136.
- Riche, C.J. 2004. Identification of soybean cultivars tolerance to waterlogging through analyses of leaf nitrogen concentration. Louisiana State University Electronic Thesis and Dissertation Collection. [http://etd.lsu.edu/docs/available/etd-04132004-154236/unrestricted/Riche\\_thesis.pdf](http://etd.lsu.edu/docs/available/etd-04132004-154236/unrestricted/Riche_thesis.pdf). Diakses pada tanggal 29 Desember 2015.
- Rivaldi, M. Zulman, Y. Marni. 2015. Pertumbuhan dan Hasil Padi (*Oryza sativa L.*) Salib pada Tinggi dan Waktu Penggenangan. Universitas Taman Siswa, Padang.
- Rumiati, 1982. Cara panen dan perontokan padi VUTW untuk menentukan jumlah kehilangan. Laporan Kemajuan Penelitian Seri Teknologi Lepas Panen No. 13 Sub Balittan Karawang.
- Sakagami, J. O. 2012. Submergence tolerance of rice species *Oryza glaberrima* steudel. Japan International Research Center for Agricultural Sciences, Japan.



- Scott, H.D., J. De Angulo, M.B. Daniels, and L.S. Wood. 1989. Flood duration effect on soybean growth and yield. *Agronomy*. 81: 631–636.
- Seago, J. L. Jr., L. C. marsh, K. J. Stevens, A. Soukup, O. otrubova and D. E. Enstone. 2005. Are-examination of the root cortex in wetland flowering plants with respect to aerenchyma. *Annals of Botany* 96:565–579.
- Setter, T.L., Ellis, M., Laureles, E. V., Ella, E. S., Senadhira, D., Mishra, B., Sarkarung, S., Datta, S. 1997. Physiology and genetics of submergence tolerance in rice. *Journal Annals Botany* 79:67-77.
- Shimamura, S., T. Mochizuki, Y. Nada, M. Fukuyama. 2002. Secondary aerenchyma formation and its relation to nitrogen fixation in root nodules of soybean plant (*Glycine max*) grown under flooded condition. *Plant Production Science* 5:294-300.
- Sairam, R.K., D. Kumutha, and K. Ezhilmathi. 2009. Waterlogging tolerance: nonsymbiotic haemoglobin-nitric oxide homeostasis and antioxidants. *Curr. Science* 96: 674–682.
- Sitompul, S. M. dan Guritno,B. 1995. Pertumbuhan Tanaman. UGM Press, Yogyakarta.
- Supapoj, N., C. Prechacat, K. Kupkanchankul. 1978. Screeing for flood tolerance in the field. Proceeding of the International Deepwater Rice Workshop, 135-138.
- Suprihatno, B., A. A Dradjat, Satoto, baehaki, I. N. Widiarta, A. Setyono, S. D. Indrasis, O. S. Lesmana, H. Sembiring. 2009. Deskripsi Varietas padi. Balai Besar Penelitian Tanaman Padi, Sukamandi.
- Susilawati, R. A. Suwignyo, Munandar, M. Hasmeda. 2012. Karakter Agronomi dan Fisiologi Varietas Cabai Merah pada Kondisi Cekaman Genangan. *Jurnal Agron. Indonesia* 40 : 196 – 203.
- Suwignyo., R. Agus. 2007. Ketahanan Tananam Padi Terhadap Kondisi Terendam: Pemahaman Terhadap Karakter Fisiologis Untuk Mendapatkan Kultivar Padi Yang Toleran Di Lahan Rawa Lebak. Kongres Ilmu Pengetahuan Wilayah Indonesia Bagian Barat Palembang.
- Suyitno. 2006. Respirasi pada Tumbuhan. <http://staff.uny.ac.id/sites/default/files/pengabdian/suyitno-aloysius-drs-ms/pengayaan-materi-respirasi-pada-tumbuhan-bagi-siswa-sma-kalasan.pdf>. Diakses pada tanggal 29 Desember 2015.
- Taiz L dan Zeiger E. 2002. Plant Physiology Third edition. Sundeland: Sinauer Associates. 690 pp.



Visser, E.J.W., L.A.C.J. Voesenek., B.B. Vartapetian, M.B. Jackson. 2003. Flooding and plant growth. Annals of Botany 91:107-109.

Weaver, J. E. 1926. Root Development of Field Crops. McGraw Hill, New York.

Weerapat, P., P. Woraniman. 1974. Varietal differences in ability of 10 day old seedlings to survive under submergence. Sabrao journal, 6:147-150.