

## REFERENCE

de Vet A, Laven JSE, de Jong FH, Themmen APN and Fauser BCJM (2002) Antimullerian hormone serum levels: a putative marker for ovarian aging. *Fertil Steril* 77, 357-362.

Durlinger ALL, Kramer P, Karels B, de Jong FH, Uilenbroek JT, Grootegoed JA & Themmen APN (1999) Control of primordial follicle recruitment by anti-Mullerian hormone in the mouse ovary. *Endocrinology* 140 5789-5796.

Durlinger ALL, Kramer P, Karels B, Kumar TR, Matzuk MM, Rose UM, de Jong FH, Uilenbroek JT, Grootegoed JA & Themmen APN (2001) Anti-Mullerian hormone attenuates the effects of FSH on follicle development in the mouse ovary. *Endocrinology* 142 4891-4899.

Ebner T, Sommergruber M, Moser M, Shebl O, Schreier-Lechner E, Tews G. Basal level of anti-Mullerian hormone is associated with oocyte quality in stimulated cycles. *Hum Reprod.* 2006;21(8):2022-6.  
[doi:10.1093/humrep/del127](https://doi.org/10.1093/humrep/del127).

Eldar-Geva T, Ben-Chetrit A, Spitz IM, Rabinowitz R, Markowitz E, Mimoni T, et al. Dynamic assays of inhibin B, anti-Mullerian hormone and estradiol following FSH stimulation and ovarian ultrasonography as predictors of IVF outcome. *Hum Reprod.* 2005;20(11):3178-83.  
[doi:10.1093/humrep/dei203](https://doi.org/10.1093/humrep/dei203).

Freidler S, Schenker JG Herman A, Lewin A. (1996) The role of ultrasonography in the endometrial receptivity following assisted reproduction treatments: a critical review. *Hum Reprod Update.* vol 2, pp: 323-335.

Ham Bak Lee, Yoon Ji Jung, Min Jung Kim, Mee Ran Kim, Eun Jung Kim and Jang Heub Kim. Expression Of Mullerian Inhibiting Substance (MIS) and its Receptor in Female Genital Tract. *World Journal of Pathology* Vol 4, 2013.

Hazout A, Bouchard, Seifer DB, Aussage P, Junca AM, Cohen-Bacrie P. Serum antimullerian hormone/mullerian-inhibiting substance appears to be a more discriminatory marker of assisted reproductive technology outcome than follicle-stimulating hormone, inhibin B, or estradiol. *Fertil Steril*. 2004;82(5):1323-9.  
[doi:10.1016/j.fertnstert.2004.03.061](https://doi.org/10.1016/j.fertnstert.2004.03.061).

Kandarakis E.D. (2009) Anti-Mullerian Hormone is Associated with Advanced Glycosylated end Products in lean Women With Polycystic Ovary Syndrome. *Eur Endocrine* May 1, vol 160, pp: 847-853.

La Marca, Volve.A. (2006) Anti-Mullerian Hormone (AMH) in female reproduction: is measurement of circulating AMH a useful too? *Clinical Endocrinology*, vol 64, pp: 603-610.

La Marca A, Nelson SM, Sighinolfi G, Manno M, Baraldi E, RoliL, et al. Anti-Mullerian hormone-based prediction model for a live birth in assisted reproduction. *Reprod Biomed Online*.2011;22(4):341-9.  
[doi:10.1016/j.rbmo.2010.11.005](https://doi.org/10.1016/j.rbmo.2010.11.005)

Lekamge DN, Barry M, Kolo M, Lane M, Gilchrist RB, Tremellen KP. Anti-Mullerian hormone as a predictor of IVF outcome. *Reprod Biomed Online*. 2007;14(5):602-10.

Liberty G, Ben-Chetrit A, Margalioth EJ, Hyman JH, Galoyan N, Eldar-Geva T. Does estrogen directly modulate anti-mullerian hormone secretion in women? *Fertil Steril*. 2010;94(6):2253-6.  
[doi:10.1016/j.fertnstert.2010.01.018](https://doi.org/10.1016/j.fertnstert.2010.01.018).

Lie Fong S, Baart EB, Martini E, Schipper I, Visser JA, Themmen AP, et al. Anti-Mullerian hormone: a marker for oocyte quantity, oocyte quality and embryo quality? *Reprod Biomed Online*. 2008;16(5):664-70.

Mashiach R, Amit A, Hasson J, Amzalzg S, Almog B, Ben-Yosef D, et al. Follicular fluid levels of anti-Mullerian hormone as a predictor of oocyte maturation, fertilization rate, and embryonic development in patients with polycystic ovary syndrome. *Fertil Steril*. 2010;93(7):2299-302.  
doi:[10.1016/j.fertnstert.2009.01.125](https://doi.org/10.1016/j.fertnstert.2009.01.125).

M. Cristina Magli, Gayle M. Jones, Kersti Lundin, Etienne Van den Abbeel and The Special Interest Group on Embryology, *Atlas of Human Embryology: from Oocytes to Preimplantation Embryos*, Human Reproduction Volume 27 Supplement 1 August 2012 Oxford University Press.

Pierre Lehmann, Maria P.Velez, Julio Saumet, Louise Laensee, Wael Jamal, Francois Bissonnette, Simon Phillips and Issac-Jacques Kadoch. Anti-Mullerian hormone (AMH): a reliable biomarker of oocyte quality in IVF. *J Assist Reprod Genet* (2014) 31:493-498.  
doi: [10.1007/s10815-014-0193-4](https://doi.org/10.1007/s10815-014-0193-4).

Pigny P. (2006). *J. Clin Endocrinol and Metab*.91:941-5.

Rajpert-De Meyts E, Jorgensen N, Graem N, Muller J, Cate RL and Skakkebaeck NE (1999) Expression of anti-mullerian hormone during normal and pathological gonadal development: association with differentiation of Sertoli and granulosa cells. *J Clin Endocrinol Metab* 84, 3836-3844.

Roudebush. W.E, Kivens. W.J and Mattke. J.M (2008) Biomarkers of Ovarian Reserve. *Biomark Insights*, vol 3, pp: 259-268.

Smeenk JM, Sweep FC, Zielhuis GA, Kremer JA, Thomas CM, Braat DD. Antimullerian hormone predicts ovarian responsiveness, but not embryo quality or pregnancy, after in vitro fertilization or intracytoplasmic sperm injection. *Fertil Steril*. 2007;87(1):223-6.  
doi:[10.1016/j.fertnstert.2006.06.019](https://doi.org/10.1016/j.fertnstert.2006.06.019).

T.Ebner, M.Sommergruber, M.Moser, O.Shebl, E.Schreier-Lechner and G.Tews (2006) Basal level of anti-Mullerian hormone is associated with oocyte quality in stimulated cycles. *Human Reproduction Vol.21, No.8* p. 2022-2026.  
doi: [10.1093/humrep/del127](https://doi.org/10.1093/humrep/del127)

Thomas Ebner, MORPHOLOGICAL MARKERS of OOCYTE QUALITY, April 2008, ESHRE Campus Tours, Landes- Frauen- und Kinderklinik, IVF-Unit, Linz, Austria.

Visser JA, de Jong FH, Laven JSE, Themmen APN (2006) Anti-Mulleri an hormone: a new marker for ovarian function. Review production, vol 131 pp: 1-9.

Wallace WH and Kelsey TW (2004) Ovarian reserve and reproduction age may be determined from measurement of ovarian volume by transvaginal sonography. Hum Reprod 19: 1612-1617.

Wen-Qin Lin, Ling-Nv Yao, Dong-Xue Zhang, Wei Zhang, Xiao-Jing Yang and Rong Yu. The predictive value of anti-mullerian hormone on embryo quality, blastocyst development, and pregnancy rate following in vitro fertilization-embryo transfer (IVF-ET). J Assist Reprod Genet (2013) 30:649-655 doi: 10.1007/s10815-013-9973-5.